
ODDT Documentation

Release 0.3.2

Maciej Wojcikowski

April 26, 2017

1	Installation	3
1.1	Requirements	3
1.2	Common installation problems	3
2	Usage Instructions	5
2.1	Atom, residues, bonds iteration	5
2.2	Reading molecules	6
2.3	Numpy Dictionaries - store your molecule as an uniform structure	6
3	ODDT command line interface (CLI)	9
4	ODDT API documentation	11
4.1	oddt package	11
5	References	303
6	Documentation Indices and tables	305
	Bibliography	307
	Python Module Index	309

Contents

- *Welcome to ODDT's documentation!*
 - *Installation*
 - * *Requirements*
 - * *Common installation problems*
 - *Usage Instructions*
 - * *Atom, residues, bonds iteration*
 - * *Reading molecules*
 - * *Numpy Dictionaries - store your molecule as an uniform structure*
 - *atom_dict*
 - *ring_dict*
 - *res_dict*
 - *ODDT command line interface (CLI)*
 - *ODDT API documentation*
 - *References*
 - *Documentation Indices and tables*

Installation

Requirements

- Python 2.7+ or 3.4+
- OpenBabel (2.3.2+) or/and RDKit (2014.03)
- Numpy (1.8+)
- Scipy (0.13+)
- Sklearn (0.18+)
- joblib (0.8+)
- pandas (0.17+)

Note: All installation methods assume that one of toolkits is installed. For detailed installation procedure visit toolkit's website (OpenBabel, RDKit)

Most convenient way of installing ODDT is using PIP. All required python modules will be installed automatically, although toolkits, either OpenBabel (`pip install openbabel`) or RDKit need to be installed manually

```
pip install oddt
```

If you want to install cutting edge version (master branch from GitHub) of ODDT also using PIP

```
pip install git+https://github.com/oddt/oddt.git@master
```

Finally you can install ODDT straight from the source

```
wget https://github.com/oddt/oddt/archive/0.3.2.tar.gz
tar zxvf 0.3.2.tar.gz
cd oddt-0.3.2/
python setup.py install
```

Common installation problems

Usage Instructions

You can use any supported toolkit united under common API (for reference see [Pybel](#) or [Cinfony](#)). All methods and software which based on Pybel/Cinfony should be drop in compatible with ODDT toolkits. In contrast to it's predecessors, which were aimed to have minimalistic API, ODDT introduces extended methods and additional handles. This extensions allow to use toolkits at all it's grace and some features may be backported from others to introduce missing functionalities. To name a few:

- coordinates are returned as Numpy Arrays
- atoms and residues methods of Molecule class are lazy, ie. not returning a list of pointers, rather an object which allows indexing and iterating through atoms/residues
- Bond object (similar to Atom)
- *atom_dict*, *ring_dict*, *res_dict* - comprehensive Numpy Arrays containing common information about given entity, particularly useful for high performance computing, ie. interactions, scoring etc.
- lazy Molecule (asynchronous), which is not converted to an object in reading phase, rather passed as a string and read in when underlying object is called
- pickling introduced for Pybel Molecule (internally saved to mol2 string)

Atom, residues, bonds iteration

One of the most common operation would be iterating through molecules atoms

```
mol = oddt.toolkit.readstring('smi', 'c1ccccc1')
for atom in mol:
    print(atom.idx)
```

Note: mol.atoms, returns an object (AtomStack) which can be access via indexes or iterated

Iterating over residues is also very convenient, especially for proteins

```
for res in mol.residues:
    print(res.name)
```

Additionally residues can fetch atoms belonging to them:

```
for res in mol.residues:
    for atom in res:
        print(atom.idx)
```

Bonds are also iterable, similar to residues:

```
for bond in mol.bonds:
    print(bond.order)
    for atom in bond:
        print(atom.idx)
```

Reading molecules

Reading molecules is mostly identical to [Pybel](#).

Reading from file

```
for mol in oddt.toolkit.readfile('smi', 'test.smi'):
    print(mol.title)
```

Reading from string

```
mol = oddt.toolkit.readstring('smi', 'c1ccccc1 benzene'):
    print(mol.title)
```

Note: You can force molecules to be read in asynchronously, aka “lazy molecules”. Current default is not to produce lazy molecules due to OpenBabel’s Memory Leaks in OBConverter. Main advantage of lazy molecules is using them in multiprocessing, then conversion is spreaded on all jobs.

Reading molecules from file in asynchronous manner

```
for mol in oddt.toolkit.readfile('smi', 'test.smi', lazy=True):
    pass
```

This example will execute instantaneously, since no molecules were evaluated.

Numpy Dictionaries - store your molecule as an uniform structure

Most important and handy property of Molecule in ODDT are Numpy dictionaries containing most properties of supplied molecule. Some of them are straightforward, other require some calculation, ie. atom features. Dictionaries are provided for major entities of molecule: atoms, bonds, residues and rings. It was primarily used for interactions calculations, although it is applicable for any other calculation. The main benefit is marvelous Numpy broadcasting and subsetting.

Each dictionary is defined as a format in Numpy.

atom_dict

Atom basic information

- `'coords'`, type: float32, shape: (3) - atom coordinates
- `'charge'`, type: float32 - atom’s charge
- `'atomicnum'`, type: int8 - atomic number
- `'*atomtype'`, type: a4 - Sybyl atom’s type

- *'hybridization'*, type: `int8` - atoms hybridization
- *'neighbors'*, type: `float32`, shape: (4,3) - coordinates of non-H neighbors coordinates for angles (max of 4 neighbors should be enough)

Residue information for current atom

- *'resid'*, type: `int16` - residue ID
- *'resname'*, type: `a3` - Residue name (3 letters)
- *'isbackbone'*, type: `bool` - is atom part of backbone

Atom properties

- *'isacceptor'*, type: `bool` - is atom H-bond acceptor
- *'isdonor'*, type: `bool` - is atom H-bond donor
- *'isdonorh'*, type: `bool` - is atom H-bond donor Hydrogen
- *'ismetal'*, type: `bool` - is atom a metal
- *'ishydrophobe'*, type: `bool` - is atom hydrophobic
- *'isaromatic'*, type: `bool` - is atom aromatic
- *'isminus'*, type: `bool` - is atom negatively charged/chargable
- *'isplus'*, type: `bool` - is atom positively charged/chargable
- *'ishalogen'*, type: `bool` - is atom a halogen

Secondary structure

- *'isalpha'*, type: `bool` - is atom a part of alpha helix
- *'isbeta'*, type: `bool` - is atom a part of beta strand

ring_dict

- *'centroid'*, type: `float32`, shape: 3 - coordinates of ring's centroid
- *'vector'*, type: `float32`, shape: 3 - normal vector for ring
- *'isalpha'*, type: `bool` - is ring a part of alpha helix
- *'isbeta'*, type: `bool` - is ring a part of beta strand

res_dict

- *'id'*, type: `int16` - residue ID
- *'resname'*, type: `a3` - Residue name (3 letters)
- *'N'*, type: `float32`, shape: 3 - coordinates of backbone N atom
- *'CA'*, type: `float32`, shape: 3 - coordinates of backbone CA atom
- *'C'*, type: `float32`, shape: 3 - coordinates of backbone C atom
- *'isalpha'*, type: `bool` - is residue a part of alpha helix
- *'isbeta'*, type: `bool` - is residue a part of beta strand

Note: All aforementioned dictionaries are generated “on demand”, and are cached for molecule, thus can be shared between calculations. Caching of dictionaries brings incredible performance gain, since in some applications their generation is the major time consuming task.

Get all acceptor atoms:

```
mol.atom_dict['is_acceptor']
```

ODDT command line interface (CLI)

There is an *oddt* command to interface with Open Drug Discovery Toolkit from terminal, without any programming knowledge. It simply reproduces *oddt.virtualscreening.virtualscreening*. One can filter, dock and score ligands using methods implemented or compatible with ODDT. All positional arguments are treated as input ligands, whereas output must be assigned using *-O* option (following *obabel* convention). Input and output formats are defined using *-i* and *-o* accordingly. If output format is present and no output file is assigned, then molecules are printed to STDOUT.

To list all the available options issue *-h* option:

```
oddt_cli -h
```

1. Docking ligand using Autodock Vina (construct box using ligand from crystal structure) with additional RFScore v2 rescoring:

```
oddt_cli input_ligands.sdf --dock autodock_vina --receptor rec.mol2 --auto_ligand crystal_ligand.mol2
```

2. Filtering ligands using Lipinski RO5 and PAINS. Afterwards dock with Autodock Vina:

```
oddt_cli input_ligands.sdf --filter ro5 --filter pains --dock autodock_vina --receptor rec.mol2 --auto
```

3. Dock with Autodock Vina, with precise box position and dimensions. Fix seed for reproducibility and increase exhaustiveness:

```
oddt_cli ampc/actives_final.mol2.gz --dock autodock_vina --receptor ampc/receptor.pdb --size '(8,8,8)
```

4. Rescore ligands using 3 versions of RFScore and pre-trained scoring function (either pickle from ODDT or any other SF implementing *oddt.scoring.scorer* API):

```
oddt_cli docked_ligands.sdf --receptor rec.mol2 --score rfscore_v1 --score rfscore_v2 --score rfscore
```

ODDT API documentation

oddt package

Subpackages

oddt.docking package

Submodules

oddt.docking.AutodockVina module

class `oddt.docking.AutodockVina.autodock_vina` (*protein=None, auto_ligand=None, size=(10, 10, 10), center=(0, 0, 0), exhaustiveness=8, num_modes=9, energy_range=3, seed=None, prefix_dir='tmp', n_cpu=1, executable=None, autocleanup=True, skip_bad_mols=True*)

Bases: `object`

Autodock Vina docking engine, which extends it's capabilities: automatic box (auto-centering on ligand).

Parameters **protein:** `oddt.toolkit.Molecule` object (default=None)

Protein object to be used while generating descriptors.

auto_ligand: `oddt.toolkit.Molecule` object or **string** (default=None) Ligand use to center the docking box. Either ODDT molecule or a file (opened based on extension and read to ODDT molecule). Box is centered on geometric center of molecule.

size: **tuple, shape=[3]** (default=(10,10,10)) Dimensions of docking box (in Angstroms)

center: **tuple, shape=[3]** (default=(0,0,0)) The center of docking box in cartesian space.

exhaustiveness: **int** (default=8) Exhaustiveness parameter of Autodock Vina

num_modes: **int** (default=9) Number of conformations generated by Autodock Vina

energy_range: **int** (default=3) Energy range cutoff for Autodock Vina

seed: **int** or **None** (default=None) Random seed for Autodock Vina

- prefix_dir:** **string (default=/tmp)** Temporary directory for Autodock Vina files
- executable:** **string or None (default=None)** Autodock Vina executable location in the system. It's really necessary if autodetection fails.
- autocleanup:** **bool (default=True)** Should the docking engine clean up after execution?
- skip_bad_mols:** **bool (default=True)** Should molecules that crash Autodock Vina be skipped.

Attributes

tmp_dir

Methods

<i>clean()</i>	
<i>dock</i> (ligands[, protein, single])	Automated docking procedure.
<i>predict_ligand</i> (ligand)	Local method to score one ligand and update it's scores.
<i>predict_ligands</i> (ligands)	Method to score ligands lazily
<i>score</i> (ligands[, protein, single])	Automated scoring procedure.
<i>set_protein</i> (protein)	Change protein to dock to.

clean ()

dock (*ligands*, *protein=None*, *single=False*)
Automated docking procedure.

Parameters **ligands:** iterable of `oddt.toolkit.Molecule` objects

Ligands to dock

protein: `oddt.toolkit.Molecule` object or `None` Protein object to be used. If `None`, then the default one is used, else the protein is new default.

single: **bool (default=False)** A flag to indicate single ligand docking - performance reasons (eg. there is no need for subdirectory for one ligand)

Returns **ligands** : array of `oddt.toolkit.Molecule` objects

Array of ligands (scores are stored in `mol.data` method)

predict_ligand (*ligand*)

Local method to score one ligand and update it's scores.

Parameters **ligand:** `oddt.toolkit.Molecule` object

Ligand to be scored

Returns **ligand:** `oddt.toolkit.Molecule` object

Scored ligand with updated scores

predict_ligands (*ligands*)

Method to score ligands lazily

Parameters ligands: iterable of oddt.toolkit.Molecule objects

Ligands to be scored

Returns ligand: iterator of oddt.toolkit.Molecule objects

Scored ligands with updated scores

score (*ligands*, *protein=None*, *single=False*)

Automated scoring procedure.

Parameters ligands: iterable of oddt.toolkit.Molecule objects

Ligands to score

protein: oddt.toolkit.Molecule object or None Protein object to be used. If None, then the default one is used, else the protein is new default.**single: bool (default=False)** A flag to indicate single ligand scoring - performance reasons (eg. there is no need for subdirectory for one ligand)**Returns ligands** : array of oddt.toolkit.Molecule objects

Array of ligands (scores are stored in mol.data method)

set_protein (*protein*)

Change protein to dock to.

Parameters protein: oddt.toolkit.Molecule object

Protein object to be used.

tmp_dir`oddt.docking.AutodockVina.parse_vina_docking_output` (*output*)

Function parsing Autodock Vina docking output to a dictionary

Parameters output : string

Autodock Vina standard output (STDOUT).

Returns out : dict

dictionary containing scores computed by Autodock Vina

`oddt.docking.AutodockVina.parse_vina_scoring_output` (*output*)

Function parsing Autodock Vina scoring output to a dictionary

Parameters output : string

Autodock Vina standard output (STDOUT).

Returns out : dict

dictionary containing scores computed by Autodock Vina

oddt.docking.internal module

ODDT's internal docking/scoring engines

`oddt.docking.internal.change_dihedral` (*coords*, *a1*, *a2*, *a3*, *a4*, *target_angle*, *rot_mask*)`oddt.docking.internal.get_children` (*molecule*, *mother*, *restricted*)`oddt.docking.internal.get_close_neighbors` (*molecule*, *a_idx*, *num_bonds=1*)

oddt.docking.internal.num_rotors_pdbqt (*lig*)

class oddt.docking.internal.vina_docking (*rec*, *lig=None*, *box=None*, *box_size=1.0*,
weights=None)

Bases: object

Methods

correct_radius(*atom_dict*)

score(*[coords]*)

score_inter(*[coords]*)

score_intra(*[coords]*)

score_total(*[coords]*)

set_box(*box*)

set_coords(*coords*)

set_ligand(*lig*)

set_protein(*rec*)

weighted_inter(*[coords]*)

weighted_intra(*[coords]*)

weighted_total(*[coords]*)

correct_radius (*atom_dict*)

score (*coords=None*)

score_inter (*coords=None*)

score_intra (*coords=None*)

score_total (*coords=None*)

set_box (*box*)

set_coords (*coords*)

set_ligand (*lig*)

set_protein (*rec*)

weighted_inter (*coords=None*)

weighted_intra (*coords=None*)

weighted_total (*coords=None*)

class oddt.docking.internal.vina_ligand (*c0*, *num_rotors*, *engine*, *box_size=1*)

Bases: object

Methods

mutate(*x2[, force]*)

mutate (*x2*, *force=False*)

Module contents

class `oddt.docking.autodock_vina` (*protein=None, auto_ligand=None, size=(10, 10, 10), center=(0, 0, 0), exhaustiveness=8, num_modes=9, energy_range=3, seed=None, prefix_dir='/tmp', n_cpu=1, executable=None, autocleanup=True, skip_bad_mols=True*)

Bases: `object`

Autodock Vina docking engine, which extends it's capabilities: automatic box (auto-centering on ligand).

Parameters **protein: odgt.toolkit.Molecule object (default=None)**

Protein object to be used while generating descriptors.

auto_ligand: odgt.toolkit.Molecule object or string (default=None) Ligand use to center the docking box. Either ODDT molecule or a file (opened based on extension and read to ODDT molecule). Box is centered on geometric center of molecule.

size: tuple, shape=[3] (default=(10,10,10)) Dimensions of docking box (in Angstroms)

center: tuple, shape=[3] (default=(0,0,0)) The center of docking box in cartesian space.

exhaustiveness: int (default=8) Exhaustiveness parameter of Autodock Vina

num_modes: int (default=9) Number of conformations generated by Autodock Vina

energy_range: int (default=3) Energy range cutoff for Autodock Vina

seed: int or None (default=None) Random seed for Autodock Vina

prefix_dir: string (default=/tmp) Temporary directory for Autodock Vina files

executable: string or None (default=None) Autodock Vina executable location in the system. It's really necessary if autodetection fails.

autocleanup: bool (default=True) Should the docking engine clean up after execution?

skip_bad_mols: bool (default=True) Should molecules that crash Autodock Vina be skipped.

Attributes

tmp_dir

Methods

<i>clean()</i>	
<i>dock</i> (ligands[, protein, single])	Automated docking procedure.
<i>predict_ligand</i> (ligand)	Local method to score one ligand and update it's scores.
<i>predict_ligands</i> (ligands)	Method to score ligands lazily
<i>score</i> (ligands[, protein, single])	Automated scoring procedure.
<i>set_protein</i> (protein)	Change protein to dock to.

`clean()`

`dock` (*ligands*, *protein=None*, *single=False*)

Automated docking procedure.

Parameters **ligands**: iterable of `oddt.toolkit.Molecule` objects

Ligands to dock

protein: `oddt.toolkit.Molecule` object or `None` Protein object to be used. If `None`, then the default one is used, else the protein is new default.

single: `bool` (**default=False**) A flag to indicate single ligand docking - performance reasons (eg. there is no need for subdirectory for one ligand)

Returns **ligands** : array of `oddt.toolkit.Molecule` objects

Array of ligands (scores are stored in `mol.data` method)

`predict_ligand` (*ligand*)

Local method to score one ligand and update it's scores.

Parameters **ligand**: `oddt.toolkit.Molecule` object

Ligand to be scored

Returns **ligand**: `oddt.toolkit.Molecule` object

Scored ligand with updated scores

`predict_ligands` (*ligands*)

Method to score ligands lazily

Parameters **ligands**: iterable of `oddt.toolkit.Molecule` objects

Ligands to be scored

Returns **ligand**: iterator of `oddt.toolkit.Molecule` objects

Scored ligands with updated scores

`score` (*ligands*, *protein=None*, *single=False*)

Automated scoring procedure.

Parameters **ligands**: iterable of `oddt.toolkit.Molecule` objects

Ligands to score

protein: `oddt.toolkit.Molecule` object or `None` Protein object to be used. If `None`, then the default one is used, else the protein is new default.

single: `bool` (**default=False**) A flag to indicate single ligand scoring - performance reasons (eg. there is no need for subdirectory for one ligand)

Returns **ligands** : array of `oddt.toolkit.Molecule` objects

Array of ligands (scores are stored in `mol.data` method)

`set_protein` (*protein*)

Change protein to dock to.

Parameters **protein**: `oddt.toolkit.Molecule` object

Protein object to be used.

`tmp_dir`

oddt.scoring package

Subpackages

oddt.scoring.descriptors package

Submodules

oddt.scoring.descriptors.binana module Internal implementation of binana software (<http://nbcrc.ucsd.edu/data/sw/hosted/binana/>)

class `oddt.scoring.descriptors.binana.binana_descriptor` (*protein=None*)

Bases: object

Descriptor build from binana script (as used in NNScore 2.0)

Parameters **protein:** `oddt.toolkit.Molecule` object (default=None)

Protein object to be used while generating descriptors.

Methods

<code>build(ligands[, protein])</code>	Descriptor building method
<code>set_protein(protein)</code>	One function to change all relevant proteins

build (*ligands, protein=None*)

Descriptor building method

Parameters **ligands:** array-like

An array of generator of `oddt.toolkit.Molecule` objects for which the descriptor is computed

protein: `oddt.toolkit.Molecule` object (default=None) Protein object to be used while generating descriptors. If none, then the default protein (from constructor) is used. Otherwise, protein becomes new global and default protein.

Returns `descs`: numpy array, shape=[*n_samples*, 351]

An array of binana descriptors, aligned with input ligands

set_protein (*protein*)

One function to change all relevant proteins

Parameters **protein:** `oddt.toolkit.Molecule` object

Protein object to be used while generating descriptors. Protein becomes new global and default protein.

Module contents

class `oddt.scoring.descriptors.close_contacts` (*protein=None, cutoff=4, mode='atomic_nums', ligand_types=None, protein_types=None, aligned_pairs=False*)

Bases: object

Close contacts descriptor which tallies atoms of type X in certain cutoff from atoms of type Y.

Parameters **protein:** `oddt.toolkit.Molecule` or `None` (default=`None`)

Default protein to use as reference

cutoff: `int` or `list`, `shape=[n,]` or `shape=[n,2]` (default=`4`) Cutoff for atoms in Angstroms given as an integer or a list of ranges, eg. `[0, 4, 8, 12]` or `[[0,4],[4,8],[8,12]]`. Upper bound is always inclusive, lower exclusive.

mode: `string` (default=`'atomic_nums'`) Method of atoms selection, as used in `atoms_by_type`

ligand_types: `array` List of ligand atom types to use

protein_types: `array` List of protein atom types to use

aligned_pairs: `bool` (default=`False`) Flag indicating should permutation of types should be done, otherwise the atoms are treated as aligned pairs.

Methods

`build(ligands[, protein, single])` Builds descriptors for series of ligands

build (*ligands*, *protein=None*, *single=False*)

Builds descriptors for series of ligands

Parameters **ligands:** iterable of `oddt.toolkit.Molecules` or `oddt.toolkit.Molecule`

A list or iterable of ligands to build the descriptor or a single molecule.

protein: `oddt.toolkit.Molecule` or `None` (default=`None`) Default protein to use as reference

single: `bool` (default=`False`) Flag indicating if the ligand is single.

class `oddt.scoring.descriptors.fingerprints` (*fp='fp2'*, *toolkit='ob'*)

Bases: `object`

Methods

`build(mols[, single])`

build (*mols*, *single=False*)

class `oddt.scoring.descriptors.autodock_vina_descriptor` (*protein=None*, *vina_scores=None*)

Bases: `object`

Methods

`build(ligands[, protein, single])`
`set_protein(protein)`

build (*ligands*, *protein=None*, *single=False*)

set_protein (*protein*)

class `oddt.scoring.descriptors.oddt_vina_descriptor` (*protein=None*, *vina_scores=None*)
Bases: `object`

Methods

build(*ligands*[, *protein*, *single*])

set_protein(*protein*)

build (*ligands*, *protein=None*, *single=False*)

set_protein (*protein*)

oddt.scoring.functions package

Submodules

oddt.scoring.functions.NNScore module

class `oddt.scoring.functions.NNScore.nnscore` (*protein=None*, *n_jobs=-1*)
Bases: `oddt.scoring.scorer`

Methods

<i>fit</i> (<i>ligands</i> , <i>target</i> , * <i>args</i> , ** <i>kwargs</i>)	Trains model on supplied ligands and target values
<i>gen_training_data</i> (<i>pdbbind_dir</i> [, ...])	
<i>load</i> (<i>filename</i> , <i>pdbbind_version</i>)	
<i>predict</i> (<i>ligands</i> , * <i>args</i> , ** <i>kwargs</i>)	Predicts values (eg.
<i>predict_ligand</i> (<i>ligand</i>)	Local method to score one ligand and update it's scores.
<i>predict_ligands</i> (<i>ligands</i>)	Method to score ligands lazily
<i>save</i> (<i>filename</i>)	Saves scoring function to a pickle file.
<i>score</i> (<i>ligands</i> , <i>target</i> , * <i>args</i> , ** <i>kwargs</i>)	Methods estimates the quality of prediction as squared correlation coefficient (R^2)
<i>set_protein</i> (<i>protein</i>)	Proxy method to update protein in all relevant places.
<i>train</i> (<i>home_dir</i> , <i>sf_pickle</i> , <i>pdbbind_version</i>)	

fit (*ligands*, *target*, **args*, ***kwargs*)
Trains model on supplied ligands and target values

Parameters **ligands**: array-like of ligands

Ground truth (correct) target values.

target: array-like of shape = [*n_samples*] or [*n_samples*, *n_outputs*] Estimated target values.

gen_training_data (*pdbbind_dir*, *pdbbind_versions*=(2007, 2012, 2013, 2014, 2015, 2016),
home_dir=None)

classmethod `load` (*filename*=' ', *pdbind_version*=2016)

predict (*ligands*, **args*, ***kwargs*)

Predicts values (eg. affinity) for supplied ligands

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns predicted: np.array or array of np.arrays of shape = [n_ligands]

Predicted scores for ligands

predict_ligand (*ligand*)

Local method to score one ligand and update it's scores.

Parameters **ligand: oddt.toolkit.Molecule object**

Ligand to be scored

Returns ligand: oddt.toolkit.Molecule object

Scored ligand with updated scores

predict_ligands (*ligands*)

Method to score ligands lazily

Parameters **ligands: iterable of oddt.toolkit.Molecule objects**

Ligands to be scored

Returns ligand: iterator of oddt.toolkit.Molecule objects

Scored ligands with updated scores

save (*filename*)

Saves scoring function to a pickle file.

Parameters **filename: string**

Pickle filename

score (*ligands*, *target*, **args*, ***kwargs*)

Methods estimates the quality of prediction as squared correlation coefficient (R²)

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns r2: float

Squared correlation coefficient (R²) for prediction

set_protein (*protein*)

Proxy method to update protein in all relevant places.

Parameters **protein: oddt.toolkit.Molecule object**

New default protein

`train` (*home_dir=None, sf_pickle='', pdbbind_version=2016*)

oddt.scoring.functions.RFScore module

`class oddt.scoring.functions.RFScore.rfscore` (*protein=None, n_jobs=-1, version=1, spr=0, **kwargs*)

Bases: `oddt.scoring.scorer`

Methods

<code>fit</code> (ligands, target, *args, **kwargs)	Trains model on supplied ligands and target values
<code>gen_training_data</code> (pdbbind_dir[, ...])	
<code>load</code> ([filename, version, pdbbind_version])	
<code>predict</code> (ligands, *args, **kwargs)	Predicts values (eg.
<code>predict_ligand</code> (ligand)	Local method to score one ligand and update it's scores.
<code>predict_ligands</code> (ligands)	Method to score ligands lazily
<code>save</code> (filename)	Saves scoring function to a pickle file.
<code>score</code> (ligands, target, *args, **kwargs)	Methods estimates the quality of prediction as squared correlation coefficient (R^2)
<code>set_protein</code> (protein)	Proxy method to update protein in all relevant places.
<code>train</code> ([home_dir, sf_pickle, pdbbind_version])	

`fit` (*ligands, target, *args, **kwargs*)
Trains model on supplied ligands and target values

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

`gen_training_data` (*pdbbind_dir, pdbbind_versions=(2007, 2012, 2013, 2014, 2015, 2016), home_dir=None*)

`classmethod load` (*filename='', version=1, pdbbind_version=2016*)

`predict` (*ligands, *args, **kwargs*)
Predicts values (eg. affinity) for supplied ligands

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns predicted: np.array or array of np.arrays of shape = [n_ligands]

Predicted scores for ligands

`predict_ligand` (*ligand*)
Local method to score one ligand and update it's scores.

Parameters **ligand: oddt.toolkit.Molecule object**

Ligand to be scored

Returns ligand: oddt.toolkit.Molecule object

Scored ligand with updated scores

predict_ligands (*ligands*)

Method to score ligands lazily

Parameters **ligands:** iterable of `oddt.toolkit.Molecule` objects

Ligands to be scored

Returns ligand: iterator of `oddt.toolkit.Molecule` objects

Scored ligands with updated scores

save (*filename*)

Saves scoring function to a pickle file.

Parameters **filename:** string

Pickle filename

score (*ligands, target, *args, **kwargs*)

Methods estimates the quality of prediction as squared correlation coefficient (R^2)

Parameters **ligands:** array-like of ligands

Ground truth (correct) target values.

target: array-like of shape = [`n_samples`] or [`n_samples, n_outputs`] Estimated target values.

Returns r2: float

Squared correlation coefficient (R^2) for prediction

set_protein (*protein*)

Proxy method to update protein in all relevant places.

Parameters **protein:** `oddt.toolkit.Molecule` object

New default protein

train (*home_dir=None, sf_pickle='', pdbbind_version=2016*)

Module contents

class `oddt.scoring.functions.rfscore` (*protein=None, n_jobs=-1, version=1, spr=0, **kwargs*)

Bases: `oddt.scoring.scorer`

Methods

<code>fit(ligands, target, *args, **kwargs)</code>	Trains model on supplied ligands and target values
<code>gen_training_data(pdbbind_dir[, ...])</code>	
<code>load([filename, version, pdbbind_version])</code>	
<code>predict(ligands, *args, **kwargs)</code>	Predicts values (eg.
<code>predict_ligand(ligand)</code>	Local method to score one ligand and update it's scores.
<code>predict_ligands(ligands)</code>	Method to score ligands lazily
<code>save(filename)</code>	Saves scoring function to a pickle file.
<code>score(ligands, target, *args, **kwargs)</code>	Methods estimates the quality of prediction as squared correlation coefficient (R^2)
<code>set_protein(protein)</code>	Proxy method to update protein in all relevant places.
<code>train([home_dir, sf_pickle, pdbbind_version])</code>	

fit (*ligands*, *target*, **args*, ***kwargs*)

Trains model on supplied ligands and target values

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

gen_training_data (*pdbind_dir*, *pdbind_versions=(2007, 2012, 2013, 2014, 2015, 2016)*, *home_dir=None*)

classmethod load (*filename=''*, *version=1*, *pdbind_version=2016*)

predict (*ligands*, **args*, ***kwargs*)

Predicts values (eg. affinity) for supplied ligands

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns predicted: np.array or array of np.arrays of shape = [n_ligands]

Predicted scores for ligands

predict_ligand (*ligand*)

Local method to score one ligand and update it's scores.

Parameters **ligand: oddt.toolkit.Molecule object**

Ligand to be scored

Returns ligand: oddt.toolkit.Molecule object

Scored ligand with updated scores

predict_ligands (*ligands*)

Method to score ligands lazily

Parameters **ligands: iterable of oddt.toolkit.Molecule objects**

Ligands to be scored

Returns ligand: iterator of oddt.toolkit.Molecule objects

Scored ligands with updated scores

save (*filename*)

Saves scoring function to a pickle file.

Parameters **filename: string**

Pickle filename

score (*ligands*, *target*, **args*, ***kwargs*)

Methods estimates the quality of prediction as squared correlation coefficient (R^2)

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns r2: float

Squared correlation coefficient (R²) for prediction

set_protein (*protein*)

Proxy method to update protein in all relevant places.

Parameters **protein:** `oddt.toolkit.Molecule` object

New default protein

train (*home_dir=None*, *sf_pickle=''*, *pdbind_version=2016*)

class `oddt.scoring.functions.nnscore` (*protein=None*, *n_jobs=-1*)

Bases: `oddt.scoring.scorer`

Methods

<code>fit</code> (ligands, target, *args, **kwargs)	Trains model on supplied ligands and target values
<code>gen_training_data</code> (pdbind_dir[, ...])	
<code>load</code> ([filename, pdbind_version])	
<code>predict</code> (ligands, *args, **kwargs)	Predicts values (eg.
<code>predict_ligand</code> (ligand)	Local method to score one ligand and update it's scores.
<code>predict_ligands</code> (ligands)	Method to score ligands lazily
<code>save</code> (filename)	Saves scoring function to a pickle file.
<code>score</code> (ligands, target, *args, **kwargs)	Methods estimates the quality of prediction as squared correlation coefficient (R ²)
<code>set_protein</code> (protein)	Proxy method to update protein in all relevant places.
<code>train</code> ([home_dir, sf_pickle, pdbind_version])	

fit (*ligands*, *target*, *args, **kwargs)

Trains model on supplied ligands and target values

Parameters **ligands:** array-like of ligands

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

gen_training_data (*pdbind_dir*, *pdbind_versions=(2007, 2012, 2013, 2014, 2015, 2016)*,
home_dir=None)

classmethod `load` (*filename=''*, *pdbind_version=2016*)

predict (*ligands*, *args, **kwargs)

Predicts values (eg. affinity) for supplied ligands

Parameters **ligands:** array-like of ligands

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns predicted: np.array or array of np.arrays of shape = [n_ligands]

Predicted scores for ligands

predict_ligand (*ligand*)

Local method to score one ligand and update it's scores.

Parameters **ligand:** `oddt.toolkit.Molecule` object

Ligand to be scored

Returns ligand: `oddt.toolkit.Molecule` object

Scored ligand with updated scores

predict_ligands (*ligands*)

Method to score ligands lazily

Parameters **ligands:** iterable of `oddt.toolkit.Molecule` objects

Ligands to be scored

Returns ligand: iterator of `oddt.toolkit.Molecule` objects

Scored ligands with updated scores

save (*filename*)

Saves scoring function to a pickle file.

Parameters **filename:** string

Pickle filename

score (*ligands, target, *args, **kwargs*)

Methods estimates the quality of prediction as squared correlation coefficient (R^2)

Parameters **ligands:** array-like of ligands

Ground truth (correct) target values.

target: array-like of shape = `[n_samples]` or `[n_samples, n_outputs]` Estimated target values.

Returns r2: float

Squared correlation coefficient (R^2) for prediction

set_protein (*protein*)

Proxy method to update protein in all relevant places.

Parameters **protein:** `oddt.toolkit.Molecule` object

New default protein

train (*home_dir=None, sf_pickle='', pdbbind_version=2016*)

oddt.scoring.models package

Submodules

oddt.scoring.models.classifiers module

oddt.scoring.models.classifiers.**randomforest**
 alias of RandomForestClassifier

class oddt.scoring.models.classifiers.**svm** (*args, **kwargs)
 Bases: sklearn.base.ClassifierMixin

Assemble a proper SVM classifier

Methods

<i>fit</i> (descs, target_values, **kwargs)
<i>get_params</i> ([deep])
<i>predict</i> (descs)
<i>predict_log_proba</i> (descs)
<i>predict_proba</i> (descs)
<i>score</i> (descs, target_values)
<i>set_params</i> (**kwargs)

fit (descs, target_values, **kwargs)

get_params (deep=True)

predict (descs)

predict_log_proba (descs)

predict_proba (descs)

score (descs, target_values)

set_params (**kwargs)

class oddt.scoring.models.classifiers.**neuralnetwork** (*args, **kwargs)
 Bases: sklearn.base.ClassifierMixin

Assemble Neural network using sklearn pipeline

Methods

<i>fit</i> (descs, target_values, **kwargs)
<i>get_params</i> ([deep])
<i>predict</i> (descs)
<i>predict_log_proba</i> (descs)
<i>predict_proba</i> (descs)
<i>score</i> (descs, target_values)
<i>set_params</i> (**kwargs)

fit (descs, target_values, **kwargs)

get_params (deep=True)

predict (descs)

predict_log_proba (descs)

predict_proba (descs)

score (*descs*, *target_values*)

set_params (**kwargs)

oddt.scoring.models.regressors module Collection of regressors models

oddt.scoring.models.regressors.**randomforest**

alias of RandomForestRegressor

class oddt.scoring.models.regressors.**svm** (*args, **kwargs)

Bases: sklearn.base.RegressorMixin

Assemble a proper SVM using sklearn tools regressor

Methods

fit(descs, target_values, **kwargs)

get_params([deep])

predict(descs)

score(descs, target_values)

set_params(**kwargs)

fit (*descs*, *target_values*, **kwargs)

get_params (*deep*=True)

predict (*descs*)

score (*descs*, *target_values*)

set_params (**kwargs)

oddt.scoring.models.regressors.**pls**

alias of PLSRegression

class oddt.scoring.models.regressors.**neuralnetwork** (*args, **kwargs)

Bases: sklearn.base.RegressorMixin

Assemble Neural network using sklearn pipeline

Methods

fit(descs, target_values, **kwargs)

get_params([deep])

predict(descs)

score(descs, target_values)

set_params(**kwargs)

fit (*descs*, *target_values*, **kwargs)

get_params (*deep*=True)

predict (*descs*)

score (*descs*, *target_values*)

set_params (**kwargs)

oddt.scoring.models.regressors.mlr
alias of LinearRegression

Module contents

Module contents

oddt.scoring.**cross_validate** (model, cv_set, cv_target, n=10, shuffle=True, n_jobs=1)
Perform cross validation of model using provided data

Parameters model: object

Model to be tested

cv_set: array-like of shape = [n_samples, n_features] Estimated target values.

cv_target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

n: integer (default = 10) How many folds to be created from dataset

shuffle: bool (default = True) Should data be shuffled before folding.

n_jobs: integer (default = 1) How many CPUs to use during cross validation

Returns r2: array of shape = [n]

R² score for each of generated folds

class oddt.scoring.**ensemble_descriptor** (descriptor_generators)
Bases: object

Proxy class to build an ensemble of descriptors with an API as one

Parameters models: array

An array of models

Methods

build(mols, *args, **kwargs)

set_protein(protein)

build (mols, *args, **kwargs)

set_protein (protein)

class oddt.scoring.**ensemble_model** (models)
Bases: object

Proxy class to build an ensemble of models with an API as one

Parameters models: array

An array of models

Methods

<i>fit</i> (X, y, *args, **kwargs)
<i>predict</i> (X, *args, **kwargs)
<i>score</i> (X, y, *args, **kwargs)

fit (X, y, *args, **kwargs)

predict (X, *args, **kwargs)

score (X, y, *args, **kwargs)

class `oddt.scoring.scorer` (*model_instance*, *descriptor_generator_instance*, *score_title*='score')

Bases: object

Scorer class is parent class for scoring functions.

Parameters **model_instance:** model

Medel compatible with sklearn API (fit, predict and score methods)

descriptor_generator_instance: array of descriptors Descriptor generator object

score_title: string Title of score to be used.

Methods

<i>fit</i> (ligands, target, *args, **kwargs)	Trains model on supplied ligands and target values
<i>load</i> (filename)	Loads scoring function from a pickle file.
<i>predict</i> (ligands, *args, **kwargs)	Predicts values (eg.
<i>predict_ligand</i> (ligand)	Local method to score one ligand and update it's scores.
<i>predict_ligands</i> (ligands)	Method to score ligands lazily
<i>save</i> (filename)	Saves scoring function to a pickle file.
<i>score</i> (ligands, target, *args, **kwargs)	Methods estimates the quality of prediction as squared correlation coefficient (R ²)
<i>set_protein</i> (protein)	Proxy method to update protein in all relevant places.

fit (*ligands*, *target*, *args, **kwargs)

Trains model on supplied ligands and target values

Parameters **ligands:** array-like of ligands

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

classmethod **load** (*filename*)

Loads scoring function from a pickle file.

Parameters **filename:** string

Pickle filename

Returns sf: scorer-like object

Scoring function object loaded from a pickle

predict (*ligands*, *args, **kwargs)

Predicts values (eg. affinity) for supplied ligands

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns predicted: np.array or array of np.arrays of shape = [n_ligands]

Predicted scores for ligands

predict_ligand (*ligand*)

Local method to score one ligand and update it's scores.

Parameters **ligand: oddt.toolkit.Molecule object**

Ligand to be scored

Returns ligand: oddt.toolkit.Molecule object

Scored ligand with updated scores

predict_ligands (*ligands*)

Method to score ligands lazily

Parameters **ligands: iterable of oddt.toolkit.Molecule objects**

Ligands to be scored

Returns ligand: iterator of oddt.toolkit.Molecule objects

Scored ligands with updated scores

save (*filename*)

Saves scoring function to a pickle file.

Parameters **filename: string**

Pickle filename

score (*ligands*, *target*, *args, **kwargs)

Methods estimates the quality of prediction as squared correlation coefficient (R^2)

Parameters **ligands: array-like of ligands**

Ground truth (correct) target values.

target: array-like of shape = [n_samples] or [n_samples, n_outputs] Estimated target values.

Returns r2: float

Squared correlation coefficient (R^2) for prediction

set_protein (*protein*)

Proxy method to update protein in all relevant places.

Parameters **protein: oddt.toolkit.Molecule object**

New default protein

oddt.toolkits package

Subpackages

oddt.toolkits.extras package

Submodules

oddt.toolkits.extras.rdkit module

oddt.toolkits.extras.rdkit.**MolFromPDBBlock** (*molBlock, sanitize=True, removeHs=True, flavor=0*)

Module contents

Submodules

oddt.toolkits.common module

Code common to all toolkits

oddt.toolkits.common.**detect_secondary_structure** (*res_dict*)
 Detect alpha helices and beta sheets in res_dict by phi and psi angles

oddt.toolkits.ob module

class oddt.toolkits.ob.**Atom** (*OAtom*)
 Bases: pybel.Atom

Attributes

<i>atomicmass</i>
<i>atomicnum</i>
<i>bonds</i>
<i>cidx</i>
<i>coordidx</i>
<i>coords</i>
<i>exactmass</i>
<i>formalcharge</i>
<i>heavyvalence</i>
<i>heterovalence</i>
<i>hyb</i>
<i>idx</i>
<i>implicitvalence</i>
<i>isotope</i>
<i>neighbors</i>
<i>partialcharge</i>
<i>residue</i>

Continued on next page

Table 4.23 – continued from previous page

<i>spin</i>
<i>type</i>
<i>valence</i>
<i>vector</i>

atomicmass

atomicnum

bonds

cidx

coordidx

coords

exactmass

formalcharge

heavyvalence

heterovalence

hyb

idx

implicitvalence

isotope

neighbors

partialcharge

residue

spin

type

valence

vector

class `oddt.toolkits.ob.AtomStack` (*OBMol*)

Bases: object

class `oddt.toolkits.ob.Bond` (*OBBond*)

Bases: object

Attributes

<i>atoms</i>
<i>isrotor</i>
<i>order</i>

atoms

isrotor

order

class `oddt.toolkits.ob.BondStack` (*OBMol*)

Bases: `object`

class `oddt.toolkits.ob.Fingerprint` (*fingerprint*)

Bases: `pybel.Fingerprint`

Attributes

bits

raw

bits**raw**

class `oddt.toolkits.ob.Molecule` (*OBMol=None, source=None, protein=False*)

Bases: `pybel.Molecule`

Attributes

OBMol

atom_dict

atoms

bonds

canonic_order Returns `np.array` with canonic order of heavy atoms in the molecule

charge

charges

clone

conformers

coords

data

dim

energy

exactmass

formula

molwt

num_rotors Number of strict rotatable

res_dict

residues

ring_dict

smiles

spin

sssr

title

unitcell

Methods

<code>addh([only_polar])</code>	Add hydrogens
<code>calccharges([model])</code>	Estimates atomic partial charges in the molecule.
<code>calcdesc([descnames])</code>	Calculate descriptor values.
<code>calcfp([fptype])</code>	Calculate a molecular fingerprint.
<code>clone_coords(source)</code>	
<code>convertdbonds()</code>	Convert Dative Bonds.
<code>draw([show, filename, update, usecoords])</code>	Create a 2D depiction of the molecule.
<code>localopt([forcefield, steps])</code>	Locally optimize the coordinates.
<code>make2D()</code>	Generate 2D coordinates for molecule
<code>make3D([forcefield, steps])</code>	Generate 3D coordinates
<code>removeh()</code>	Remove hydrogens
<code>write([format, filename, overwrite, opt, size])</code>	

OBMol

addh (*only_polar=False*)
Add hydrogens

atom_dict

atoms

bonds

calccharges (*model='mmff94'*)
Estimates atomic partial charges in the molecule.

Optional parameters:

model – default is “mmff94”. See the **charges** variable for a list of available charge models (in shell, *obabel -L charges*)

This method populates the *partialcharge* attribute of each atom in the molecule in place.

calcdesc (*descnames=[]*)
Calculate descriptor values.

Optional parameter: *descnames* – a list of names of descriptors

If *descnames* is not specified, all available descriptors are calculated. See the *descs* variable for a list of available descriptors.

calcfp (*fptype='FP2'*)
Calculate a molecular fingerprint.

Optional parameters:

fptype – the fingerprint type (default is “FP2”). See the *fps* variable for a list of available fingerprint types.

canonic_order

Returns *np.array* with canonic order of heavy atoms in the molecule

charge

charges

clone

clone_coords (*source*)

conformers

convertdbonds ()

Convert Dative Bonds.

coords

data

dim

draw (*show=True, filename=None, update=False, usecoords=False*)

Create a 2D depiction of the molecule.

Optional parameters: show – display on screen (default is True) filename – write to file (default is None)

update – update the coordinates of the atoms to those

determined by the structure diagram generator (default is False)

usecoords – don't calculate 2D coordinates, just use the current coordinates (default is False)

Tkinter and Python Imaging Library are required for image display.

energy

exactmass

formula

localopt (*forcefield='mmff94', steps=500*)

Locally optimize the coordinates.

Optional parameters:

forcefield – default is “mmff94”. See the forcefields variable for a list of available forcefields.

steps – default is 500

If the molecule does not have any coordinates, make3D() is called before the optimization. Note that the molecule needs to have explicit hydrogens. If not, call addh().

make2D ()

Generate 2D coordinates for molecule

make3D (*forcefield='mmff94', steps=50*)

Generate 3D coordinates

molwt

num_rotors

Number of strict rotatable

removeh ()

Remove hydrogens

res_dict

residues

ring_dict

smiles

spin

sssr

title

unitcell

write (*format='smi', filename=None, overwrite=False, opt=None, size=None*)

class `oddt.toolkits.ob.MoleculeData` (*obmol*)
 Bases: `pybel.MoleculeData`

Methods

<code>clear()</code>
<code>has_key(key)</code>
<code>items()</code>
<code>iteritems()</code>
<code>keys()</code>
<code>to_dict()</code>
<code>update(dictionary)</code>
<code>values()</code>

clear ()

has_key (*key*)

items ()

iteritems ()

keys ()

to_dict ()

update (*dictionary*)

values ()

class `oddt.toolkits.ob.Outputfile` (*format, filename, overwrite=False, opt=None*)
 Bases: `pybel.Outputfile`

Methods

<code>close()</code>	Close the Outputfile to further writing.
<code>write(molecule)</code>	Write a molecule to the output file.

close ()

Close the Outputfile to further writing.

write (*molecule*)

Write a molecule to the output file.

Required parameters: molecule

class `oddt.toolkits.ob.Residue` (*OBResidue*)
 Bases: `object`

Represent a Pybel residue.

Required parameter: OBResidue – an Open Babel OBResidue

Attributes: atoms, idx, name.

(refer to the Open Babel library documentation for more info).

The original Open Babel atom can be accessed using the attribute: OBResidue

Attributes

atoms

idx

name

atoms

idx

name

class `oddt.toolkits.ob.ResidueStack` (*OBMol*)

Bases: object

class `oddt.toolkits.ob.Smarts` (*smartspattern*)

Bases: `pybel.Smarts`

Initialise with a SMARTS pattern.

Methods

findall(molecule) Find all matches of the SMARTS pattern to a particular molecule.

match(molecule) Checks if there is any match.

findall (*molecule*)

Find all matches of the SMARTS pattern to a particular molecule.

Required parameters: molecule

match (*molecule*)

Checks if there is any match. Returns True or False

`oddt.toolkits.ob.readfile` (*format, filename, opt=None, lazy=False*)

oddt.toolkits.rdk module

rdkit - A Cinfony module for accessing the RDKit from CPython

Global variables: Chem and AllChem - the underlying RDKit Python bindings
 informats - a dictionary of supported input formats
 outformats - a dictionary of supported output formats
 descs - a list of supported descriptors
 fps - a list of supported fingerprint types
 forcefields - a list of supported forcefields

class `oddt.toolkits.rdk.Atom` (*Atom*)

Bases: object

Represent an rdkit Atom.

Required parameters: Atom – an RDKit Atom

Attributes: atomicnum, coords, formalcharge

The original RDKit Atom can be accessed using the attribute: Atom

Attributes

<i>atomicnum</i>	
<i>bonds</i>	
<i>coords</i>	
<i>formalcharge</i>	
<i>idx</i>	Note that this index is 1-based and RDKit's internal index in 0-based.
<i>neighbors</i>	
<i>partialcharge</i>	

atomicnum

bonds

coords

formalcharge

idx

Note that this index is 1-based and RDKit's internal index in 0-based. Changed to be compatible with OpenBabel

neighbors

partialcharge

class `oddt.toolkits.rdk.AtomStack` (*Mol*)
Bases: object

class `oddt.toolkits.rdk.Bond` (*Bond*)
Bases: object

Attributes

atoms

isrotor

order

atoms

isrotor

order

class `oddt.toolkits.rdk.BondStack` (*Mol*)
Bases: object

class `oddt.toolkits.rdk.Fingerprint` (*fingerprint*)
Bases: object

A Molecular Fingerprint.

Required parameters: fingerprint – a vector calculated by one of the fingerprint methods

Attributes: fp – the underlying fingerprint object bits – a list of bits set in the Fingerprint

Methods: The “|” operator can be used to calculate the Tanimoto coeff. For example, given two Fingerprints ‘a’, and ‘b’, the Tanimoto coefficient is given by:

$$\text{tanimoto} = a | b$$

Attributes

raw

raw

class `oddt.toolkits.rdk.Molecule` (*Mol=None, source=None, protein=False*)

Bases: object

Represent an rdkit Molecule.

Required parameter: Mol – an RDKit Mol or any type of cinfony Molecule

Attributes: atoms, data, formula, molwt, title

Methods: `addh()`, `calcfp()`, `calcdesc()`, `draw()`, `localopt()`, `make3D()`, `removeh()`, `write()`

The underlying RDKit Mol can be accessed using the attribute: Mol

Attributes

Mol

atom_dict

atoms

bonds

canonic_order Returns np.array with canonic order of heavy atoms in the molecule

charges

clone

coords

data

formula

molwt

num_rotors

res_dict

residues

ring_dict

smiles

sssr

title

Methods

addh([only_polar])

Add hydrogens.

calcdesc([descnames])

Calculate descriptor values.

Continued on next page

Table 4.36 – continued from previous page

<code>calcfp([fptype, opt])</code>	Calculate a molecular fingerprint.
<code>clone_coords(source)</code>	
<code>localopt([forcefield, steps])</code>	Locally optimize the coordinates.
<code>make2D()</code>	Generate 2D coordinates for molecule
<code>make3D([forcefield, steps])</code>	Generate 3D coordinates.
<code>removeh(**kwargs)</code>	Remove hydrogens.
<code>write([format, filename, overwrite, size])</code>	Write the molecule to a file or return a string.

Mol

addh (*only_polar=False, **kwargs*)
Add hydrogens.

atom_dict

atoms

bonds

calcdesc (*descnames=None*)
Calculate descriptor values.

Optional parameter: *descnames* – a list of names of descriptors

If *descnames* is not specified, all available descriptors are calculated. See the *descs* variable for a list of available descriptors.

calcfp (*fptype='rdkit', opt=None*)
Calculate a molecular fingerprint.

Optional parameters:

fptype – the fingerprint type (default is “rdkit”). See the *fps* variable for a list of available fingerprint types.

opt – a dictionary of options for fingerprints. Currently only used for radius and bitInfo in Morgan fingerprints.

canonic_order

Returns np.array with canonic order of heavy atoms in the molecule

charges

clone

clone_coords (*source*)

coords

data

formula

localopt (*forcefield='uff', steps=500*)
Locally optimize the coordinates.

Optional parameters:

forcefield – default is “uff”. See the *forcefields* variable for a list of available forcefields.

steps – default is 500

If the molecule does not have any coordinates, `make3D()` is called before the optimization.

make2D ()

Generate 2D coordinates for molecule

make3D (*forcefield='mmff94', steps=50*)

Generate 3D coordinates.

Optional parameters:

forcefield – default is “uff”. See the **forcefields variable** for a list of available forcefields.

steps – default is 50

Once coordinates are generated, a quick local optimization is carried out with 50 steps and the UFF force-field. Call `localopt()` if you want to improve the coordinates further.

molwt

num_rotors

removeh (***kwargs*)

Remove hydrogens.

res_dict

residues

ring_dict

smiles

sssr

title

write (*format='smi', filename=None, overwrite=False, size=None, **kwargs*)

Write the molecule to a file or return a string.

Optional parameters:

format – see the **informats variable for a list of available** output formats (default is “smi”)

filename – default is None **overwrite** – if the output file already exists, should it be overwritten? (default is False)

If a filename is specified, the result is written to a file. Otherwise, a string is returned containing the result.

To write multiple molecules to the same file you should use the `Outputfile` class.

class `oddt.toolkits.rdk.MoleculeData` (*Mol*)

Bases: `object`

Store molecule data in a dictionary-type object

Required parameters: `Mol` – an RDKit `Mol`

Methods and accessor methods are like those of a dictionary except that the data is retrieved on-the-fly from the underlying `Mol`.

```
Example: >>> mol = next(readfile("sdf", 'head.sdf')) >>> data = mol.data >>> print(data) {'Comment': 'CORINA 2.61 0041 25.10.2001', 'NSC': '1'} >>> print(len(data), data.keys(), data.has_key("NSC")) 2 ['Comment', 'NSC'] True >>> print(data['Comment']) CORINA 2.61 0041 25.10.2001 >>> data['Comment'] = 'This is a new comment' >>> for k,v in data.items(): ... print(k, "->", v) Comment -> This is a new comment NSC -> 1 >>> del data['NSC'] >>> print(len(data), data.keys(), data.has_key("NSC")) 1 ['Comment'] False
```

Methods

<code>clear()</code>
<code>has_key(key)</code>
<code>items()</code>
<code>iteritems()</code>
<code>keys()</code>
<code>to_dict()</code>
<code>update(dictionary)</code>
<code>values()</code>

clear ()

has_key (*key*)

items ()

iteritems ()

keys ()

to_dict ()

update (*dictionary*)

values ()

class `oddt.toolkits.rdk.Outputfile` (*format, filename, overwrite=False*)

Bases: object

Represent a file to which *output* is to be sent.

Required parameters:

format - see the **outformats** variable for a list of available output formats

filename

Optional parameters:

overwrite – if the output file already exists, should it be overwritten? (default is False)

Methods: `write(molecule)` `close()`

Methods

<code>close()</code>	Close the Outputfile to further writing.
<code>write(molecule)</code>	Write a molecule to the output file.

close ()

Close the Outputfile to further writing.

write (*molecule*)

Write a molecule to the output file.

Required parameters: molecule

class `oddt.toolkits.rdk.Residue` (*ParentMol, atom_path*)

Bases: object

Represent a RDKit residue.

Required parameter: ParentMol – Parent molecule (Mol) object path – atoms path of a residue

Attributes: atoms, idx, name.

(refer to the Open Babel library documentation for more info).

The Mol object constructed of residues' atoms can be accessed using the attribute: Residue

Attributes

atoms

idx

name

atoms

idx

name

class `oddt.toolkits.rdk.ResidueStack` (*Mol, paths*)
Bases: object

class `oddt.toolkits.rdk.Smarts` (*smartspattern*)
Bases: object

Initialise with a SMARTS pattern.

Methods

findall(molecule) Find all matches of the SMARTS pattern to a particular molecule.

match(molecule) Find all matches of the SMARTS pattern to a particular molecule.

findall (*molecule*)

Find all matches of the SMARTS pattern to a particular molecule.

Required parameters: molecule

match (*molecule*)

Find all matches of the SMARTS pattern to a particular molecule.

Required parameters: molecule

`oddt.toolkits.rdk.base_feature_factory = <rdkit.Chem.rdMolChemicalFeatures.MolChemicalFeatureFactory object>`
Global feature factory based on BaseFeatures.fdef

`oddt.toolkits.rdk.descs = ['fr_C_O_noCOO', 'PEOE_VSA3', 'Chi4v', 'fr_Ar_COO', 'fr_SH', 'Chi4n', 'SMR_VSA10']`
A list of supported descriptors

`oddt.toolkits.rdk.forcefields = ['mmff94', 'uff']`
A list of supported forcefields

`oddt.toolkits.rdk.fps = ['rdkit', 'layered', 'maccs', 'atompairs', 'torsions', 'morgan']`
A list of supported fingerprint types

```
oddt.toolkits.rdk.informats = {'inchi': 'InChI', 'mol2': 'Tripos MOL2 file', 'sdf': 'MDL SDF file', 'smi': 'SMILES',  
    A dictionary of supported input formats
```

```
oddt.toolkits.rdk.outformats = {'inchikey': 'InChIKey', 'sdf': 'MDL SDF file', 'can': 'Canonical SMILES', 'smi': 'SMILES',  
    A dictionary of supported output formats
```

```
oddt.toolkits.rdk.readfile (format, filename, lazy=False, opt=None, *args, **kwargs)  
Iterate over the molecules in a file.
```

Required parameters:

format - see the **informats** variable for a list of available input formats
filename

You can access the first molecule in a file using the `next()` method of the iterator:

```
mol = next(readfile("smi", "myfile.smi"))
```

You can make a list of the molecules in a file using: `mols = list(readfile("smi", "myfile.smi"))`

You can iterate over the molecules in a file as shown in the following code snippet: `>>> atomtotal = 0 >>> for mol in readfile("sdf", "head.sdf"): ... atomtotal += len(mol.atoms) ... >>> print(atomtotal) 43`

```
oddt.toolkits.rdk.readstring (format, string, **kwargs)  
Read in a molecule from a string.
```

Required parameters:

format - see the **informats** variable for a list of available input formats
string

Example: `>>> input = "C1=CC=CS1" >>> mymol = readstring("smi", input) >>> len(mymol.atoms) 5`

Module contents

Submodules

oddt.datasets module

Datasets wrapped in convinient models

```
class oddt.datasets.pdbbind (home, version=None, default_set=None, data_file=None, opt=None)  
    Bases: object
```

Attributes

activities
ids

activities

ids

oddt.interactions module

Module calculates interactions between two molecules (proein-protein, protein-ligand, small-small). Currently following interactions are implemented:

- hydrogen bonds
- halogen bonds
- pi stacking (parallel and perpendicular)
- salt bridges
- hydrophobic contacts
- pi-cation
- metal coordination
- pi-metal

`oddt.interactions.close_contacts(x, y, cutoff, x_column='coords', y_column='coords')`

Returns pairs of atoms which are within close contact distance cutoff.

Parameters `x, y` : atom_dict-type numpy array

Atom dictionaries generated by `oddt.toolkit.Molecule` objects.

cutoff [float] Cutoff distance for close contacts

x_column, y_column [string, (default='coords')] Column containing coordinates of atoms (or pseudo-atoms, i.e. ring centroids)

Returns `x_, y_` : atom_dict-type numpy array

Aligned pairs of atoms in close contact for further processing.

`oddt.interactions.hbond_acceptor_donor(mol1, mol2, cutoff=3.5, base_angle=120, tolerance=30)`

Returns pairs of acceptor-donor atoms, which meet H-bond criteria

Parameters `mol1, mol2` : `oddt.toolkit.Molecule` object

Molecules to compute H-bond acceptor and H-bond donor pairs

cutoff [float, (default=3.5)] Distance cutoff for A-D pairs

base_angle [int, (default=120)] Base angle determining allowed direction of hydrogen bond formation, which is divided by the number of neighbors of acceptor atom to establish final directional angle

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction (`base_angle/n_neighbors`) in which H-bonds are considered as strict.

Returns `a, d` : atom_dict-type numpy array

Aligned arrays of atoms forming H-bond, firstly acceptors, secondly donors.

strict [numpy array, dtype=bool] Boolean array align with atom pairs, informing whether atoms form 'strict' H-bond (pass all angular cutoffs). If false, only distance cutoff is met, therefore the bond is 'crude'.

`oddt.interactions.hbonds(mol1, mol2, *args, **kwargs)`

Calculates H-bonds between molecules

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute H-bond acceptor and H-bond donor pairs

cutoff [float, (default=3.5)] Distance cutoff for A-D pairs

base_angle [int, (default=120)] Base angle determining allowed direction of hydrogen bond formation, which is divided by the number of neighbors of acceptor atom to establish final directional angle

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction ($\text{base_angle}/n_neighbors$) in which H-bonds are considered as strict.

Returns **mol1_atoms, mol2_atoms** : `atom_dict`-type numpy array

Aligned arrays of atoms forming H-bond

strict [numpy array, dtype=bool] Boolean array align with atom pairs, informing whether atoms form 'strict' H-bond (pass all angular cutoffs). If false, only distance cutoff is met, therefore the bond is 'crude'.

`oddt.interactions.halogenbond_acceptor_halogen` (*mol1, mol2, base_angle_acceptor=120, base_angle_halogen=180, tolerance=30, cutoff=4*)

Returns pairs of acceptor-halogen atoms, which meet halogen bond criteria

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute halogen bond acceptor and halogen pairs

cutoff [float, (default=4)] Distance cutoff for A-H pairs

base_angle_acceptor [int, (default=120)] Base angle determining allowed direction of halogen bond formation, which is divided by the number of neighbors of acceptor atom to establish final directional angle

base_angle_halogen [int (default=180)] Ideal base angle between halogen bond and halogen-neighbor bond

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction ($\text{base_angle}/n_neighbors$) in which halogen bonds are considered as strict.

Returns **a, h** : `atom_dict`-type numpy array

Aligned arrays of atoms forming halogen bond, firstly acceptors, secondly halogens

strict [numpy array, dtype=bool] Boolean array align with atom pairs, informing whether atoms form 'strict' halogen bond (pass all angular cutoffs). If false, only distance cutoff is met, therefore the bond is 'crude'.

`oddt.interactions.halogenbonds` (*mol1, mol2, **kwargs*)

Calculates halogen bonds between molecules

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute halogen bond acceptor and halogen pairs

cutoff [float, (default=4)] Distance cutoff for A-H pairs

base_angle_acceptor [int, (default=120)] Base angle determining allowed direction of halogen bond formation, which is divided by the number of neighbors of acceptor atom to establish final directional angle

base_angle_halogen [int (default=180)] Ideal base angle between halogen bond and halogen-neighbor bond

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction (base_angle/n_neighbors) in which halogen bonds are considered as strict.

Returns **mol1_atoms, mol2_atoms** : atom_dict-type numpy array

Aligned arrays of atoms forming halogen bond

strict [numpy array, dtype=bool] Boolean array align with atom pairs, informing whether atoms form 'strict' halogen bond (pass all angular cutoffs). If false, only distance cutoff is met, therefore the bond is 'crude'.

`oddt.interactions.pi_stacking(mol1, mol2, cutoff=5, tolerance=30)`

Returns pairs of rings, which meet pi stacking criteria

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute ring pairs

cutoff [float, (default=5)] Distance cutoff for Pi-stacking pairs

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction (parallel or perpendicular) in which pi-stackings are considered as strict.

Returns **r1, r2** : ring_dict-type numpy array

Aligned arrays of rings forming pi-stacking

strict_parallel [numpy array, dtype=bool] Boolean array align with ring pairs, informing whether rings form 'strict' parallel pi-stacking. If false, only distance cutoff is met, therefore the stacking is 'crude'.

strict_perpendicular [numpy array, dtype=bool] Boolean array align with ring pairs, informing whether rings form 'strict' perpendicular pi-stacking (T-shaped, T-face, etc.). If false, only distance cutoff is met, therefore the stacking is 'crude'.

`oddt.interactions.salt_bridge_plus_minus(mol1, mol2, cutoff=4)`

Returns pairs of plus-minus atoms, which meet salt bridge criteria

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute plus and minus pairs

cutoff [float, (default=4)] Distance cutoff for A-H pairs

Returns **plus, minus** : atom_dict-type numpy array

Aligned arrays of atoms forming salt bridge, firstly plus, secondly minus

`oddt.interactions.salt_bridges(mol1, mol2, *args, **kwargs)`

Calculates salt bridges between molecules

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute plus and minus pairs

cutoff [float, (default=4)] Distance cutoff for plus-minus pairs

Returns **mol1_atoms, mol2_atoms** : atom_dict-type numpy array

Aligned arrays of atoms forming salt bridges

`oddt.interactions.hydrophobic_contacts` (*mol1, mol2, cutoff=4*)

Calculates hydrophobic contacts between molecules

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute hydrophobe pairs

cutoff [float, (default=4)] Distance cutoff for hydrophobe pairs

Returns **mol1_atoms, mol2_atoms** : atom_dict-type numpy array

Aligned arrays of atoms forming hydrophobic contacts

`oddt.interactions.pi_cation` (*mol1, mol2, cutoff=5, tolerance=30*)

Returns pairs of ring-cation atoms, which meet pi-cation criteria

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute ring-cation pairs

cutoff [float, (default=5)] Distance cutoff for Pi-cation pairs

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction (perpendicular) in which pi-cation are considered as strict.

Returns **r1** : ring_dict-type numpy array

Aligned rings forming pi-stacking

plus2 [atom_dict-type numpy array] Aligned cations forming pi-cation

strict_parallel [numpy array, dtype=bool] Boolean array align with ring-cation pairs, informing whether they form 'strict' pi-cation. If false, only distance cutoff is met, therefore the interaction is 'crude'.

`oddt.interactions.acceptor_metal` (*mol1, mol2, base_angle=120, tolerance=30, cutoff=4*)

Returns pairs of acceptor-metal atoms, which meet metal coordination criteria Note: This function is directional (mol1 holds acceptors, mol2 holds metals)

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute acceptor and metal pairs

cutoff [float, (default=4)] Distance cutoff for A-M pairs

base_angle [int, (default=120)] Base angle determining allowed direction of metal coordination, which is divided by the number of neighbors of acceptor atom to establish final directional angle

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction ($\text{base_angle}/n_neighbors$) in metal coordination are considered as strict.

Returns **a, d** : atom_dict-type numpy array

Aligned arrays of atoms forming metal coordination, firstly acceptors, secondly metals.

strict [numpy array, dtype=bool] Boolean array align with atom pairs, informing whether atoms form ‘strict’ metal coordination (pass all angular cutoffs). If false, only distance cutoff is met, therefore the interaction is ‘crude’.

`oddt.interactions.pi_metal (mol1, mol2, cutoff=5, tolerance=30)`

Returns pairs of ring-metal atoms, which meet pi-metal criteria

Parameters **mol1, mol2** : `oddt.toolkit.Molecule` object

Molecules to compute ring-metal pairs

cutoff [float, (default=5)] Distance cutoff for Pi-metal pairs

tolerance [int, (default=30)] Range (+/- tolerance) from perfect direction (perpendicular) in which pi-metal are considered as strict.

Returns **r1** : ring_dict-type numpy array

Aligned rings forming pi-metal

m [atom_dict-type numpy array] Aligned metals forming pi-metal

strict_parallel [numpy array, dtype=bool] Boolean array align with ring-metal pairs, informing whether they form ‘strict’ pi-metal. If false, only distance cutoff is met, therefore the interaction is ‘crude’.

oddt.metrics module

Metrics for estimating performance of drug discovery methods implemented in ODDT

`oddt.metrics.roc (y_true, y_score, pos_label=None, sample_weight=None, drop_intermediate=True)`

Compute Receiver operating characteristic (ROC)

Note: this implementation is restricted to the binary classification task.

Read more in the [User Guide](#).

Parameters **y_true** : array, shape = [n_samples]

True binary labels in range {0, 1} or {-1, 1}. If labels are not binary, `pos_label` should be explicitly given.

y_score : array, shape = [n_samples]

Target scores, can either be probability estimates of the positive class, confidence values, or non-thresholded measure of decisions (as returned by “`decision_function`” on some classifiers).

pos_label : int or str, default=None

Label considered as positive and others are considered negative.

sample_weight : array-like of shape = [n_samples], optional

Sample weights.

drop_intermediate : boolean, optional (default=True)

Whether to drop some suboptimal thresholds which would not appear on a plotted ROC curve. This is useful in order to create lighter ROC curves.

New in version 0.17: parameter `drop_intermediate`.

Returns fpr : array, shape = [>2]

Increasing false positive rates such that element i is the false positive rate of predictions with score \geq thresholds[i].

tpr : array, shape = [>2]

Increasing true positive rates such that element i is the true positive rate of predictions with score \geq thresholds[i].

thresholds : array, shape = [$n_{\text{thresholds}}$]

Decreasing thresholds on the decision function used to compute fpr and tpr. *thresholds*[0] represents no instances being predicted and is arbitrarily set to $\max(y_score) + 1$.

See also:

roc_auc_score Compute Area Under the Curve (AUC) from prediction scores

Notes

Since the thresholds are sorted from low to high values, they are reversed upon returning them to ensure they correspond to both `fpr` and `tpr`, which are sorted in reversed order during their calculation.

References

[R1]

Examples

```
>>> import numpy as np
>>> from sklearn import metrics
>>> y = np.array([1, 1, 2, 2])
>>> scores = np.array([0.1, 0.4, 0.35, 0.8])
>>> fpr, tpr, thresholds = metrics.roc_curve(y, scores, pos_label=2)
>>> fpr
array([ 0. ,  0.5,  0.5,  1. ])
>>> tpr
array([ 0.5,  0.5,  1. ,  1. ])
>>> thresholds
array([ 0.8 ,  0.4 ,  0.35,  0.1 ])
```

`oddt.metrics.auc(x, y, reorder=False)`

Compute Area Under the Curve (AUC) using the trapezoidal rule

This is a general function, given points on a curve. For computing the area under the ROC-curve, see `roc_auc_score()`.

Parameters x : array, shape = [n]

x coordinates.

y : array, shape = [n]

y coordinates.

reorder : boolean, optional (default=False)

If True, assume that the curve is ascending in the case of ties, as for an ROC curve. If the curve is non-ascending, the result will be wrong.

Returns auc : float

See also:

roc_auc_score Computes the area under the ROC curve

precision_recall_curve Compute precision-recall pairs for different probability thresholds

Examples

```
>>> import numpy as np
>>> from sklearn import metrics
>>> y = np.array([1, 1, 2, 2])
>>> pred = np.array([0.1, 0.4, 0.35, 0.8])
>>> fpr, tpr, thresholds = metrics.roc_curve(y, pred, pos_label=2)
>>> metrics.auc(fpr, tpr)
0.75
```

`oddt.metrics.roc_auc(y_true, y_score, pos_label=None, ascending_score=True)`

Computes ROC AUC score

Parameters y_true : array, shape=[n_samples]

True binary labels, in range {0,1} or {-1,1}. If positive label is different than 1, it must be explicitly defined.

y_score [array, shape=[n_samples]] Scores for tested series of samples

pos_label: int Positive label of samples (if other than 1)

ascending_score: bool (default=True) Indicates if your score is ascending. Ascending score increases with decreasing activity. In other words it ascends on ranking list (where actives are on top).

Returns ef : float

Enrichment Factor for given percentage in range 0:1

`oddt.metrics.roc_log_auc(y_true, y_score, pos_label=None, ascending_score=True, log_min=0.001, log_max=1.0)`

Computes area under semi-log ROC for random distribution.

Parameters y_true : array, shape=[n_samples]

True binary labels, in range {0,1} or {-1,1}. If positive label is different than 1, it must be explicitly defined.

y_score [array, shape=[n_samples]] Scores for tested series of samples

pos_label: int Positive label of samples (if other than 1)

ascending_score: bool (default=True) Indicates if your score is ascending. Ascending score increases with decreasing activity. In other words it ascends on ranking list (where actives are on top).

log_min [float (default=0.001)] Minimum logarithm value for estimating AUC

log_max [float (default=1.)] Maximum logarithm value for estimating AUC.

Returns auc : float

semi-log ROC AUC

`oddt.metrics.enrichment_factor` (*y_true*, *y_score*, *percentage=1*, *pos_label=None*, *kind='fold'*)

Computes enrichment factor for given percentage, i.e. EF_1% is enrichment factor for first percent of given samples.

Parameters y_true : array, shape=[n_samples]

True binary labels, in range {0,1} or {-1,1}. If positive label is different than 1, it must be explicitly defined.

y_score [array, shape=[n_samples]] Scores for tested series of samples

percentage [int or float] The percentage for which EF is being calculated

pos_label: int Positive label of samples (if other than 1)

kind: 'fold' or 'percentage' (default='fold') Two kinds of enrichment factor: fold and percentage. Fold shows the increase over random distribution (1 is random, the higher EF the better enrichment). Percentage returns the fraction of positive labels within the top x% of dataset.

Returns ef : float

Enrichment Factor for given percentage in range 0:1

`oddt.metrics.random_roc_log_auc` (*log_min=0.001*, *log_max=1.0*)

Computes area under semi-log ROC for random distribution.

Parameters log_min : float (default=0.001)

Minimum logarithm value for estimating AUC

log_max [float (default=1.)] Maximum logarithm value for estimating AUC.

Returns auc : float

semi-log ROC AUC for random distribution

`oddt.metrics.rmse` (*y_true*, *y_pred*)

Compute Root Mean Squared Error (RMSE)

Parameters y_true : array-like of shape = [n_samples] or [n_samples, n_outputs]

Ground truth (correct) target values.

y_pred [array-like of shape = [n_samples] or [n_samples, n_outputs]] Estimated target values.

Returns rmse : float

A positive floating point value (the best value is 0.0).

oddt.pandas module

Pandas extension for chemical analysis

```
class oddt.pandas.ChemDataFrame (data=None, index=None, columns=None, dtype=None,
                                copy=False)
```

Bases: pandas.core.frame.DataFrame

Chemical DataFrame object, which contains molecules column of *oddt.toolkit.Molecule* objects. Rich display of molecules (2D) is available in iPython Notebook. Additional *to_sdf* and *to_mol2* methods make writing to molecular formats easy.

New in version 0.3.

Note: Thanks to: <http://blog.snapdragon.cc/2015/05/05/subclass-pandas-dataframe-to-save-custom-attributes/>

Attributes

<i>T</i>	Transpose index and columns
<i>at</i>	Fast label-based scalar accessor
<i>axes</i>	Return a list with the row axis labels and column axis labels as the only members.
<i>blocks</i>	Internal property, property synonym for <i>as_blocks()</i>
<i>dtypes</i>	Return the dtypes in this object.
<i>empty</i>	True if NDFrame is entirely empty [no items], meaning any of the axes are of length 0.
<i>ftypes</i>	Return the ftypes (indication of sparse/dense and dtype) in this object.
<i>iat</i>	Fast integer location scalar accessor.
<i>iloc</i>	Purely integer-location based indexing for selection by position.
<i>ix</i>	A primarily label-location based indexer, with integer position fallback.
<i>loc</i>	Purely label-location based indexer for selection by label.
<i>ndim</i>	Number of axes / array dimensions
<i>shape</i>	Return a tuple representing the dimensionality of the DataFrame.
<i>size</i>	number of elements in the NDFrame
<i>style</i>	Property returning a Styler object containing methods for building a styled HTML representation fo the DataFrame.
<i>values</i>	Numpy representation of NDFrame

<i>is_copy</i>	
----------------	--

Methods

<i>abs()</i>	Return an object with absolute value taken—only applicable to objects that are a
<i>add</i> (other[, axis, level, fill_value])	Addition of dataframe and other, element-wise (binary operator <i>add</i>).
<i>add_prefix</i> (prefix)	Concatenate prefix string with panel items names.
<i>add_suffix</i> (suffix)	Concatenate suffix string with panel items names.
<i>align</i> (other[, join, axis, level, copy, ...])	Align two object on their axes with the
<i>all</i> ([axis, bool_only, skipna, level])	Return whether all elements are True over requested axis
<i>any</i> ([axis, bool_only, skipna, level])	Return whether any element is True over requested axis
<i>append</i> (other[, ignore_index, verify_integrity])	Append rows of <i>other</i> to the end of this frame, returning a new object.
<i>apply</i> (func[, axis, broadcast, raw, reduce, args])	Applies function along input axis of DataFrame.
<i>applymap</i> (func)	Apply a function to a DataFrame that is intended to operate elementwise, i.e.
<i>as_blocks</i> ([copy])	Convert the frame to a dict of dtype -> Constructor Types that each has a homo
<i>as_matrix</i> ([columns])	Convert the frame to its Numpy-array representation.
<i>asfreq</i> (freq[, method, how, normalize])	Convert TimeSeries to specified frequency.
<i>asof</i> (where[, subset])	The last row without any NaN is taken (or the last row without
<i>assign</i> (**kwargs)	Assign new columns to a DataFrame, returning a new object (a copy) with all t

<code>astype(dtype[, copy, raise_on_error])</code>	Cast object to input numpy.dtype
<code>at_time(time[, asof])</code>	Select values at particular time of day (e.g.
<code>between_time(start_time, end_time[, ...])</code>	Select values between particular times of the day (e.g., 9:00-9:30 AM).
<code>bfill([axis, inplace, limit, downcast])</code>	Synonym for <code>NDFrame.fillna(method='bfill')</code>
<code>bool()</code>	Return the bool of a single element <code>PandasObject</code> .
<code>boxplot([column, by, ax, fontsize, rot, ...])</code>	Make a box plot from <code>DataFrame</code> column optionally grouped by some columns
<code>clip([lower, upper, axis])</code>	Trim values at input threshold(s).
<code>clip_lower(threshold[, axis])</code>	Return copy of the input with values below given value(s) truncated.
<code>clip_upper(threshold[, axis])</code>	Return copy of input with values above given value(s) truncated.
<code>combine(other, func[, fill_value, overwrite])</code>	Add two <code>DataFrame</code> objects and do not propagate NaN values, so if for a
<code>combineAdd(other)</code>	DEPRECATED.
<code>combineMult(other)</code>	DEPRECATED.
<code>combine_first(other)</code>	Combine two <code>DataFrame</code> objects and default to non-null values in frame calling
<code>compound([axis, skipna, level])</code>	Return the compound percentage of the values for the requested axis
<code>consolidate([inplace])</code>	Compute <code>NDFrame</code> with “consolidated” internals (data of each dtype grouped
<code>convert_objects([convert_dates, ...])</code>	Deprecated.
<code>copy([deep])</code>	Make a copy of this objects data.
<code>corr([method, min_periods])</code>	Compute pairwise correlation of columns, excluding NA/null values
<code>corrwith(other[, axis, drop])</code>	Compute pairwise correlation between rows or columns of two <code>DataFrame</code> obj
<code>count([axis, level, numeric_only])</code>	Return Series with number of non-NA/null observations over requested axis.
<code>cov([min_periods])</code>	Compute pairwise covariance of columns, excluding NA/null values
<code>cummax([axis, skipna])</code>	Return cumulative max over requested axis.
<code>cummin([axis, skipna])</code>	Return cumulative minimum over requested axis.
<code>cumprod([axis, skipna])</code>	Return cumulative product over requested axis.
<code>cumsum([axis, skipna])</code>	Return cumulative sum over requested axis.
<code>describe([percentiles, include, exclude])</code>	Generate various summary statistics, excluding NaN values.
<code>diff([periods, axis])</code>	1st discrete difference of object
<code>div(other[, axis, level, fill_value])</code>	Floating division of dataframe and other, element-wise (binary operator <i>truediv</i>
<code>divide(other[, axis, level, fill_value])</code>	Floating division of dataframe and other, element-wise (binary operator <i>truediv</i>
<code>dot(other)</code>	Matrix multiplication with <code>DataFrame</code> or <code>Series</code> objects
<code>drop(labels[, axis, level, inplace, errors])</code>	Return new object with labels in requested axis removed.
<code>drop_duplicates(*args, **kwargs)</code>	Return <code>DataFrame</code> with duplicate rows removed, optionally only
<code>dropna([axis, how, thresh, subset, inplace])</code>	Return object with labels on given axis omitted where alternately any
<code>duplicated(*args, **kwargs)</code>	Return boolean Series denoting duplicate rows, optionally only
<code>eq(other[, axis, level])</code>	Wrapper for flexible comparison methods <code>eq</code>
<code>equals(other)</code>	Determines if two <code>NDFrame</code> objects contain the same elements.
<code>eval(expr[, inplace])</code>	Evaluate an expression in the context of the calling <code>DataFrame</code> instance.
<code>ewm([com, span, halflife, alpha, ...])</code>	Provides exponential weighted functions
<code>expanding([min_periods, freq, center, axis])</code>	Provides expanding transformations.
<code>ffill([axis, inplace, limit, downcast])</code>	Synonym for <code>NDFrame.fillna(method='ffill')</code>
<code>fillna([value, method, axis, inplace, ...])</code>	Fill NA/NaN values using the specified method
<code>filter([items, like, regex, axis])</code>	Subset rows or columns of dataframe according to labels in the specified index.
<code>first(offset)</code>	Convenience method for subsetting initial periods of time series data based on
<code>first_valid_index()</code>	Return label for first non-NA/null value
<code>floordiv(other[, axis, level, fill_value])</code>	Integer division of dataframe and other, element-wise (binary operator <i>floordiv</i>
<code>from_csv(path[, header, sep, index_col, ...])</code>	Read CSV file (DISCOURAGED, please use <code>pandas.read_csv()</code> instead
<code>from_dict(data[, orient, dtype])</code>	Construct <code>DataFrame</code> from dict of array-like or dicts
<code>from_items(items[, columns, orient])</code>	Convert (key, value) pairs to <code>DataFrame</code> .
<code>from_records(data[, index, exclude, ...])</code>	Convert structured or record ndarray to <code>DataFrame</code>
<code>ge(other[, axis, level])</code>	Wrapper for flexible comparison methods <code>ge</code>

Table 4.43 – cont

<code>get(key[, default])</code>	Get item from object for given key (DataFrame column, Panel slice, etc.).
<code>get_dtype_counts()</code>	Return the counts of dtypes in this object.
<code>get_ftype_counts()</code>	Return the counts of ftypes in this object.
<code>get_value(index, col[, takeable])</code>	Quickly retrieve single value at passed column and index
<code>get_values()</code>	same as values (but handles sparseness conversions)
<code>groupby([by, axis, level, as_index, sort, ...])</code>	Group series using mapper (dict or key function, apply given function to group)
<code>gt(other[, axis, level])</code>	Wrapper for flexible comparison methods gt
<code>head([n])</code>	Returns first n rows
<code>hist(data[, column, by, grid, xlabelsize, ...])</code>	Draw histogram of the DataFrame’s series using matplotlib / pylab.
<code>icol(i)</code>	DEPRECATED.
<code>idxmax([axis, skipna])</code>	Return index of first occurrence of maximum over requested axis.
<code>idxmin([axis, skipna])</code>	Return index of first occurrence of minimum over requested axis.
<code>iget_value(i, j)</code>	DEPRECATED.
<code>info([verbose, buf, max_cols, memory_usage, ...])</code>	Concise summary of a DataFrame.
<code>insert(loc, column, value[, allow_duplicates])</code>	Insert column into DataFrame at specified location.
<code>interpolate([method, axis, limit, inplace, ...])</code>	Interpolate values according to different methods.
<code>isrow(i[, copy])</code>	DEPRECATED.
<code>isin(values)</code>	Return boolean DataFrame showing whether each element in the DataFrame is in values
<code>isnull()</code>	Return a boolean same-sized object indicating if the values are null.
<code>iteritems()</code>	Iterator over (column name, Series) pairs.
<code>iterkv(*args, **kwargs)</code>	iteritems alias used to get around 2to3. Deprecated
<code>iterrows()</code>	Iterate over DataFrame rows as (index, Series) pairs.
<code>itertuples([index, name])</code>	Iterate over DataFrame rows as namedtuples, with index value as first element
<code>join(other[, on, how, lsuffix, rsuffix, sort])</code>	Join columns with other DataFrame either on index or on a key column.
<code>keys()</code>	Get the ‘info axis’ (see Indexing for more)
<code>kurt([axis, skipna, level, numeric_only])</code>	Return unbiased kurtosis over requested axis using Fisher’s definition of kurtosis
<code>kurtosis([axis, skipna, level, numeric_only])</code>	Return unbiased kurtosis over requested axis using Fisher’s definition of kurtosis
<code>last(offset)</code>	Convenience method for subsetting final periods of time series data based on a time offset
<code>last_valid_index()</code>	Return label for last non-NA/null value
<code>le(other[, axis, level])</code>	Wrapper for flexible comparison methods le
<code>lookup(row_labels, col_labels)</code>	Label-based “fancy indexing” function for DataFrame.
<code>lt(other[, axis, level])</code>	Wrapper for flexible comparison methods lt
<code>mad([axis, skipna, level])</code>	Return the mean absolute deviation of the values for the requested axis
<code>mask(cond[, other, inplace, axis, level, ...])</code>	Return an object of same shape as self and whose corresponding entries are from other where cond is True
<code>max([axis, skipna, level, numeric_only])</code>	This method returns the maximum of the values in the object.
<code>mean([axis, skipna, level, numeric_only])</code>	Return the mean of the values for the requested axis
<code>median([axis, skipna, level, numeric_only])</code>	Return the median of the values for the requested axis
<code>memory_usage([index, deep])</code>	Memory usage of DataFrame columns.
<code>merge(right[, how, on, left_on, right_on, ...])</code>	Merge DataFrame objects by performing a database-style join operation by column labels
<code>min([axis, skipna, level, numeric_only])</code>	This method returns the minimum of the values in the object.
<code>mod(other[, axis, level, fill_value])</code>	Modulo of dataframe and other, element-wise (binary operator <i>mod</i>).
<code>mode([axis, numeric_only])</code>	Gets the mode(s) of each element along the axis selected.
<code>mul(other[, axis, level, fill_value])</code>	Multiplication of dataframe and other, element-wise (binary operator <i>mul</i>).
<code>multiply(other[, axis, level, fill_value])</code>	Multiplication of dataframe and other, element-wise (binary operator <i>mul</i>).
<code>ne(other[, axis, level])</code>	Wrapper for flexible comparison methods ne
<code>nlargest(n, columns[, keep])</code>	Get the rows of a DataFrame sorted by the <i>n</i> largest values of <i>columns</i> .
<code>notnull()</code>	Return a boolean same-sized object indicating if the values are not null.
<code>nsmallest(n, columns[, keep])</code>	Get the rows of a DataFrame sorted by the <i>n</i> smallest values of <i>columns</i> .
<code>pct_change([periods, fill_method, limit, freq])</code>	Percent change over given number of periods.
<code>pipe(func, *args, **kwargs)</code>	Apply func(self, *args, **kwargs)

Table 4.43 – cont

<code>pivot([index, columns, values])</code>	Reshape data (produce a “pivot” table) based on column values.
<code>pivot_table(data[, values, index, columns, ...])</code>	Create a spreadsheet-style pivot table as a DataFrame.
<code>plot</code>	alias of <code>FramePlotMethods</code>
<code>pop(item)</code>	Return item and drop from frame.
<code>pow(other[, axis, level, fill_value])</code>	Exponential power of dataframe and other, element-wise (binary operator <code>pow</code>).
<code>prod([axis, skipna, level, numeric_only])</code>	Return the product of the values for the requested axis
<code>product([axis, skipna, level, numeric_only])</code>	Return the product of the values for the requested axis
<code>quantile([q, axis, numeric_only, interpolation])</code>	Return values at the given quantile over requested axis, a la <code>numpy.percentile</code> .
<code>query(expr[, inplace])</code>	Query the columns of a frame with a boolean expression.
<code>radd(other[, axis, level, fill_value])</code>	Addition of dataframe and other, element-wise (binary operator <code>radd</code>).
<code>rank([axis, method, numeric_only, ...])</code>	Compute numerical data ranks (1 through n) along axis.
<code>rdiv(other[, axis, level, fill_value])</code>	Floating division of dataframe and other, element-wise (binary operator <code>rtruediv</code>).
<code>reindex([index, columns])</code>	Conform DataFrame to new index with optional filling logic, placing NA/NaN
<code>reindex_axis(labels[, axis, method, level, ...])</code>	Conform input object to new index with optional filling logic, placing NA/NaN
<code>reindex_like(other[, method, copy, limit, ...])</code>	Return an object with matching indices to myself.
<code>rename([index, columns])</code>	Alter axes input function or functions.
<code>rename_axis(mapper[, axis, copy, inplace])</code>	Alter index and / or columns using input function or functions.
<code>reorder_levels(order[, axis])</code>	Rearrange index levels using input order.
<code>replace([to_replace, value, inplace, limit, ...])</code>	Replace values given in ‘to_replace’ with ‘value’.
<code>resample(rule[, how, axis, fill_method, ...])</code>	Convenience method for frequency conversion and resampling of time series.
<code>reset_index([level, drop, inplace, ...])</code>	For DataFrame with multi-level index, return new DataFrame with labeling info
<code>rfloordiv(other[, axis, level, fill_value])</code>	Integer division of dataframe and other, element-wise (binary operator <code>rfloordiv</code>).
<code>rmod(other[, axis, level, fill_value])</code>	Modulo of dataframe and other, element-wise (binary operator <code>rmod</code>).
<code>rmul(other[, axis, level, fill_value])</code>	Multiplication of dataframe and other, element-wise (binary operator <code>rmul</code>).
<code>rolling(window[, min_periods, freq, center, ...])</code>	Provides rolling window calculations.
<code>round([decimals])</code>	Round a DataFrame to a variable number of decimal places.
<code>rpow(other[, axis, level, fill_value])</code>	Exponential power of dataframe and other, element-wise (binary operator <code>rpow</code>).
<code>rsub(other[, axis, level, fill_value])</code>	Subtraction of dataframe and other, element-wise (binary operator <code>rsub</code>).
<code>rtruediv(other[, axis, level, fill_value])</code>	Floating division of dataframe and other, element-wise (binary operator <code>rtruediv</code>).
<code>sample([n, frac, replace, weights, ...])</code>	Returns a random sample of items from an axis of object.
<code>select(crit[, axis])</code>	Return data corresponding to axis labels matching criteria
<code>select_dtypes([include, exclude])</code>	Return a subset of a DataFrame including/excluding columns based on their dt
<code>sem([axis, skipna, level, ddof, numeric_only])</code>	Return unbiased standard error of the mean over requested axis.
<code>set_axis(axis, labels)</code>	public version of axis assignment
<code>set_index(keys[, drop, append, inplace, ...])</code>	Set the DataFrame index (row labels) using one or more existing columns.
<code>set_value(index, col, value[, takeable])</code>	Put single value at passed column and index
<code>shift([periods, freq, axis])</code>	Shift index by desired number of periods with an optional time freq
<code>skew([axis, skipna, level, numeric_only])</code>	Return unbiased skew over requested axis
<code>slice_shift([periods, axis])</code>	Equivalent to <code>shift</code> without copying data.
<code>sort([columns, axis, ascending, inplace, ...])</code>	DEPRECATED: use <code>DataFrame.sort_values()</code>
<code>sort_index([axis, level, ascending, ...])</code>	Sort object by labels (along an axis)
<code>sort_values(by[, axis, ascending, inplace, ...])</code>	Sort by the values along either axis
<code>sortlevel([level, axis, ascending, inplace, ...])</code>	Sort multilevel index by chosen axis and primary level.
<code>squeeze(**kwargs)</code>	Squeeze length 1 dimensions.
<code>stack([level, dropna])</code>	Pivot a level of the (possibly hierarchical) column labels, returning a DataFrame
<code>std([axis, skipna, level, ddof, numeric_only])</code>	Return sample standard deviation over requested axis.
<code>sub(other[, axis, level, fill_value])</code>	Subtraction of dataframe and other, element-wise (binary operator <code>sub</code>).
<code>subtract(other[, axis, level, fill_value])</code>	Subtraction of dataframe and other, element-wise (binary operator <code>sub</code>).
<code>sum([axis, skipna, level, numeric_only])</code>	Return the sum of the values for the requested axis
<code>swapaxes(axis1, axis2[, copy])</code>	Interchange axes and swap values axes appropriately

<code>swaplevel([i, j, axis])</code>	Swap levels i and j in a MultiIndex on a particular axis
<code>tail([n])</code>	Returns last n rows
<code>take(indices[, axis, convert, is_copy])</code>	Analogous to <code>ndarray.take</code>
<code>to_clipboard([excel, sep])</code>	Attempt to write text representation of object to the system clipboard This can
<code>to_csv(*args, **kwargs)</code>	Write DataFrame to a comma-separated values (csv) file
<code>to_dense()</code>	Return dense representation of NDFrame (as opposed to sparse)
<code>to_dict([orient])</code>	Convert DataFrame to dictionary.
<code>to_excel(*args, **kwargs)</code>	Write DataFrame to a excel sheet
<code>to_gbq(destination_table, project_id[, ...])</code>	Write a DataFrame to a Google BigQuery table.
<code>to_hdf(path_or_buf, key, **kwargs)</code>	Write the contained data to an HDF5 file using HDFStore.
<code>to_html(*args, **kwargs)</code>	Render a DataFrame as an HTML table.
<code>to_json([path_or_buf, orient, date_format, ...])</code>	Convert the object to a JSON string.
<code>to_latex([buf, columns, col_space, header, ...])</code>	Render a DataFrame to a tabular environment table.
<code>to_mol2([filepath_or_buffer, ...])</code>	Write DataFrame to Mol2 file.
<code>to_msgpack([path_or_buf, encoding])</code>	msgpack (serialize) object to input file path
<code>to_panel()</code>	Transform long (stacked) format (DataFrame) into wide (3D, Panel) format.
<code>to_period([freq, axis, copy])</code>	Convert DataFrame from DatetimeIndex to PeriodIndex with desired
<code>to_pickle(path)</code>	Pickle (serialize) object to input file path.
<code>to_records([index, convert_datetime64])</code>	Convert DataFrame to record array.
<code>to_sdf([filepath_or_buffer, ...])</code>	Write DataFrame to SDF file.
<code>to_sparse([fill_value, kind])</code>	Convert to SparseDataFrame
<code>to_sql(name, con[, flavor, schema, ...])</code>	Write records stored in a DataFrame to a SQL database.
<code>to_stata(fname[, convert_dates, ...])</code>	A class for writing Stata binary dta files from array-like objects
<code>to_string([buf, columns, col_space, header, ...])</code>	Render a DataFrame to a console-friendly tabular output.
<code>to_timestamp([freq, how, axis, copy])</code>	Cast to DatetimeIndex of timestamps, at <i>beginning</i> of period
<code>to_xarray()</code>	Return an xarray object from the pandas object.
<code>transpose(*args, **kwargs)</code>	Transpose index and columns
<code>truediv(other[, axis, level, fill_value])</code>	Floating division of dataframe and other, element-wise (binary operator <i>truediv</i>
<code>truncate([before, after, axis, copy])</code>	Truncates a sorted NDFrame before and/or after some particular index value.
<code>tshift([periods, freq, axis])</code>	Shift the time index, using the index's frequency if available.
<code>tz_convert(tz[, axis, level, copy])</code>	Convert tz-aware axis to target time zone.
<code>tz_localize(*args, **kwargs)</code>	Localize tz-naive TimeSeries to target time zone.
<code>unstack([level, fill_value])</code>	Pivot a level of the (necessarily hierarchical) index labels, returning a DataFram
<code>update(other[, join, overwrite, ...])</code>	Modify DataFrame in place using non-NA values from passed DataFrame.
<code>var([axis, skipna, level, ddof, numeric_only])</code>	Return unbiased variance over requested axis.
<code>where(cond[, other, inplace, axis, level, ...])</code>	Return an object of same shape as self and whose corresponding entries are fro
<code>xs(key[, axis, level, drop_level])</code>	Returns a cross-section (row(s) or column(s)) from the Series/DataFrame.

T

Transpose index and columns

abs ()

Return an object with absolute value taken—only applicable to objects that are all numeric.

Returns abs: type of caller

add (other, axis='columns', level=None, fill_value=None)

Addition of dataframe and other, element-wise (binary operator *add*).

Equivalent to `dataframe + other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters `other` : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns' }

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

`DataFrame.radd`

Notes

Mismatched indices will be unioned together

add_prefix (*prefix*)

Concatenate prefix string with panel items names.

Parameters prefix : string

Returns with_prefix : type of caller

add_suffix (*suffix*)

Concatenate suffix string with panel items names.

Parameters suffix : string

Returns with_suffix : type of caller

align (*other, join='outer', axis=None, level=None, copy=True, fill_value=None, method=None, limit=None, fill_axis=0, broadcast_axis=None*)

Align two object on their axes with the specified join method for each axis Index

Parameters other : DataFrame or Series

join : { 'outer', 'inner', 'left', 'right' }, default 'outer'

axis : allowed axis of the other object, default None

Align on index (0), columns (1), or both (None)

level : int or level name, default None

Broadcast across a level, matching Index values on the passed MultiIndex level

copy : boolean, default True

Always returns new objects. If copy=False and no reindexing is required then original objects are returned.

fill_value : scalar, default np.NaN

Value to use for missing values. Defaults to NaN, but can be any "compatible" value

method : str, default None

limit : int, default None

fill_axis : {0 or 'index', 1 or 'columns' }, default 0

Filling axis, method and limit

broadcast_axis : {0 or 'index', 1 or 'columns'}, default None

Broadcast values along this axis, if aligning two objects of different dimensions

New in version 0.17.0.

Returns (left, right) : (DataFrame, type of other)

Aligned objects

all (*axis=None, bool_only=None, skipna=None, level=None, **kwargs*)

Return whether all elements are True over requested axis

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

bool_only : boolean, default None

Include only boolean columns. If None, will attempt to use everything, then use only boolean data. Not implemented for Series.

Returns all : Series or DataFrame (if level specified)

any (*axis=None, bool_only=None, skipna=None, level=None, **kwargs*)

Return whether any element is True over requested axis

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

bool_only : boolean, default None

Include only boolean columns. If None, will attempt to use everything, then use only boolean data. Not implemented for Series.

Returns any : Series or DataFrame (if level specified)

append (*other, ignore_index=False, verify_integrity=False*)

Append rows of *other* to the end of this frame, returning a new object. Columns not in this frame are added as new columns.

Parameters other : DataFrame or Series/dict-like object, or list of these

The data to append.

ignore_index : boolean, default False

If True, do not use the index labels.

verify_integrity : boolean, default False

If True, raise ValueError on creating index with duplicates.

Returns appended : DataFrame

See also:

pandas.concat General function to concatenate DataFrame, Series or Panel objects

Notes

If a list of dict/series is passed and the keys are all contained in the DataFrame's index, the order of the columns in the resulting DataFrame will be unchanged.

Examples

```
>>> df = pd.DataFrame([[1, 2], [3, 4]], columns=list('AB'))
>>> df
   A  B
0  1  2
1  3  4
>>> df2 = pd.DataFrame([[5, 6], [7, 8]], columns=list('AB'))
>>> df.append(df2)
   A  B
0  1  2
1  3  4
0  5  6
1  7  8
```

With *ignore_index* set to True:

```
>>> df.append(df2, ignore_index=True)
   A  B
0  1  2
1  3  4
2  5  6
3  7  8
```

apply (*func*, *axis=0*, *broadcast=False*, *raw=False*, *reduce=None*, *args=()*, ***kwargs*)

Applies function along input axis of DataFrame.

Objects passed to functions are Series objects having index either the DataFrame's index (*axis=0*) or the columns (*axis=1*). Return type depends on whether passed function aggregates, or the *reduce* argument if the DataFrame is empty.

Parameters func : function

Function to apply to each column/row

axis : {0 or 'index', 1 or 'columns'}, default 0

- 0 or 'index': apply function to each column
- 1 or 'columns': apply function to each row

broadcast : boolean, default False

For aggregation functions, return object of same size with values propagated

raw : boolean, default False

If False, convert each row or column into a Series. If row=True the passed function will receive ndarray objects instead. If you are just applying a NumPy reduction function this will achieve much better performance

reduce : boolean or None, default None

Try to apply reduction procedures. If the DataFrame is empty, apply will use reduce to determine whether the result should be a Series or a DataFrame. If reduce is None (the default), apply's return value will be guessed by calling func an empty Series (note: while guessing, exceptions raised by func will be ignored). If reduce is True a Series will always be returned, and if False a DataFrame will always be returned.

args : tuple

Positional arguments to pass to function in addition to the array/series

Additional keyword arguments will be passed as keywords to the function

Returns applied : Series or DataFrame

See also:

DataFrame.applymap For elementwise operations

Notes

In the current implementation apply calls func twice on the first column/row to decide whether it can take a fast or slow code path. This can lead to unexpected behavior if func has side-effects, as they will take effect twice for the first column/row.

Examples

```
>>> df.apply(numpy.sqrt) # returns DataFrame
>>> df.apply(numpy.sum, axis=0) # equiv to df.sum(0)
>>> df.apply(numpy.sum, axis=1) # equiv to df.sum(1)
```

applymap (*func*)

Apply a function to a DataFrame that is intended to operate elementwise, i.e. like doing map(func, series) for each series in the DataFrame

Parameters func : function

Python function, returns a single value from a single value

Returns applied : DataFrame

See also:

DataFrame.apply For operations on rows/columns

Examples

```
>>> df = pd.DataFrame(np.random.randn(3, 3))
>>> df
   0         1         2
0 -0.029638  1.081563  1.280300
1  0.647747  0.831136 -1.549481
```

```

2    0.513416 -0.884417    0.195343
>>> df = df.applymap(lambda x: '%.2f' % x)
>>> df
   0      1      2
0 -0.03  1.08  1.28
1  0.65  0.83 -1.55
2  0.51 -0.88  0.20

```

as_blocks (*copy=True*)

Convert the frame to a dict of dtype -> Constructor Types that each has a homogeneous dtype.

NOTE: the dtypes of the blocks WILL BE PRESERVED HERE (unlike in as_matrix)

Parameters `copy` : boolean, default True

Returns values : a dict of dtype -> Constructor Types

as_matrix (*columns=None*)

Convert the frame to its Numpy-array representation.

Parameters `columns`: list, optional, default:None

If None, return all columns, otherwise, returns specified columns.

Returns values : ndarray

If the caller is heterogeneous and contains booleans or objects, the result will be of dtype=object. See Notes.

See also:

`pandas.DataFrame.values`

Notes

Return is NOT a Numpy-matrix, rather, a Numpy-array.

The dtype will be a lower-common-denominator dtype (implicit upcasting); that is to say if the dtypes (even of numeric types) are mixed, the one that accommodates all will be chosen. Use this with care if you are not dealing with the blocks.

e.g. If the dtypes are float16 and float32, dtype will be upcast to float32. If dtypes are int32 and uint8, dtype will be upcast to int32. By `numpy.find_common_type` convention, mixing int64 and uint64 will result in a float64 dtype.

This method is provided for backwards compatibility. Generally, it is recommended to use `‘.values’`.

asfreq (*freq, method=None, how=None, normalize=False*)

Convert TimeSeries to specified frequency.

Optionally provide filling method to pad/backfill missing values.

Parameters `freq` : DateOffset object, or string

method : { ‘backfill’/’bfill’, ‘pad’/’ffill’ }, default None

Method to use for filling holes in reindexed Series (note this does not fill NaNs that already were present):

- ‘pad’ / ‘ffill’: propagate last valid observation forward to next valid

- ‘backfill’ / ‘bfill’: use NEXT valid observation to fill

how : { ‘start’, ‘end’ }, default end

For PeriodIndex only, see PeriodIndex.asfreq

normalize : bool, default False

Whether to reset output index to midnight

Returns converted : type of caller

Notes

To learn more about the frequency strings, please see [this link](#).

asof (*where*, *subset=None*)

The last row without any NaN is taken (or the last row without NaN considering only the subset of columns in the case of a DataFrame)

New in version 0.19.0: For DataFrame

If there is no good value, NaN is returned.

Parameters where : date or array of dates

subset : string or list of strings, default None

if not None use these columns for NaN propagation

Returns where is scalar

- value or NaN if input is Series
- Series if input is DataFrame

where is Index: same shape object as input

See also:

`merge_asof`

Notes

Dates are assumed to be sorted Raises if this is not the case

assign (***kwargs*)

Assign new columns to a DataFrame, returning a new object (a copy) with all the original columns in addition to the new ones.

New in version 0.16.0.

Parameters kwargs : keyword, value pairs

keywords are the column names. If the values are callable, they are computed on the DataFrame and assigned to the new columns. The callable must not change input DataFrame (though pandas doesn’t check it). If the values are not callable, (e.g. a Series, scalar, or array), they are simply assigned.

Returns df : DataFrame

A new DataFrame with the new columns in addition to all the existing columns.

Notes

Since `kwargs` is a dictionary, the order of your arguments may not be preserved. To make things predictable, the columns are inserted in alphabetical order, at the end of your `DataFrame`. Assigning multiple columns within the same `assign` is possible, but you cannot reference other columns created within the same `assign` call.

Examples

```
>>> df = DataFrame({'A': range(1, 11), 'B': np.random.randn(10)})
```

Where the value is a callable, evaluated on `df`:

```
>>> df.assign(ln_A = lambda x: np.log(x.A))
   A      B      ln_A
0  1  0.426905  0.000000
1  2 -0.780949  0.693147
2  3 -0.418711  1.098612
3  4 -0.269708  1.386294
4  5 -0.274002  1.609438
5  6 -0.500792  1.791759
6  7  1.649697  1.945910
7  8 -1.495604  2.079442
8  9  0.549296  2.197225
9 10 -0.758542  2.302585
```

Where the value already exists and is inserted:

```
>>> newcol = np.log(df['A'])
>>> df.assign(ln_A=newcol)
   A      B      ln_A
0  1  0.426905  0.000000
1  2 -0.780949  0.693147
2  3 -0.418711  1.098612
3  4 -0.269708  1.386294
4  5 -0.274002  1.609438
5  6 -0.500792  1.791759
6  7  1.649697  1.945910
7  8 -1.495604  2.079442
8  9  0.549296  2.197225
9 10 -0.758542  2.302585
```

astype (*dtype*, *copy=True*, *raise_on_error=True*, ***kwargs*)

Cast object to input `numpy.dtype` Return a copy when `copy = True` (be really careful with this!)

Parameters `dtype` : data type, or dict of column name -> data type

Use a `numpy.dtype` or Python type to cast entire pandas object to the same type. Alternatively, use `{col: dtype, ...}`, where `col` is a column label and `dtype` is a `numpy.dtype` or Python type to cast one or more of the `DataFrame`'s columns to column-specific types.

raise_on_error : raise on invalid input

kwargs : keyword arguments to pass on to the constructor

Returns `casted` : type of caller

at

Fast label-based scalar accessor

Similarly to `loc`, `at` provides **label** based scalar lookups. You can also set using these indexers.

at_time (*time, asof=False*)

Select values at particular time of day (e.g. 9:30AM).

Parameters `time` : datetime.time or string

Returns `values_at_time` : type of caller

axes

Return a list with the row axis labels and column axis labels as the only members. They are returned in that order.

between_time (*start_time, end_time, include_start=True, include_end=True*)

Select values between particular times of the day (e.g., 9:00-9:30 AM).

Parameters `start_time` : datetime.time or string

`end_time` : datetime.time or string

`include_start` : boolean, default True

`include_end` : boolean, default True

Returns `values_between_time` : type of caller

bfill (*axis=None, inplace=False, limit=None, downcast=None*)

Synonym for `NDFrame.fillna(method='bfill')`

blocks

Internal property, property synonym for `as_blocks()`

bool ()

Return the bool of a single element `PandasObject`.

This must be a boolean scalar value, either True or False. Raise a `ValueError` if the `PandasObject` does not have exactly 1 element, or that element is not boolean

boxplot (*column=None, by=None, ax=None, fontsize=None, rot=0, grid=True, figsize=None, layout=None, return_type=None, **kws*)

Make a box plot from `DataFrame` column optionally grouped by some columns or other inputs

Parameters `data` : the pandas object holding the data

`column` : column name or list of names, or vector

Can be any valid input to `groupby`

`by` : string or sequence

Column in the `DataFrame` to group by

`ax` : Matplotlib axes object, optional

`fontsize` : int or string

`rot` : label rotation angle

`figsize` : A tuple (width, height) in inches

`grid` : Setting this to True will show the grid

`layout` : tuple (optional)

(rows, columns) for the layout of the plot

`return_type` : {None, 'axes', 'dict', 'both'}, default None

The kind of object to return. The default is `axes` ‘axes’ returns the matplotlib axes the boxplot is drawn on; ‘dict’ returns a dictionary whose values are the matplotlib Lines of the boxplot; ‘both’ returns a namedtuple with the axes and dict.

When grouping with `by`, a Series mapping columns to `return_type` is returned, unless `return_type` is `None`, in which case a NumPy array of axes is returned with the same shape as `layout`. See the prose documentation for more.

kwds : other plotting keyword arguments to be passed to matplotlib boxplot function

Returns lines : dict

ax : matplotlib Axes

(ax, lines): namedtuple

Notes

Use `return_type='dict'` when you want to tweak the appearance of the lines after plotting. In this case a dict containing the Lines making up the boxes, caps, fliers, medians, and whiskers is returned.

clip (*lower=None, upper=None, axis=None, *args, **kwargs*)
Trim values at input threshold(s).

Parameters lower : float or array_like, default None

upper : float or array_like, default None

axis : int or string axis name, optional

Align object with lower and upper along the given axis.

Returns clipped : Series

Examples

```
>>> df
   0      1
0  0.335232 -1.256177
1 -1.367855  0.746646
2  0.027753 -1.176076
3  0.230930 -0.679613
4  1.261967  0.570967
>>> df.clip(-1.0, 0.5)
   0      1
0  0.335232 -1.000000
1 -1.000000  0.500000
2  0.027753 -1.000000
3  0.230930 -0.679613
4  0.500000  0.500000
>>> t
   0      1
0  -0.3
1  -0.2
2  -0.1
3   0.0
4   0.1
dtype: float64
>>> df.clip(t, t + 1, axis=0)
```

	0	1
0	0.335232	-0.300000
1	-0.200000	0.746646
2	0.027753	-0.100000
3	0.230930	0.000000
4	1.100000	0.570967

clip_lower (*threshold*, *axis=None*)

Return copy of the input with values below given value(s) truncated.

Parameters **threshold** : float or array_like

axis : int or string axis name, optional

Align object with threshold along the given axis.

Returns **clipped** : same type as input

See also:

clip

clip_upper (*threshold*, *axis=None*)

Return copy of input with values above given value(s) truncated.

Parameters **threshold** : float or array_like

axis : int or string axis name, optional

Align object with threshold along the given axis.

Returns **clipped** : same type as input

See also:

clip

combine (*other*, *func*, *fill_value=None*, *overwrite=True*)

Add two DataFrame objects and do not propagate NaN values, so if for a (column, time) one frame is missing a value, it will default to the other frame's value (which might be NaN as well)

Parameters **other** : DataFrame

func : function

fill_value : scalar value

overwrite : boolean, default True

If True then overwrite values for common keys in the calling frame

Returns **result** : DataFrame

combineAdd (*other*)

DEPRECATED. Use `DataFrame.add(other, fill_value=0.)` instead.

Add two DataFrame objects and do not propagate NaN values, so if for a (column, time) one frame is missing a value, it will default to the other frame's value (which might be NaN as well)

Parameters **other** : DataFrame

Returns DataFrame

See also:

`DataFrame.add`

combineMult (*other*)

DEPRECATED. Use `DataFrame.mul(other, fill_value=1.)` instead.

Multiply two DataFrame objects and do not propagate NaN values, so if for a (column, time) one frame is missing a value, it will default to the other frame's value (which might be NaN as well)

Parameters *other* : DataFrame

Returns DataFrame

See also:

`DataFrame.mul`

combine_first (*other*)

Combine two DataFrame objects and default to non-null values in frame calling the method. Result index columns will be the union of the respective indexes and columns

Parameters *other* : DataFrame

Returns *combined* : DataFrame

Examples

a's values prioritized, use values from b to fill holes:

```
>>> a.combine_first(b)
```

compound (*axis=None, skipna=None, level=None*)

Return the compound percentage of the values for the requested axis

Parameters *axis* : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns *compounded* : Series or DataFrame (if level specified)

consolidate (*inplace=False*)

Compute NDFrame with "consolidated" internals (data of each dtype grouped together in a single ndarray). Mainly an internal API function, but available here to the savvy user

Parameters *inplace* : boolean, default False

If False return new object, otherwise modify existing object

Returns *consolidated* : type of caller

convert_objects (*convert_dates=True, convert_numeric=False, convert_timedeltas=True, copy=True*)

Deprecated.

Attempt to infer better dtype for object columns

Parameters `convert_dates` : boolean, default True

If True, convert to date where possible. If 'coerce', force conversion, with unconvertible values becoming NaT.

convert_numeric : boolean, default False

If True, attempt to coerce to numbers (including strings), with unconvertible values becoming NaN.

convert_timedeltas : boolean, default True

If True, convert to timedelta where possible. If 'coerce', force conversion, with unconvertible values becoming NaT.

copy : boolean, default True

If True, return a copy even if no copy is necessary (e.g. no conversion was done). Note: This is meant for internal use, and should not be confused with inplace.

Returns `converted` : same as input object

See also:

`pandas.to_datetime` Convert argument to datetime.

`pandas.to_timedelta` Convert argument to timedelta.

`pandas.to_numeric` Return a fixed frequency timedelta index, with day as the default.

`copy` (*deep=True*)

Make a copy of this objects data.

Parameters `deep` : boolean or string, default True

Make a deep copy, including a copy of the data and the indices. With `deep=False` neither the indices or the data are copied.

Note that when `deep=True` data is copied, actual python objects will not be copied recursively, only the reference to the object. This is in contrast to `copy.deepcopy` in the Standard Library, which recursively copies object data.

Returns `copy` : type of caller

`corr` (*method='pearson', min_periods=1*)

Compute pairwise correlation of columns, excluding NA/null values

Parameters `method` : {'pearson', 'kendall', 'spearman'}

- `pearson` : standard correlation coefficient
- `kendall` : Kendall Tau correlation coefficient
- `spearman` : Spearman rank correlation

min_periods : int, optional

Minimum number of observations required per pair of columns to have a valid result. Currently only available for pearson and spearman correlation

Returns `y` : DataFrame

`corrwith` (*other, axis=0, drop=False*)

Compute pairwise correlation between rows or columns of two DataFrame objects.

Parameters other : DataFrame

axis : {0 or 'index', 1 or 'columns'}, default 0

0 or 'index' to compute column-wise, 1 or 'columns' for row-wise

drop : boolean, default False

Drop missing indices from result, default returns union of all

Returns correals : Series

count (*axis=0, level=None, numeric_only=False*)

Return Series with number of non-NA/null observations over requested axis. Works with non-floating point data as well (detects NaN and None)

Parameters axis : {0 or 'index', 1 or 'columns'}, default 0

0 or 'index' for row-wise, 1 or 'columns' for column-wise

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default False

Include only float, int, boolean data

Returns count : Series (or DataFrame if level specified)

cov (*min_periods=None*)

Compute pairwise covariance of columns, excluding NA/null values

Parameters min_periods : int, optional

Minimum number of observations required per pair of columns to have a valid result.

Returns y : DataFrame

Notes

y contains the covariance matrix of the DataFrame's time series. The covariance is normalized by N-1 (unbiased estimator).

cummax (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative max over requested axis.

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cummax : Series

cummin (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative minimum over requested axis.

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cummin : Series

cumprod (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative product over requested axis.

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cumprod : Series

cumsum (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative sum over requested axis.

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cumsum : Series

describe (*percentiles=None, include=None, exclude=None*)

Generate various summary statistics, excluding NaN values.

Parameters percentiles : array-like, optional

The percentiles to include in the output. Should all be in the interval [0, 1]. By default *percentiles* is [.25, .5, .75], returning the 25th, 50th, and 75th percentiles.

include, exclude : list-like, 'all', or None (default)

Specify the form of the returned result. Either:

- None to both (default). The result will include only numeric-typed columns or, if none are, only categorical columns.
- A list of dtypes or strings to be included/excluded. To select all numeric types use `numpy.number`. To select categorical objects use `type` object. See also the `select_dtypes` documentation. eg. `df.describe(include=['O'])`
- If `include` is the string 'all', the output column-set will match the input one.

Returns summary: NDFrame of summary statistics

See also:

`DataFrame.select_dtypes`

Notes

The output DataFrame index depends on the requested dtypes:

For numeric dtypes, it will include: count, mean, std, min, max, and lower, 50, and upper percentiles.

For object dtypes (e.g. timestamps or strings), the index will include the count, unique, most common, and frequency of the most common. Timestamps also include the first and last items.

For mixed dtypes, the index will be the union of the corresponding output types. Non-applicable entries will be filled with NaN. Note that mixed-dtype outputs can only be returned from mixed-dtype inputs and appropriate use of the include/exclude arguments.

If multiple values have the highest count, then the *count* and *most common* pair will be arbitrarily chosen from among those with the highest count.

The include, exclude arguments are ignored for Series.

diff (*periods=1, axis=0*)

1st discrete difference of object

Parameters **periods** : int, default 1

Periods to shift for forming difference

axis : {0 or 'index', 1 or 'columns'}, default 0

Take difference over rows (0) or columns (1).

Returns **differed** : DataFrame

div (*other, axis='columns', level=None, fill_value=None*)

Floating division of dataframe and other, element-wise (binary operator *truediv*).

Equivalent to `dataframe / other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other** : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : DataFrame

See also:

`DataFrame.rtruediv`

Notes

Mismatched indices will be unioned together

divide (*other, axis='columns', level=None, fill_value=None*)

Floating division of dataframe and other, element-wise (binary operator *truediv*).

Equivalent to `dataframe / other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other** : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : DataFrame

See also:

`DataFrame.rtruediv`

Notes

Mismatched indices will be unioned together

dot (*other*)

Matrix multiplication with DataFrame or Series objects

Parameters **other** : DataFrame or Series

Returns **dot_product** : DataFrame or Series

drop (*labels, axis=0, level=None, inplace=False, errors='raise'*)

Return new object with labels in requested axis removed.

Parameters **labels** : single label or list-like

axis : int or axis name

level : int or level name, default None

For MultiIndex

inplace : bool, default False

If True, do operation inplace and return None.

errors : { 'ignore', 'raise' }, default 'raise'

If 'ignore', suppress error and existing labels are dropped.

New in version 0.16.1.

Returns **dropped** : type of caller

drop_duplicates (**args, **kwargs*)

Return DataFrame with duplicate rows removed, optionally only considering certain columns

Parameters **subset** : column label or sequence of labels, optional

Only consider certain columns for identifying duplicates, by default use all of the columns

keep : { 'first', 'last', False }, default 'first'

- `first` : Drop duplicates except for the first occurrence.
- `last` : Drop duplicates except for the last occurrence.
- `False` : Drop all duplicates.

take_last : deprecated

inplace : boolean, default False

Whether to drop duplicates in place or to return a copy

Returns **deduplicated** : DataFrame

dropna (*axis=0, how='any', thresh=None, subset=None, inplace=False*)

Return object with labels on given axis omitted where alternately any or all of the data are missing

Parameters **axis** : {0 or 'index', 1 or 'columns' }, or tuple/list thereof

Pass tuple or list to drop on multiple axes

how : { 'any', 'all' }

- any : if any NA values are present, drop that label
- all : if all values are NA, drop that label

thresh : int, default None

int value : require that many non-NA values

subset : array-like

Labels along other axis to consider, e.g. if you are dropping rows these would be a list of columns to include

inplace : boolean, default False

If True, do operation inplace and return None.

Returns **dropped** : DataFrame

dtypes

Return the dtypes in this object.

duplicated (*args, **kwargs)

Return boolean Series denoting duplicate rows, optionally only considering certain columns

Parameters **subset** : column label or sequence of labels, optional

Only consider certain columns for identifying duplicates, by default use all of the columns

keep : { 'first', 'last', False }, default 'first'

- first : Mark duplicates as True except for the first occurrence.
- last : Mark duplicates as True except for the last occurrence.
- False : Mark all duplicates as True.

take_last : deprecated

Returns **duplicated** : Series

empty

True if NDFrame is entirely empty [no items], meaning any of the axes are of length 0.

See also:

`pandas.Series.dropna`, `pandas.DataFrame.dropna`

Notes

If NDFrame contains only NaNs, it is still not considered empty. See the example below.

Examples

An example of an actual empty DataFrame. Notice the index is empty:

```

>>> df_empty = pd.DataFrame({'A' : []})
>>> df_empty
Empty DataFrame
Columns: [A]
Index: []
>>> df_empty.empty
True

```

If we only have NaNs in our DataFrame, it is not considered empty! We will need to drop the NaNs to make the DataFrame empty:

```

>>> df = pd.DataFrame({'A' : [np.nan]})
>>> df
   A
0 NaN
>>> df.empty
False
>>> df.dropna().empty
True

```

eq (*other*, *axis='columns'*, *level=None*)
 Wrapper for flexible comparison methods eq

equals (*other*)
 Determines if two NDFrame objects contain the same elements. NaNs in the same location are considered equal.

eval (*expr*, *inplace=None*, ***kwargs*)
 Evaluate an expression in the context of the calling DataFrame instance.

Parameters *expr* : string

The expression string to evaluate.

inplace : bool

If the expression contains an assignment, whether to return a new DataFrame or mutate the existing.

WARNING: *inplace=None* currently falls back to *True*, but in a future version, will default to *False*. Use *inplace=True* explicitly rather than relying on the default.

New in version 0.18.0.

kwargs : dict

See the documentation for `eval()` for complete details on the keyword arguments accepted by `query()`.

Returns *ret* : ndarray, scalar, or pandas object

See also:

`pandas.DataFrame.query`, `pandas.DataFrame.assign`, `pandas.eval`

Notes

For more details see the API documentation for `eval()`. For detailed examples see enhancing performance with `eval`.

Examples

```
>>> from numpy.random import randn
>>> from pandas import DataFrame
>>> df = DataFrame(randn(10, 2), columns=list('ab'))
>>> df.eval('a + b')
>>> df.eval('c = a + b')
```

ewm (*com=None, span=None, halflife=None, alpha=None, min_periods=0, freq=None, adjust=True, ignore_na=False, axis=0*)

Provides exponential weighted functions

New in version 0.18.0.

Parameters **com** : float, optional

Specify decay in terms of center of mass, $\alpha = 1/(1 + com)$, for $com \geq 0$

span : float, optional

Specify decay in terms of span, $\alpha = 2/(span + 1)$, for $span \geq 1$

halflife : float, optional

Specify decay in terms of half-life, $\alpha = 1 - \exp(\log(0.5)/halflife)$, for $halflife > 0$

alpha : float, optional

Specify smoothing factor α directly, $0 < \alpha \leq 1$

New in version 0.18.0.

min_periods : int, default 0

Minimum number of observations in window required to have a value (otherwise result is NA).

freq : None or string alias / date offset object, default=None (DEPRECATED)

Frequency to conform to before computing statistic

adjust : boolean, default True

Divide by decaying adjustment factor in beginning periods to account for imbalance in relative weightings (viewing EWMA as a moving average)

ignore_na : boolean, default False

Ignore missing values when calculating weights; specify True to reproduce pre-0.15.0 behavior

Returns a Window sub-classed for the particular operation

Notes

Exactly one of center of mass, span, half-life, and alpha must be provided. Allowed values and relationship between the parameters are specified in the parameter descriptions above; see the link at the end of this section for a detailed explanation.

The *freq* keyword is used to conform time series data to a specified frequency by resampling the data. This is done with the default parameters of `resample()` (i.e. using the *mean*).

When *adjust* is True (default), weighted averages are calculated using weights $(1-\alpha)^{*(n-1)}$, $(1-\alpha)^{*(n-2)}$, ..., $1-\alpha$, 1.

When `adjust` is `False`, weighted averages are calculated recursively as: $\text{weighted_average}[0] = \text{arg}[0]$;
 $\text{weighted_average}[i] = (1-\alpha) * \text{weighted_average}[i-1] + \alpha * \text{arg}[i]$.

When `ignore_na` is `False` (default), weights are based on absolute positions. For example, the weights of `x` and `y` used in calculating the final weighted average of `[x, None, y]` are $(1-\alpha)**2$ and `1` (if `adjust` is `True`), and $(1-\alpha)**2$ and `alpha` (if `adjust` is `False`).

When `ignore_na` is `True` (reproducing pre-0.15.0 behavior), weights are based on relative positions. For example, the weights of `x` and `y` used in calculating the final weighted average of `[x, None, y]` are `1-alpha` and `1` (if `adjust` is `True`), and `1-alpha` and `alpha` (if `adjust` is `False`).

More details can be found at <http://pandas.pydata.org/pandas-docs/stable/computation.html#exponentially-weighted-windows>

Examples

```
>>> df = DataFrame({'B': [0, 1, 2, np.nan, 4]})
      B
0  0.0
1  1.0
2  2.0
3  NaN
4  4.0
```

```
>>> df.ewm(com=0.5).mean()
      B
0  0.000000
1  0.750000
2  1.615385
3  1.615385
4  3.670213
```

expanding (*min_periods=1, freq=None, center=False, axis=0*)

Provides expanding transformations.

New in version 0.18.0.

Parameters `min_periods` : int, default None

Minimum number of observations in window required to have a value (otherwise result is NA).

freq : string or DateOffset object, optional (default None) (DEPRECATED)

Frequency to conform the data to before computing the statistic. Specified as a frequency string or DateOffset object.

center : boolean, default False

Set the labels at the center of the window.

axis : int or string, default 0

Returns a Window sub-classed for the particular operation

Notes

By default, the result is set to the right edge of the window. This can be changed to the center of the window by setting `center=True`.

The *freq* keyword is used to conform time series data to a specified frequency by resampling the data. This is done with the default parameters of `resample()` (i.e. using the *mean*).

Examples

```
>>> df = DataFrame({'B': [0, 1, 2, np.nan, 4]})
      B
0    0.0
1    1.0
2    2.0
3    NaN
4    4.0
```

```
>>> df.expanding(2).sum()
      B
0    NaN
1    1.0
2    3.0
3    3.0
4    7.0
```

ffill (*axis=None, inplace=False, limit=None, downcast=None*)

Synonym for `NDFrame.fillna(method='ffill')`

fillna (*value=None, method=None, axis=None, inplace=False, limit=None, downcast=None, **kwargs*)

Fill NA/NaN values using the specified method

Parameters **value** : scalar, dict, Series, or DataFrame

Value to use to fill holes (e.g. 0), alternately a dict/Series/DataFrame of values specifying which value to use for each index (for a Series) or column (for a DataFrame). (values not in the dict/Series/DataFrame will not be filled). This value cannot be a list.

method : {'backfill', 'bfill', 'pad', 'ffill', None}, default None

Method to use for filling holes in reindexed Series `pad / ffill`: propagate last valid observation forward to next valid `backfill / bfill`: use NEXT valid observation to fill gap

axis : {0 or 'index', 1 or 'columns'}

inplace : boolean, default False

If True, fill in place. Note: this will modify any other views on this object, (e.g. a no-copy slice for a column in a DataFrame).

limit : int, default None

If method is specified, this is the maximum number of consecutive NaN values to forward/backward fill. In other words, if there is a gap with more than this number of consecutive NaNs, it will only be partially filled. If method is not specified, this is the maximum number of entries along the entire axis where NaNs will be filled.

downcast : dict, default is None

a dict of item->dtype of what to downcast if possible, or the string 'infer' which will try to downcast to an appropriate equal type (e.g. float64 to int64 if possible)

Returns **filled** : DataFrame

See also:

reindex, asfreq

filter (*items=None, like=None, regex=None, axis=None*)

Subset rows or columns of dataframe according to labels in the specified index.

Note that this routine does not filter a dataframe on its contents. The filter is applied to the labels of the index.

Parameters **items**: list-like

List of info axis to restrict to (must not all be present)

like: string

Keep info axis where “arg in col == True”

regex: string (regular expression)

Keep info axis with `re.search(regex, col) == True`

axis: int or string axis name

The axis to filter on. By default this is the info axis, ‘index’ for Series, ‘columns’ for DataFrame

Returns same type as input object

See also:

`pandas.DataFrame.select`

Notes

The `items`, `like`, and `regex` parameters are enforced to be mutually exclusive.

`axis` defaults to the info axis that is used when indexing with `[]`.

Examples

```
>>> df
one two three
mouse 1 2 3
rabbit 4 5 6
```

```
>>> # select columns by name
>>> df.filter(items=['one', 'three'])
one three
mouse 1 3
rabbit 4 6
```

```
>>> # select columns by regular expression
>>> df.filter(regex='e$', axis=1)
one three
mouse 1 3
rabbit 4 6
```

```
>>> # select rows containing 'bbi'
>>> df.filter(like='bbi', axis=0)
one two three
rabbit 4 5 6
```

first (*offset*)

Convenience method for subsetting initial periods of time series data based on a date offset.

Parameters *offset* : string, DateOffset, dateutil.relativedelta

Returns *subset* : type of caller

Examples

```
ts.first('10D') -> First 10 days
```

first_valid_index ()

Return label for first non-NA/null value

floordiv (*other, axis='columns', level=None, fill_value=None*)

Integer division of dataframe and other, element-wise (binary operator *floordiv*).

Equivalent to `dataframe // other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters *other* : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns *result* : DataFrame

See also:

`DataFrame.rfloordiv`

Notes

Mismatched indices will be unioned together

from_csv (*path, header=0, sep=',', index_col=0, parse_dates=True, encoding=None, tupleize_cols=False, infer_datetime_format=False*)

Read CSV file (DISCOURAGED, please use `pandas.read_csv()` instead).

It is preferable to use the more powerful `pandas.read_csv()` for most general purposes, but `from_csv` makes for an easy roundtrip to and from a file (the exact counterpart of `to_csv`), especially with a DataFrame of time series data.

This method only differs from the preferred `pandas.read_csv()` in some defaults:

- *index_col* is 0 instead of None (take first column as index by default)
- *parse_dates* is True instead of False (try parsing the index as datetime by default)

So a `pd.DataFrame.from_csv(path)` can be replaced by `pd.read_csv(path, index_col=0, parse_dates=True)`.

Parameters **path** : string file path or file handle / StringIO

header : int, default 0

Row to use as header (skip prior rows)

sep : string, default ‘,’

Field delimiter

index_col : int or sequence, default 0

Column to use for index. If a sequence is given, a MultiIndex is used. Different default from `read_table`

parse_dates : boolean, default True

Parse dates. Different default from `read_table`

tupleize_cols : boolean, default False

write `multi_index` columns as a list of tuples (if True) or new (expanded format) if False

infer_datetime_format: boolean, default False

If True and `parse_dates` is True for a column, try to infer the datetime format based on the first datetime string. If the format can be inferred, there often will be a large parsing speed-up.

Returns **y** : DataFrame

See also:

`pandas.read_csv`

from_dict (*data*, *orient*=‘columns’, *dtype*=None)

Construct DataFrame from dict of array-like or dicts

Parameters **data** : dict

{field : array-like} or {field : dict}

orient : {‘columns’, ‘index’}, default ‘columns’

The “orientation” of the data. If the keys of the passed dict should be the columns of the resulting DataFrame, pass ‘columns’ (default). Otherwise if the keys should be rows, pass ‘index’.

dtype : dtype, default None

Data type to force, otherwise infer

Returns DataFrame

from_items (*items*, *columns*=None, *orient*=‘columns’)

Convert (key, value) pairs to DataFrame. The keys will be the axis index (usually the columns, but depends on the specified orientation). The values should be arrays or Series.

Parameters **items** : sequence of (key, value) pairs

Values should be arrays or Series.

columns : sequence of column labels, optional

Must be passed if `orient`=‘index’.

orient : {‘columns’, ‘index’}, default ‘columns’

The “orientation” of the data. If the keys of the input correspond to column labels, pass ‘columns’ (default). Otherwise if the keys correspond to the index, pass ‘index’.

Returns frame : DataFrame

from_records (*data, index=None, exclude=None, columns=None, coerce_float=False, nrows=None*)
 Convert structured or record ndarray to DataFrame

Parameters data : ndarray (structured dtype), list of tuples, dict, or DataFrame

index : string, list of fields, array-like

Field of array to use as the index, alternately a specific set of input labels to use

exclude : sequence, default None

Columns or fields to exclude

columns : sequence, default None

Column names to use. If the passed data do not have names associated with them, this argument provides names for the columns. Otherwise this argument indicates the order of the columns in the result (any names not found in the data will become all-NA columns)

coerce_float : boolean, default False

Attempt to convert values to non-string, non-numeric objects (like decimal.Decimal) to floating point, useful for SQL result sets

Returns df : DataFrame

ftypes

Return the ftypes (indication of sparse/dense and dtype) in this object.

ge (*other, axis='columns', level=None*)

Wrapper for flexible comparison methods ge

get (*key, default=None*)

Get item from object for given key (DataFrame column, Panel slice, etc.). Returns default value if not found.

Parameters key : object

Returns value : type of items contained in object

get_dtype_counts ()

Return the counts of dtypes in this object.

get_fstype_counts ()

Return the counts of ftypes in this object.

get_value (*index, col, takeable=False*)

Quickly retrieve single value at passed column and index

Parameters index : row label

col : column label

takeable : interpret the index/col as indexers, default False

Returns value : scalar value

get_values ()

same as values (but handles sparseness conversions)

groupby (*by=None, axis=0, level=None, as_index=True, sort=True, group_keys=True, squeeze=False, **kwargs*)

Group series using mapper (dict or key function, apply given function to group, return result as series) or by a series of columns.

Parameters by : mapping function / list of functions, dict, Series, or tuple /

list of column names. Called on each element of the object index to determine the groups. If a dict or Series is passed, the Series or dict VALUES will be used to determine the groups

axis : int, default 0

level : int, level name, or sequence of such, default None

If the axis is a MultiIndex (hierarchical), group by a particular level or levels

as_index : boolean, default True

For aggregated output, return object with group labels as the index. Only relevant for DataFrame input. `as_index=False` is effectively “SQL-style” grouped output

sort : boolean, default True

Sort group keys. Get better performance by turning this off. Note this does not influence the order of observations within each group. `groupby` preserves the order of rows within each group.

group_keys : boolean, default True

When calling `apply`, add group keys to index to identify pieces

squeeze : boolean, default False

reduce the dimensionality of the return type if possible, otherwise return a consistent type

Returns GroupBy object

Examples

DataFrame results

```
>>> data.groupby(func, axis=0).mean()
>>> data.groupby(['col1', 'col2'])['col3'].mean()
```

DataFrame with hierarchical index

```
>>> data.groupby(['col1', 'col2']).mean()
```

gt (*other, axis='columns', level=None*)

Wrapper for flexible comparison methods `gt`

head (*n=5*)

Returns first `n` rows

hist (*data, column=None, by=None, grid=True, xlabelsize=None, xrot=None, ylabelsize=None, yrot=None, ax=None, sharex=False, sharey=False, figsize=None, layout=None, bins=10, **kws*)

Draw histogram of the DataFrame’s series using `matplotlib` / `pylab`.

Parameters data : DataFrame

column : string or sequence

If passed, will be used to limit data to a subset of columns

by : object, optional

If passed, then used to form histograms for separate groups

grid : boolean, default True

Whether to show axis grid lines

xlabelsize : int, default None

If specified changes the x-axis label size

xrot : float, default None

rotation of x axis labels

ylabelsize : int, default None

If specified changes the y-axis label size

yrot : float, default None

rotation of y axis labels

ax : matplotlib axes object, default None

sharex : boolean, default True if ax is None else False

In case subplots=True, share x axis and set some x axis labels to invisible; defaults to True if ax is None otherwise False if an ax is passed in; Be aware, that passing in both an ax and sharex=True will alter all x axis labels for all subplots in a figure!

sharey : boolean, default False

In case subplots=True, share y axis and set some y axis labels to invisible

figsize : tuple

The size of the figure to create in inches by default

layout: (optional) a tuple (rows, columns) for the layout of the histograms

bins: integer, default 10

Number of histogram bins to be used

kwds : other plotting keyword arguments

To be passed to hist function

iat

Fast integer location scalar accessor.

Similarly to `iloc`, `iat` provides **integer** based lookups. You can also set using these indexers.

icol (*i*)

DEPRECATED. Use `.iloc[:, i]` instead

idxmax (*axis=0, skipna=True*)

Return index of first occurrence of maximum over requested axis. NA/null values are excluded.

Parameters axis : {0 or 'index', 1 or 'columns'}, default 0

0 or 'index' for row-wise, 1 or 'columns' for column-wise

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be first index.

Returns idxmax : Series

See also:

`Series.idxmax`

Notes

This method is the DataFrame version of `ndarray.argmax`.

idxmin (*axis=0, skipna=True*)

Return index of first occurrence of minimum over requested axis. NA/null values are excluded.

Parameters axis : {0 or 'index', 1 or 'columns'}, default 0

0 or 'index' for row-wise, 1 or 'columns' for column-wise

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns idxmin : Series

See also:

`Series.idxmin`

Notes

This method is the DataFrame version of `ndarray.argmin`.

iget_value (*i, j*)

DEPRECATED. Use `.iat[i, j]` instead

iloc

Purely integer-location based indexing for selection by position.

`.iloc[]` is primarily integer position based (from 0 to `length-1` of the axis), but may also be used with a boolean array.

Allowed inputs are:

- An integer, e.g. 5.
- A list or array of integers, e.g. `[4, 3, 0]`.
- A slice object with ints, e.g. `1:7`.
- A boolean array.
- A callable function with one argument (the calling Series, DataFrame or Panel) and that returns valid output for indexing (one of the above)

`.iloc` will raise `IndexError` if a requested indexer is out-of-bounds, except *slice* indexers which allow out-of-bounds indexing (this conforms with python/numpy *slice* semantics).

See more at Selection by Position

info (*verbose=None, buf=None, max_cols=None, memory_usage=None, null_counts=None*)

Concise summary of a DataFrame.

Parameters verbose : {None, True, False}, optional

Whether to print the full summary. None follows the `display.max_info_columns` setting. True or False overrides the `display.max_info_columns` setting.

buf : writable buffer, defaults to `sys.stdout`

max_cols : int, default None

Determines whether full summary or short summary is printed. None follows the `display.max_info_columns` setting.

memory_usage : boolean/string, default None

Specifies whether total memory usage of the DataFrame elements (including index) should be displayed. None follows the `display.memory_usage` setting. True or False overrides the `display.memory_usage` setting. A value of 'deep' is equivalent of True, with deep introspection. Memory usage is shown in human-readable units (base-2 representation).

null_counts : boolean, default None

Whether to show the non-null counts

- If None, then only show if the frame is smaller than `max_info_rows` and `max_info_columns`.
- If True, always show counts.
- If False, never show counts.

insert (*loc, column, value, allow_duplicates=False*)

Insert column into DataFrame at specified location.

If `allow_duplicates` is False, raises Exception if column is already contained in the DataFrame.

Parameters loc : int

Must have $0 \leq \text{loc} \leq \text{len}(\text{columns})$

column : object

value : scalar, Series, or array-like

interpolate (*method='linear', axis=0, limit=None, inplace=False, limit_direction='forward', downcast=None, **kwargs*)

Interpolate values according to different methods.

Please note that only `method='linear'` is supported for DataFrames/Series with a MultiIndex.

Parameters method : {'linear', 'time', 'index', 'values', 'nearest', 'zero',

'slinear', 'quadratic', 'cubic', 'barycentric', 'krogh', 'polynomial', 'spline', 'piecewise_polynomial', 'from_derivatives', 'pchip', 'akima'}

- 'linear': ignore the index and treat the values as equally spaced. This is the only method supported on MultiIndexes. default
- 'time': interpolation works on daily and higher resolution data to interpolate given length of interval
- 'index', 'values': use the actual numerical values of the index
- 'nearest', 'zero', 'slinear', 'quadratic', 'cubic', 'barycentric', 'polynomial' is passed to `scipy.interpolate.interpld`. Both 'polynomial' and 'spline' require that you also specify an `order` (int), e.g. `df.interpolate(method='polynomial', order=4)`. These use the actual numerical values of the index.

- ‘krogh’, ‘piecewise_polynomial’, ‘spline’, ‘pchip’ and ‘akima’ are all wrappers around the scipy interpolation methods of similar names. These use the actual numerical values of the index. See the scipy documentation for more on their behavior [here](#) # noqa and [here](#) # noqa
- ‘from_derivatives’ refers to BPoly.from_derivatives which replaces ‘piecewise_polynomial’ interpolation method in scipy 0.18

New in version 0.18.1: Added support for the ‘akima’ method Added interpolate method ‘from_derivatives’ which replaces ‘piecewise_polynomial’ in scipy 0.18; backwards-compatible with scipy < 0.18

axis : {0, 1}, default 0

- 0: fill column-by-column
- 1: fill row-by-row

limit : int, default None.

Maximum number of consecutive NaNs to fill.

limit_direction : {‘forward’, ‘backward’, ‘both’}, defaults to ‘forward’

If limit is specified, consecutive NaNs will be filled in this direction.

New in version 0.17.0.

inplace : bool, default False

Update the NDFrame in place if possible.

downcast : optional, ‘infer’ or None, defaults to None

Downcast dtypes if possible.

kwargs : keyword arguments to pass on to the interpolating function.

Returns Series or DataFrame of same shape interpolated at the NaNs

See also:

[reindex](#), [replace](#), [fillna](#)

Examples

Filling in NaNs

```
>>> s = pd.Series([0, 1, np.nan, 3])
>>> s.interpolate()
0    0
1    1
2    2
3    3
dtype: float64
```

irow (*i*, *copy=False*)

DEPRECATED. Use `.iloc[i]` instead

is_copy = None

isin (*values*)

Return boolean DataFrame showing whether each element in the DataFrame is contained in values.

Parameters *values* : iterable, Series, DataFrame or dictionary

The result will only be true at a location if all the labels match. If *values* is a Series, that's the index. If *values* is a dictionary, the keys must be the column names, which must match. If *values* is a DataFrame, then both the index and column labels must match.

Returns DataFrame of booleans

Examples

When *values* is a list:

```
>>> df = DataFrame({'A': [1, 2, 3], 'B': ['a', 'b', 'f']})
>>> df.isin([1, 3, 12, 'a'])
   A      B
0  True  True
1 False False
2  True False
```

When *values* is a dict:

```
>>> df = DataFrame({'A': [1, 2, 3], 'B': [1, 4, 7]})
>>> df.isin({'A': [1, 3], 'B': [4, 7, 12]})
   A      B
0  True False # Note that B didn't match the 1 here.
1 False  True
2  True  True
```

When *values* is a Series or DataFrame:

```
>>> df = DataFrame({'A': [1, 2, 3], 'B': ['a', 'b', 'f']})
>>> other = DataFrame({'A': [1, 3, 3, 2], 'B': ['e', 'f', 'f', 'e']})
>>> df.isin(other)
   A      B
0  True False
1 False False # Column A in `other` has a 3, but not at index 1.
2  True  True
```

isnull()

Return a boolean same-sized object indicating if the values are null.

See also:

notnull boolean inverse of *isnull*

iteritems()

Iterator over (column name, Series) pairs.

See also:

iterrows Iterate over DataFrame rows as (index, Series) pairs.

itertuples Iterate over DataFrame rows as namedtuples of the values.

iterkv(*args, **kwargs)

iteritems alias used to get around 2to3. Deprecated

iterrows()

Iterate over DataFrame rows as (index, Series) pairs.

Returns it : generator

A generator that iterates over the rows of the frame.

See also:

itertuples Iterate over DataFrame rows as namedtuples of the values.

iteritems Iterate over (column name, Series) pairs.

Notes

1. Because `iterrows` returns a Series for each row, it does **not** preserve dtypes across the rows (dtypes are preserved across columns for DataFrames). For example,

```
>>> df = pd.DataFrame([[1, 1.5]], columns=['int', 'float'])
>>> row = next(df.iterrows())[1]
>>> row
int      1.0
float    1.5
Name: 0, dtype: float64
>>> print(row['int'].dtype)
float64
>>> print(df['int'].dtype)
int64
```

To preserve dtypes while iterating over the rows, it is better to use `itertuples()` which returns namedtuples of the values and which is generally faster than `iterrows`.

2. You should **never modify** something you are iterating over. This is not guaranteed to work in all cases. Depending on the data types, the iterator returns a copy and not a view, and writing to it will have no effect.

itertuples (*index=True*, *name='Pandas'*)

Iterate over DataFrame rows as namedtuples, with index value as first element of the tuple.

Parameters index : boolean, default True

If True, return the index as the first element of the tuple.

name : string, default "Pandas"

The name of the returned namedtuples or None to return regular tuples.

See also:

iterrows Iterate over DataFrame rows as (index, Series) pairs.

iteritems Iterate over (column name, Series) pairs.

Notes

The column names will be renamed to positional names if they are invalid Python identifiers, repeated, or start with an underscore. With a large number of columns (>255), regular tuples are returned.

Examples

```

>>> df = pd.DataFrame({'col1': [1, 2], 'col2': [0.1, 0.2]},
                       index=['a', 'b'])

>>> df
   col1  col2
a      1   0.1
b      2   0.2
>>> for row in df.itertuples():
...     print(row)
...
Pandas(Index='a', col1=1, col2=0.10000000000000001)
Pandas(Index='b', col1=2, col2=0.20000000000000001)

```

ix

A primarily label-location based indexer, with integer position fallback.

`.ix[]` supports mixed integer and label based access. It is primarily label based, but will fall back to integer positional access unless the corresponding axis is of integer type.

`.ix` is the most general indexer and will support any of the inputs in `.loc` and `.iloc`. `.ix` also supports floating point label schemes. `.ix` is exceptionally useful when dealing with mixed positional and label based hierarchical indexes.

However, when an axis is integer based, ONLY label based access and not positional access is supported. Thus, in such cases, it's usually better to be explicit and use `.iloc` or `.loc`.

See more at Advanced Indexing.

join (*other, on=None, how='left', lsuffix='', rsuffix='', sort=False*)

Join columns with other DataFrame either on index or on a key column. Efficiently Join multiple DataFrame objects by index at once by passing a list.

Parameters **other** : DataFrame, Series with name field set, or list of DataFrame

Index should be similar to one of the columns in this one. If a Series is passed, its name attribute must be set, and that will be used as the column name in the resulting joined DataFrame

on : column name, tuple/list of column names, or array-like

Column(s) in the caller to join on the index in other, otherwise joins index-on-index. If multiples columns given, the passed DataFrame must have a MultiIndex. Can pass an array as the join key if not already contained in the calling DataFrame. Like an Excel VLOOKUP operation

how : {'left', 'right', 'outer', 'inner'}, default: 'left'

How to handle the operation of the two objects.

- left: use calling frame's index (or column if on is specified)
- right: use other frame's index
- **outer: form union of calling frame's index (or column if on is specified)** with other frame's index
- **inner: form intersection of calling frame's index (or column if on is specified)** with other frame's index

lsuffix : string

Suffix to use from left frame's overlapping columns

rsuffix : string

Suffix to use from right frame's overlapping columns

sort : boolean, default False

Order result DataFrame lexicographically by the join key. If False, preserves the index order of the calling (left) DataFrame

Returns **joined** : DataFrame

See also:

DataFrame.merge For column(s)-on-columns(s) operations

Notes

on, lsuffix, and rsuffix options are not supported when passing a list of DataFrame objects

Examples

```
>>> caller = pd.DataFrame({'key': ['K0', 'K1', 'K2', 'K3', 'K4', 'K5'],
...                        'A': ['A0', 'A1', 'A2', 'A3', 'A4', 'A5']})
```

```
>>> caller
   A key
0  A0  K0
1  A1  K1
2  A2  K2
3  A3  K3
4  A4  K4
5  A5  K5
```

```
>>> other = pd.DataFrame({'key': ['K0', 'K1', 'K2'],
...                       'B': ['B0', 'B1', 'B2']})
```

```
>>> other
   B key
0  B0  K0
1  B1  K1
2  B2  K2
```

Join DataFrames using their indexes.

```
>>> caller.join(other, lsuffix='_caller', rsuffix='_other')
```

```
>>>
   A key_caller  B key_other
0  A0          K0  B0          K0
1  A1          K1  B1          K1
2  A2          K2  B2          K2
3  A3          K3  NaN         NaN
4  A4          K4  NaN         NaN
5  A5          K5  NaN         NaN
```

If we want to join using the key columns, we need to set key to be the index in both caller and other. The joined DataFrame will have key as its index.

```
>>> caller.set_index('key').join(other.set_index('key'))
```

```
>>>
   A    B
key
K0  A0  B0
K1  A1  B1
K2  A2  B2
K3  A3  NaN
K4  A4  NaN
K5  A5  NaN
```

Another option to join using the key columns is to use the `on` parameter. `DataFrame.join` always uses other's index but we can use any column in the caller. This method preserves the original caller's index in the result.

```
>>> caller.join(other.set_index('key'), on='key')
```

```
>>>
   A key  B
0  A0  K0  B0
1  A1  K1  B1
2  A2  K2  B2
3  A3  K3  NaN
4  A4  K4  NaN
5  A5  K5  NaN
```

keys()

Get the 'info axis' (see Indexing for more)

This is index for Series, columns for DataFrame and `major_axis` for Panel.

kurt (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased kurtosis over requested axis using Fisher's definition of kurtosis (kurtosis of normal == 0.0). Normalized by N-1

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns kurt : Series or DataFrame (if level specified)

kurtosis (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased kurtosis over requested axis using Fisher's definition of kurtosis (kurtosis of normal == 0.0). Normalized by N-1

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns kurt : Series or DataFrame (if level specified)

last (*offset*)

Convenience method for subsetting final periods of time series data based on a date offset.

Parameters offset : string, DateOffset, dateutil.relativedelta

Returns subset : type of caller

Examples

```
ts.last('5M') -> Last 5 months
```

last_valid_index ()

Return label for last non-NA/null value

le (*other, axis='columns', level=None*)

Wrapper for flexible comparison methods le

loc

Purely label-location based indexer for selection by label.

`.loc[]` is primarily label based, but may also be used with a boolean array.

Allowed inputs are:

- A single label, e.g. 5 or 'a', (note that 5 is interpreted as a *label* of the index, and **never** as an integer position along the index).
- A list or array of labels, e.g. ['a', 'b', 'c'].
- A slice object with labels, e.g. 'a' : 'f' (note that contrary to usual python slices, **both** the start and the stop are included!).
- A boolean array.
- A callable function with one argument (the calling Series, DataFrame or Panel) and that returns valid output for indexing (one of the above)

`.loc` will raise a `KeyError` when the items are not found.

See more at Selection by Label

lookup (*row_labels, col_labels*)

Label-based “fancy indexing” function for DataFrame. Given equal-length arrays of row and column labels, return an array of the values corresponding to each (row, col) pair.

Parameters row_labels : sequence

The row labels to use for lookup

col_labels : sequence

The column labels to use for lookup

Notes

Akin to:

```
result = []
for row, col in zip(row_labels, col_labels):
    result.append(df.get_value(row, col))
```

Examples

values [ndarray] The found values

lt (*other, axis='columns', level=None*)

Wrapper for flexible comparison methods lt

mad (*axis=None, skipna=None, level=None*)

Return the mean absolute deviation of the values for the requested axis

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns mad : Series or DataFrame (if level specified)

mask (*cond, other=nan, inplace=False, axis=None, level=None, try_cast=False, raise_on_error=True*)

Return an object of same shape as self and whose corresponding entries are from self where cond is False and otherwise are from other.

Parameters cond : boolean NDFrame, array or callable

If cond is callable, it is computed on the NDFrame and should return boolean NDFrame or array. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as cond.

other : scalar, NDFrame, or callable

If other is callable, it is computed on the NDFrame and should return scalar or NDFrame. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as other.

inplace : boolean, default False

Whether to perform the operation in place on the data

axis : alignment axis if needed, default None

level : alignment level if needed, default None

try_cast : boolean, default False

try to cast the result back to the input type (if possible),

raise_on_error : boolean, default True

Whether to raise on invalid data types (e.g. trying to where on strings)

Returns **wh** : same type as caller

See also:

`DataFrame.where()`

Notes

The mask method is an application of the if-then idiom. For each element in the calling DataFrame, if `cond` is `False` the element is used; otherwise the corresponding element from the DataFrame `other` is used.

The signature for `DataFrame.where()` differs from `numpy.where()`. Roughly `df1.where(m, df2)` is equivalent to `np.where(m, df1, df2)`.

For further details and examples see the mask documentation in indexing.

Examples

```
>>> s = pd.Series(range(5))
>>> s.where(s > 0)
0    NaN
1     1.0
2     2.0
3     3.0
4     4.0
```

```
>>> df = pd.DataFrame(np.arange(10).reshape(-1, 2), columns=['A', 'B'])
>>> m = df % 3 == 0
>>> df.where(m, -df)
   A  B
0  0 -1
1 -2  3
2 -4 -5
3  6 -7
4 -8  9
>>> df.where(m, -df) == np.where(m, df, -df)
   A    B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
>>> df.where(m, -df) == df.mask(~m, -df)
   A    B
0  True  True
1  True  True
```

2	True	True
3	True	True
4	True	True

max (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

This method returns the maximum of the values in the object. If you want the *index* of the maximum, use `idxmax`. This is the equivalent of the `numpy.ndarray` method `argmax`.

Parameters **axis** : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **max** : Series or DataFrame (if level specified)

mean (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the mean of the values for the requested axis

Parameters **axis** : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **mean** : Series or DataFrame (if level specified)

median (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the median of the values for the requested axis

Parameters **axis** : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns median : Series or DataFrame (if level specified)

memory_usage (*index=True, deep=False*)

Memory usage of DataFrame columns.

Parameters index : bool

Specifies whether to include memory usage of DataFrame's index in returned Series. If *index=True* (default is False) the first index of the Series is *Index*.

deep : bool

Introspect the data deeply, interrogate *object* dtypes for system-level memory consumption

Returns sizes : Series

A series with column names as index and memory usage of columns with units of bytes.

See also:

`numpy.ndarray.nbytes`

Notes

Memory usage does not include memory consumed by elements that are not components of the array if *deep=False*

merge (*right, how='inner', on=None, left_on=None, right_on=None, left_index=False, right_index=False, sort=False, suffixes=('_x', '_y'), copy=True, indicator=False*)
Merge DataFrame objects by performing a database-style join operation by columns or indexes.

If joining columns on columns, the DataFrame indexes *will be ignored*. Otherwise if joining indexes on indexes or indexes on a column or columns, the index will be passed on.

Parameters right : DataFrame

how : { 'left', 'right', 'outer', 'inner' }, default 'inner'

- left: use only keys from left frame (SQL: left outer join)
- right: use only keys from right frame (SQL: right outer join)
- outer: use union of keys from both frames (SQL: full outer join)
- inner: use intersection of keys from both frames (SQL: inner join)

on : label or list

Field names to join on. Must be found in both DataFrames. If on is None and not merging on indexes, then it merges on the intersection of the columns by default.

left_on : label or list, or array-like

Field names to join on in left DataFrame. Can be a vector or list of vectors of the length of the DataFrame to use a particular vector as the join key instead of columns

right_on : label or list, or array-like

Field names to join on in right DataFrame or vector/list of vectors per *left_on* docs

left_index : boolean, default False

Use the index from the left DataFrame as the join key(s). If it is a MultiIndex, the number of keys in the other DataFrame (either the index or a number of columns) must match the number of levels

right_index : boolean, default False

Use the index from the right DataFrame as the join key. Same caveats as left_index

sort : boolean, default False

Sort the join keys lexicographically in the result DataFrame

suffixes : 2-length sequence (tuple, list, ...)

Suffix to apply to overlapping column names in the left and right side, respectively

copy : boolean, default True

If False, do not copy data unnecessarily

indicator : boolean or string, default False

If True, adds a column to output DataFrame called “_merge” with information on the source of each row. If string, column with information on source of each row will be added to output DataFrame, and column will be named value of string. Information column is Categorical-type and takes on a value of “left_only” for observations whose merge key only appears in ‘left’ DataFrame, “right_only” for observations whose merge key only appears in ‘right’ DataFrame, and “both” if the observation’s merge key is found in both.

New in version 0.17.0.

Returns merged : DataFrame

The output type will be the same as ‘left’, if it is a subclass of DataFrame.

See also:

merge_ordered, merge_asof

Examples

```
>>> A          >>> B
   lkey value   rkey value
0  foo  1      0  foo  5
1  bar  2      1  bar  6
2  baz  3      2  qux  7
3  foo  4      3  bar  8
```

```
>>> A.merge(B, left_on='lkey', right_on='rkey', how='outer')
   lkey  value_x  rkey  value_y
0  foo    1      foo    5
1  foo    4      foo    5
2  bar    2      bar    6
3  bar    2      bar    8
4  baz    3      NaN   NaN
5  NaN   NaN      qux    7
```

min (axis=None, skipna=None, level=None, numeric_only=None, **kwargs)

This method returns the minimum of the values in the object. If you want the *index* of the minimum, use `idxmin`. This is the equivalent of the `numpy.ndarray` method `argmin`.

Parameters `axis` : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns `min` : Series or DataFrame (if level specified)

mod (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Modulo of dataframe and other, element-wise (binary operator *mod*).

Equivalent to `dataframe % other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters `other` : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns `result` : DataFrame

See also:

`DataFrame.rmod`

Notes

Mismatched indices will be unioned together

mode (*axis*=0, *numeric_only*=False)

Gets the mode(s) of each element along the axis selected. Empty if nothing has 2+ occurrences. Adds a row for each mode per label, fills in gaps with nan.

Note that there could be multiple values returned for the selected axis (when more than one item share the maximum frequency), which is the reason why a dataframe is returned. If you want to impute missing values with the mode in a dataframe `df`, you can just do this: `df.fillna(df.mode().iloc[0])`

Parameters `axis` : {0 or 'index', 1 or 'columns'}, default 0

- 0 or 'index' : get mode of each column

- 1 or 'columns' : get mode of each row

numeric_only : boolean, default False

if True, only apply to numeric columns

Returns **modes** : DataFrame (sorted)

Examples

```
>>> df = pd.DataFrame({'A': [1, 2, 1, 2, 1, 2, 3]})
>>> df.mode()
   A
0  1
1  2
```

mul (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Multiplication of dataframe and other, element-wise (binary operator *mul*).

Equivalent to `dataframe * other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other** : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : DataFrame

See also:

`DataFrame.rmul`

Notes

Mismatched indices will be unioned together

multiply (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Multiplication of dataframe and other, element-wise (binary operator *mul*).

Equivalent to `dataframe * other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other** : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

DataFrame.rmul

Notes

Mismatched indices will be unioned together

ndim

Number of axes / array dimensions

ne (*other, axis='columns', level=None*)

Wrapper for flexible comparison methods ne

nlargest (*n, columns, keep='first'*)

Get the rows of a DataFrame sorted by the *n* largest values of *columns*.

New in version 0.17.0.

Parameters n : int

Number of items to retrieve

columns : list or str

Column name or names to order by

keep : {'first', 'last', False}, default 'first'

Where there are duplicate values: - *first* : take the first occurrence. - *last* : take the last occurrence.

Returns DataFrame

Examples

```
>>> df = DataFrame({'a': [1, 10, 8, 11, -1],
...                 'b': list('abdce'),
...                 'c': [1.0, 2.0, np.nan, 3.0, 4.0]})
>>> df.nlargest(3, 'a')
   a  b  c
3  11 c  3
1  10 b  2
2   8 d NaN
```

notnull ()

Return a boolean same-sized object indicating if the values are not null.

See also:

isnull boolean inverse of notnull

nsmallest (*n, columns, keep='first'*)

Get the rows of a DataFrame sorted by the *n* smallest values of *columns*.

New in version 0.17.0.

Parameters **n** : int

Number of items to retrieve

columns : list or str

Column name or names to order by

keep : {'first', 'last', False}, default 'first'

Where there are duplicate values: - *first* : take the first occurrence. - *last* : take the last occurrence.

Returns DataFrame

Examples

```
>>> df = DataFrame({'a': [1, 10, 8, 11, -1],
...                 'b': list('abdce'),
...                 'c': [1.0, 2.0, np.nan, 3.0, 4.0]})
>>> df.nsmallest(3, 'a')
   a  b  c
4 -1  e  4
0  1  a  1
2  8  d NaN
```

pct_change (*periods=1, fill_method='pad', limit=None, freq=None, **kwargs*)
 Percent change over given number of periods.

Parameters **periods** : int, default 1

Periods to shift for forming percent change

fill_method : str, default 'pad'

How to handle NAs before computing percent changes

limit : int, default None

The number of consecutive NAs to fill before stopping

freq : DateOffset, timedelta, or offset alias string, optional

Increment to use from time series API (e.g. 'M' or BDay())

Returns **chg** : NDFrame

Notes

By default, the percentage change is calculated along the stat axis: 0, or `Index`, for `DataFrame` and 1, or `minor` for `Panel`. You can change this with the `axis` keyword argument.

pipe (*func, *args, **kwargs*)
 Apply `func(self, *args, **kwargs)`

New in version 0.16.2.

Parameters **func** : function

function to apply to the NDFrame. `args`, and `kwargs` are passed into `func`. Alternatively a `(callable, data_keyword)` tuple where `data_keyword` is a string indicating the keyword of `callable` that expects the NDFrame.

args : positional arguments passed into `func`.

kwargs : a dictionary of keyword arguments passed into `func`.

Returns object : the return type of `func`.

See also:

`pandas.DataFrame.apply`, `pandas.DataFrame.applymap`, `pandas.Series.map`

Notes

Use `.pipe` when chaining together functions that expect on Series or DataFrames. Instead of writing

```
>>> f(g(h(df), arg1=a), arg2=b, arg3=c)
```

You can write

```
>>> (df.pipe(h)
...   .pipe(g, arg1=a)
...   .pipe(f, arg2=b, arg3=c)
... )
```

If you have a function that takes the data as (say) the second argument, pass a tuple indicating which keyword expects the data. For example, suppose `f` takes its data as `arg2`:

```
>>> (df.pipe(h)
...   .pipe(g, arg1=a)
...   .pipe((f, 'arg2'), arg1=a, arg3=c)
... )
```

pivot (*index=None, columns=None, values=None*)

Reshape data (produce a “pivot” table) based on column values. Uses unique values from `index / columns` to form axes of the resulting DataFrame.

Parameters index : string or object, optional

Column name to use to make new frame’s index. If `None`, uses existing index.

columns : string or object

Column name to use to make new frame’s columns

values : string or object, optional

Column name to use for populating new frame’s values. If not specified, all remaining columns will be used and the result will have hierarchically indexed columns

Returns pivoted : DataFrame

See also:

`DataFrame.pivot_table` generalization of `pivot` that can handle duplicate values for one index/column pair

`DataFrame.unstack` pivot based on the index values instead of a column

Notes

For finer-tuned control, see hierarchical indexing documentation along with the related stack/unstack methods

Examples

```
>>> df = pd.DataFrame({'foo': ['one', 'one', 'one', 'two', 'two', 'two'],
                       'bar': ['A', 'B', 'C', 'A', 'B', 'C'],
                       'baz': [1, 2, 3, 4, 5, 6]})

>>> df
   foo  bar  baz
0  one   A    1
1  one   B    2
2  one   C    3
3  two   A    4
4  two   B    5
5  two   C    6
```

```
>>> df.pivot(index='foo', columns='bar', values='baz')
   A  B  C
one 1  2  3
two 4  5  6
```

```
>>> df.pivot(index='foo', columns='bar')['baz']
   A  B  C
one 1  2  3
two 4  5  6
```

pivot_table (*data*, *values=None*, *index=None*, *columns=None*, *aggfunc='mean'*, *fill_value=None*, *margins=False*, *dropna=True*, *margins_name='All'*)

Create a spreadsheet-style pivot table as a DataFrame. The levels in the pivot table will be stored in MultiIndex objects (hierarchical indexes) on the index and columns of the result DataFrame

Parameters *data* : DataFrame

values : column to aggregate, optional

index : column, Grouper, array, or list of the previous

If an array is passed, it must be the same length as the data. The list can contain any of the other types (except list). Keys to group by on the pivot table index. If an array is passed, it is being used as the same manner as column values.

columns : column, Grouper, array, or list of the previous

If an array is passed, it must be the same length as the data. The list can contain any of the other types (except list). Keys to group by on the pivot table column. If an array is passed, it is being used as the same manner as column values.

aggfunc : function or list of functions, default numpy.mean

If list of functions passed, the resulting pivot table will have hierarchical columns whose top level are the function names (inferred from the function objects themselves)

fill_value : scalar, default None

Value to replace missing values with

margins : boolean, default False

Add all row / columns (e.g. for subtotal / grand totals)

dropna : boolean, default True

Do not include columns whose entries are all NaN

margins_name : string, default 'All'

Name of the row / column that will contain the totals when margins is True.

Returns table : DataFrame

Examples

```
>>> df
   A  B  C  D
0  foo one small 1
1  foo one large 2
2  foo one large 2
3  foo two small 3
4  foo two small 3
5  bar one large 4
6  bar one small 5
7  bar two small 6
8  bar two large 7
```

```
>>> table = pivot_table(df, values='D', index=['A', 'B'],
...                      columns=['C'], aggfunc=np.sum)
>>> table
      small large
foo one 1     4
     two 6     NaN
bar one 5     4
     two 6     7
```

plot

alias of `FramePlotMethods`

pop (*item*)

Return item and drop from frame. Raise `KeyError` if not found.

pow (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Exponential power of dataframe and other, element-wise (binary operator *pow*).

Equivalent to `dataframe ** other`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

DataFrame.rpow

Notes

Mismatched indices will be unioned together

prod (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)
 Return the product of the values for the requested axis

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns prod : Series or DataFrame (if level specified)

product (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)
 Return the product of the values for the requested axis

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns prod : Series or DataFrame (if level specified)

quantile (*q=0.5, axis=0, numeric_only=True, interpolation='linear'*)
 Return values at the given quantile over requested axis, a la numpy.percentile.

Parameters q : float or array-like, default 0.5 (50% quantile)

0 <= q <= 1, the quantile(s) to compute

axis : {0, 1, 'index', 'columns'} (default 0)

0 or 'index' for row-wise, 1 or 'columns' for column-wise

interpolation : {'linear', 'lower', 'higher', 'midpoint', 'nearest'}

New in version 0.18.0.

This optional parameter specifies the interpolation method to use, when the desired quantile lies between two data points i and j :

- linear: $i + (j - i) * fraction$, where *fraction* is the fractional part of the index surrounded by i and j .
- lower: i .
- higher: j .
- nearest: i or j whichever is nearest.
- midpoint: $(i + j) / 2$.

Returns `quantiles` : Series or DataFrame

- If q is an array, a DataFrame will be returned where the index is q , the columns are the columns of self, and the values are the quantiles.
- If q is a float, a Series will be returned where the index is the columns of self and the values are the quantiles.

Examples

```
>>> df = DataFrame(np.array([[1, 1], [2, 10], [3, 100], [4, 100]]),
                  columns=['a', 'b'])
>>> df.quantile(.1)
a    1.3
b    3.7
dtype: float64
>>> df.quantile([.1, .5])
      a    b
0.1  1.3  3.7
0.5  2.5 55.0
```

query (*expr*, *inplace=False*, ****kwargs**)

Query the columns of a frame with a boolean expression.

New in version 0.13.

Parameters `expr` : string

The query string to evaluate. You can refer to variables in the environment by prefixing them with an '@' character like @a + b.

inplace : bool

Whether the query should modify the data in place or return a modified copy

New in version 0.18.0.

kwargs : dict

See the documentation for `pandas.eval()` for complete details on the keyword arguments accepted by `DataFrame.query()`.

Returns `q` : DataFrame

See also:

`pandas.eval`, `DataFrame.eval`

Notes

The result of the evaluation of this expression is first passed to `DataFrame.loc` and if that fails because of a multidimensional key (e.g., a `DataFrame`) then the result will be passed to `DataFrame.__getitem__()`.

This method uses the top-level `pandas.eval()` function to evaluate the passed query.

The `query()` method uses a slightly modified Python syntax by default. For example, the `&` and `|` (bitwise) operators have the precedence of their boolean cousins, and `and` or `or`. This *is* syntactically valid Python, however the semantics are different.

You can change the semantics of the expression by passing the keyword argument `parser='python'`. This enforces the same semantics as evaluation in Python space. Likewise, you can pass `engine='python'` to evaluate an expression using Python itself as a backend. This is not recommended as it is inefficient compared to using `numexpr` as the engine.

The `DataFrame.index` and `DataFrame.columns` attributes of the `DataFrame` instance are placed in the query namespace by default, which allows you to treat both the index and columns of the frame as a column in the frame. The identifier `index` is used for the frame index; you can also use the name of the index to identify it in a query.

For further details and examples see the `query` documentation in indexing.

Examples

```
>>> from numpy.random import randn
>>> from pandas import DataFrame
>>> df = DataFrame(randn(10, 2), columns=list('ab'))
>>> df.query('a > b')
>>> df[df.a > df.b] # same result as the previous expression
```

radd (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Addition of dataframe and other, element-wise (binary operator *radd*).

Equivalent to `other + dataframe`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters *other* : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns *result* : DataFrame

See also:

`DataFrame.add`

Notes

Mismatched indices will be unioned together

rank (*axis=0, method='average', numeric_only=None, na_option='keep', ascending=True, pct=False*)

Compute numerical data ranks (1 through n) along axis. Equal values are assigned a rank that is the average of the ranks of those values

Parameters axis: {0 or 'index', 1 or 'columns'}, default 0

index to direct ranking

method : {'average', 'min', 'max', 'first', 'dense'}

- average: average rank of group
- min: lowest rank in group
- max: highest rank in group
- first: ranks assigned in order they appear in the array
- dense: like 'min', but rank always increases by 1 between groups

numeric_only : boolean, default None

Include only float, int, boolean data. Valid only for DataFrame or Panel objects

na_option : {'keep', 'top', 'bottom'}

- keep: leave NA values where they are
- top: smallest rank if ascending
- bottom: smallest rank if descending

ascending : boolean, default True

False for ranks by high (1) to low (N)

pct : boolean, default False

Computes percentage rank of data

Returns ranks : same type as caller

rdiv (*other, axis='columns', level=None, fill_value=None*)

Floating division of dataframe and other, element-wise (binary operator *rtruediv*).

Equivalent to `other / dataframe`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:`DataFrame.truediv`**Notes**

Mismatched indices will be unioned together

reindex (*index=None, columns=None, **kwargs*)

Conform DataFrame to new index with optional filling logic, placing NA/NaN in locations having no value in the previous index. A new object is produced unless the new index is equivalent to the current one and `copy=False`

Parameters **index, columns** : array-like, optional (can be specified in order, or as

keywords) New labels / index to conform to. Preferably an Index object to avoid duplicating data

method : {None, 'backfill'/'bfill', 'pad'/'ffill', 'nearest' }, optional

method to use for filling holes in reindexed DataFrame. Please note: this is only applicable to DataFrames/Series with a monotonically increasing/decreasing index.

- default: don't fill gaps
- pad / ffill: propagate last valid observation forward to next valid
- backfill / bfill: use next valid observation to fill gap
- nearest: use nearest valid observations to fill gap

copy : boolean, default True

Return a new object, even if the passed indexes are the same

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

fill_value : scalar, default np.NaN

Value to use for missing values. Defaults to NaN, but can be any "compatible" value

limit : int, default None

Maximum number of consecutive elements to forward or backward fill

tolerance : optional

Maximum distance between original and new labels for inexact matches. The values of the index at the matching locations must satisfy the equation $\text{abs}(\text{index}[\text{indexer}] - \text{target}) \leq \text{tolerance}$.

New in version 0.17.0.

Returns **reindexed** : DataFrame

Examples

Create a dataframe with some fictional data.

```

>>> index = ['Firefox', 'Chrome', 'Safari', 'IE10', 'Konqueror']
>>> df = pd.DataFrame({
...     'http_status': [200,200,404,404,301],
...     'response_time': [0.04, 0.02, 0.07, 0.08, 1.0]},
...     index=index)
>>> df

```

	http_status	response_time
Firefox	200	0.04
Chrome	200	0.02
Safari	404	0.07
IE10	404	0.08
Konqueror	301	1.00

Create a new index and reindex the dataframe. By default values in the new index that do not have corresponding records in the dataframe are assigned NaN.

```

>>> new_index= ['Safari', 'Iceweasel', 'Comodo Dragon', 'IE10',
...             'Chrome']
>>> df.reindex(new_index)

```

	http_status	response_time
Safari	404	0.07
Iceweasel	NaN	NaN
Comodo Dragon	NaN	NaN
IE10	404	0.08
Chrome	200	0.02

We can fill in the missing values by passing a value to the keyword `fill_value`. Because the index is not monotonically increasing or decreasing, we cannot use arguments to the keyword method to fill the NaN values.

```

>>> df.reindex(new_index, fill_value=0)

```

	http_status	response_time
Safari	404	0.07
Iceweasel	0	0.00
Comodo Dragon	0	0.00
IE10	404	0.08
Chrome	200	0.02

```

>>> df.reindex(new_index, fill_value='missing')

```

	http_status	response_time
Safari	404	0.07
Iceweasel	missing	missing
Comodo Dragon	missing	missing
IE10	404	0.08
Chrome	200	0.02

To further illustrate the filling functionality in `reindex`, we will create a dataframe with a monotonically increasing index (for example, a sequence of dates).

```

>>> date_index = pd.date_range('1/1/2010', periods=6, freq='D')
>>> df2 = pd.DataFrame({"prices": [100, 101, np.nan, 100, 89, 88]},
...     index=date_index)
>>> df2

```

	prices
2010-01-01	100
2010-01-02	101
2010-01-03	NaN
2010-01-04	100
2010-01-05	89

2010-01-06	88
------------	----

Suppose we decide to expand the dataframe to cover a wider date range.

```
>>> date_index2 = pd.date_range('12/29/2009', periods=10, freq='D')
>>> df2.reindex(date_index2)
      prices
2009-12-29    NaN
2009-12-30    NaN
2009-12-31    NaN
2010-01-01    100
2010-01-02    101
2010-01-03    NaN
2010-01-04    100
2010-01-05     89
2010-01-06     88
2010-01-07    NaN
```

The index entries that did not have a value in the original data frame (for example, '2009-12-29') are by default filled with NaN. If desired, we can fill in the missing values using one of several options.

For example, to backpropagate the last valid value to fill the NaN values, pass `bfill` as an argument to the `method` keyword.

```
>>> df2.reindex(date_index2, method='bfill')
      prices
2009-12-29    100
2009-12-30    100
2009-12-31    100
2010-01-01    100
2010-01-02    101
2010-01-03    NaN
2010-01-04    100
2010-01-05     89
2010-01-06     88
2010-01-07    NaN
```

Please note that the NaN value present in the original dataframe (at index value 2010-01-03) will not be filled by any of the value propagation schemes. This is because filling while reindexing does not look at dataframe values, but only compares the original and desired indexes. If you do want to fill in the NaN values present in the original dataframe, use the `fillna()` method.

reindex_axis (*labels*, *axis=0*, *method=None*, *level=None*, *copy=True*, *limit=None*, *fill_value=nan*)

Conform input object to new index with optional filling logic, placing NA/NaN in locations having no value in the previous index. A new object is produced unless the new index is equivalent to the current one and `copy=False`

Parameters labels : array-like

New labels / index to conform to. Preferably an Index object to avoid duplicating data

axis : {0 or 'index', 1 or 'columns'}

method : {None, 'backfill'/'bfill', 'pad'/'ffill', 'nearest'}, optional

Method to use for filling holes in reindexed DataFrame:

- default: don't fill gaps
- pad / ffill: propagate last valid observation forward to next valid

- `backfill / bfill`: use next valid observation to fill gap
- `nearest`: use nearest valid observations to fill gap

copy : boolean, default True

Return a new object, even if the passed indexes are the same

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

limit : int, default None

Maximum number of consecutive elements to forward or backward fill

tolerance : optional

Maximum distance between original and new labels for inexact matches. The values of the index at the matching locations most satisfy the equation $\text{abs}(\text{index}[\text{indexer}] - \text{target}) \leq \text{tolerance}$.

New in version 0.17.0.

Returns `reindexed` : DataFrame

See also:

`reindex`, `reindex_like`

Examples

```
>>> df.reindex_axis(['A', 'B', 'C'], axis=1)
```

reindex_like (*other*, *method=None*, *copy=True*, *limit=None*, *tolerance=None*)

Return an object with matching indices to myself.

Parameters `other` : Object

method : string or None

copy : boolean, default True

limit : int, default None

Maximum number of consecutive labels to fill for inexact matches.

tolerance : optional

Maximum distance between labels of the other object and this object for inexact matches.

New in version 0.17.0.

Returns `reindexed` : same as input

Notes

Like calling `s.reindex(index=other.index, columns=other.columns, method=...)`

rename (*index=None, columns=None, **kwargs*)

Alter axes input function or functions. Function / dict values must be unique (1-to-1). Labels not contained in a dict / Series will be left as-is. Extra labels listed don't throw an error. Alternatively, change `Series.name` with a scalar value (Series only).

Parameters `index, columns` : scalar, list-like, dict-like or function, optional

Scalar or list-like will alter the `Series.name` attribute, and raise on `DataFrame` or `Panel`. dict-like or functions are transformations to apply to that axis' values

copy : boolean, default True

Also copy underlying data

inplace : boolean, default False

Whether to return a new `DataFrame`. If True then value of copy is ignored.

Returns `renamed` : `DataFrame` (new object)

See also:

`pandas.NDFrame.rename_axis`

Examples

```
>>> s = pd.Series([1, 2, 3])
>>> s
0    1
1    2
2    3
dtype: int64
>>> s.rename("my_name") # scalar, changes Series.name
0    1
1    2
2    3
Name: my_name, dtype: int64
>>> s.rename(lambda x: x ** 2) # function, changes labels
0    1
1    2
4    3
dtype: int64
>>> s.rename({1: 3, 2: 5}) # mapping, changes labels
0    1
3    2
5    3
dtype: int64
>>> df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
>>> df.rename(2)
...
TypeError: 'int' object is not callable
>>> df.rename(index=str, columns={"A": "a", "B": "c"})
   a  c
0  1  4
1  2  5
2  3  6
>>> df.rename(index=str, columns={"A": "a", "C": "c"})
   a  B
0  1  4
```

1	2	5
2	3	6

rename_axis (*mapper*, *axis=0*, *copy=True*, *inplace=False*)

Alter index and / or columns using input function or functions. A scalar or list-like for *mapper* will alter the `Index.name` or `MultiIndex.names` attribute. A function or dict for *mapper* will alter the labels. Function / dict values must be unique (1-to-1). Labels not contained in a dict / Series will be left as-is.

Parameters *mapper* : scalar, list-like, dict-like or function, optional

axis : int or string, default 0

copy : boolean, default True

Also copy underlying data

inplace : boolean, default False

Returns *renamed* : type of caller

See also:

`pandas.NDFrame.rename`, `pandas.Index.rename`

Examples

```
>>> df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
>>> df.rename_axis("foo") # scalar, alters df.index.name
   A  B
foo
0  1  4
1  2  5
2  3  6
>>> df.rename_axis(lambda x: 2 * x) # function: alters labels
   A  B
0  1  4
2  2  5
4  3  6
>>> df.rename_axis({"A": "ehh", "C": "see"}, axis="columns") # mapping
   ehh  B
0    1  4
1    2  5
2    3  6
```

reorder_levels (*order*, *axis=0*)

Rearrange index levels using input order. May not drop or duplicate levels

Parameters *order* : list of int or list of str

List representing new level order. Reference level by number (position) or by key (label).

axis : int

Where to reorder levels.

Returns type of caller (new object)

replace (*to_replace=None*, *value=None*, *inplace=False*, *limit=None*, *regex=False*, *method='pad'*, *axis=None*)

Replace values given in 'to_replace' with 'value'.

Parameters `to_replace` : str, regex, list, dict, Series, numeric, or None

- str or regex:
 - str: string exactly matching `to_replace` will be replaced with `value`
 - regex: regexs matching `to_replace` will be replaced with `value`
- list of str, regex, or numeric:
 - First, if `to_replace` and `value` are both lists, they **must** be the same length.
 - Second, if `regex=True` then all of the strings in **both** lists will be interpreted as regexs otherwise they will match directly. This doesn't matter much for `value` since there are only a few possible substitution regexes you can use.
 - str and regex rules apply as above.
- dict:
 - Nested dictionaries, e.g., `{ 'a': { 'b': nan } }`, are read as follows: look in column 'a' for the value 'b' and replace it with nan. You can nest regular expressions as well. Note that column names (the top-level dictionary keys in a nested dictionary) **cannot** be regular expressions.
 - Keys map to column names and values map to substitution values. You can treat this as a special case of passing two lists except that you are specifying the column to search in.
- None:
 - This means that the `regex` argument must be a string, compiled regular expression, or list, dict, ndarray or Series of such elements. If `value` is also None then this **must** be a nested dictionary or Series.

See the examples section for examples of each of these.

value : scalar, dict, list, str, regex, default None

Value to use to fill holes (e.g. 0), alternately a dict of values specifying which value to use for each column (columns not in the dict will not be filled). Regular expressions, strings and lists or dicts of such objects are also allowed.

inplace : boolean, default False

If True, in place. Note: this will modify any other views on this object (e.g. a column from a DataFrame). Returns the caller if this is True.

limit : int, default None

Maximum size gap to forward or backward fill

regex : bool or same types as `to_replace`, default False

Whether to interpret `to_replace` and/or `value` as regular expressions. If this is True then `to_replace` *must* be a string. Otherwise, `to_replace` must be None because this parameter will be interpreted as a regular expression or a list, dict, or array of regular expressions.

method : string, optional, { 'pad', 'ffill', 'bfill' }

The method to use when for replacement, when `to_replace` is a list.

Returns **filled** : NDFrame

Raises AssertionError

- If *regex* is not a `bool` and *to_replace* is not `None`.

TypeError

- If *to_replace* is a `dict` and *value* is not a `list`, `dict`, `ndarray`, or `Series`
- If *to_replace* is `None` and *regex* is not compilable into a regular expression or is a `list`, `dict`, `ndarray`, or `Series`.

ValueError

- If *to_replace* and *value* are `lists` or `ndarrays`, but they are not the same length.

See also:

`NDFrame.reindex`, `NDFrame.asfreq`, `NDFrame.fillna`

Notes

- Regex substitution is performed under the hood with `re.sub`. The rules for substitution for `re.sub` are the same.
- Regular expressions will only substitute on strings, meaning you cannot provide, for example, a regular expression matching floating point numbers and expect the columns in your frame that have a numeric dtype to be matched. However, if those floating point numbers *are* strings, then you can do this.
- This method has *a lot* of options. You are encouraged to experiment and play with this method to gain intuition about how it works.

resample (*rule*, *how=None*, *axis=0*, *fill_method=None*, *closed=None*, *label=None*, *convention='start'*, *kind=None*, *loffset=None*, *limit=None*, *base=0*, *on=None*, *level=None*)

Convenience method for frequency conversion and resampling of time series. Object must have a datetime-like index (`DatetimeIndex`, `PeriodIndex`, or `TimedeltaIndex`), or pass datetime-like values to the `on` or `level` keyword.

Parameters rule : string

the offset string or object representing target conversion

axis : int, optional, default 0

closed : {'right', 'left'}

Which side of bin interval is closed

label : {'right', 'left'}

Which bin edge label to label bucket with

convention : {'start', 'end', 's', 'e'}

loffset : `timedelta`

Adjust the resampled time labels

base : int, default 0

For frequencies that evenly subdivide 1 day, the “origin” of the aggregated intervals. For example, for ‘5min’ frequency, `base` could range from 0 through 4. Defaults to 0

on : string, optional

For a DataFrame, column to use instead of index for resampling. Column must be datetime-like.

New in version 0.19.0.

level : string or int, optional

For a MultiIndex, level (name or number) to use for resampling. Level must be datetime-like.

New in version 0.19.0.

To learn more about the offset strings, please see [this link](#)

<<http://pandas.pydata.org/pandas-docs/stable/timeseries.html#offset-aliases>>‘_.

Examples

Start by creating a series with 9 one minute timestamps.

```
>>> index = pd.date_range('1/1/2000', periods=9, freq='T')
>>> series = pd.Series(range(9), index=index)
>>> series
2000-01-01 00:00:00    0
2000-01-01 00:01:00    1
2000-01-01 00:02:00    2
2000-01-01 00:03:00    3
2000-01-01 00:04:00    4
2000-01-01 00:05:00    5
2000-01-01 00:06:00    6
2000-01-01 00:07:00    7
2000-01-01 00:08:00    8
Freq: T, dtype: int64
```

Downsample the series into 3 minute bins and sum the values of the timestamps falling into a bin.

```
>>> series.resample('3T').sum()
2000-01-01 00:00:00    3
2000-01-01 00:03:00   12
2000-01-01 00:06:00   21
Freq: 3T, dtype: int64
```

Downsample the series into 3 minute bins as above, but label each bin using the right edge instead of the left. Please note that the value in the bucket used as the label is not included in the bucket, which it labels. For example, in the original series the bucket 2000-01-01 00:03:00 contains the value 3, but the summed value in the resampled bucket with the label “2000-01-01 00:03:00” does not include 3 (if it did, the summed value would be 6, not 3). To include this value close the right side of the bin interval as illustrated in the example below this one.

```
>>> series.resample('3T', label='right').sum()
2000-01-01 00:03:00    3
2000-01-01 00:06:00   12
2000-01-01 00:09:00   21
Freq: 3T, dtype: int64
```

Downsample the series into 3 minute bins as above, but close the right side of the bin interval.

```
>>> series.resample('3T', label='right', closed='right').sum()
2000-01-01 00:00:00    0
2000-01-01 00:03:00    6
```

```
2000-01-01 00:06:00    15
2000-01-01 00:09:00    15
Freq: 3T, dtype: int64
```

Upsample the series into 30 second bins.

```
>>> series.resample('30S').asfreq()[0:5] #select first 5 rows
2000-01-01 00:00:00    0
2000-01-01 00:00:30   NaN
2000-01-01 00:01:00    1
2000-01-01 00:01:30   NaN
2000-01-01 00:02:00    2
Freq: 30S, dtype: float64
```

Upsample the series into 30 second bins and fill the NaN values using the pad method.

```
>>> series.resample('30S').pad()[0:5]
2000-01-01 00:00:00    0
2000-01-01 00:00:30    0
2000-01-01 00:01:00    1
2000-01-01 00:01:30    1
2000-01-01 00:02:00    2
Freq: 30S, dtype: int64
```

Upsample the series into 30 second bins and fill the NaN values using the bfill method.

```
>>> series.resample('30S').bfill()[0:5]
2000-01-01 00:00:00    0
2000-01-01 00:00:30    1
2000-01-01 00:01:00    1
2000-01-01 00:01:30    2
2000-01-01 00:02:00    2
Freq: 30S, dtype: int64
```

Pass a custom function via apply

```
>>> def custom_resampler(array_like):
...     return np.sum(array_like)+5
```

```
>>> series.resample('3T').apply(custom_resampler)
2000-01-01 00:00:00    8
2000-01-01 00:03:00   17
2000-01-01 00:06:00   26
Freq: 3T, dtype: int64
```

reset_index (*level=None, drop=False, inplace=False, col_level=0, col_fill=''*)

For DataFrame with multi-level index, return new DataFrame with labeling information in the columns under the index names, defaulting to 'level_0', 'level_1', etc. if any are None. For a standard index, the index name will be used (if set), otherwise a default 'index' or 'level_0' (if 'index' is already taken) will be used.

Parameters level : int, str, tuple, or list, default None

Only remove the given levels from the index. Removes all levels by default

drop : boolean, default False

Do not try to insert index into dataframe columns. This resets the index to the default integer index.

inplace : boolean, default False

Modify the DataFrame in place (do not create a new object)

col_level : int or str, default 0

If the columns have multiple levels, determines which level the labels are inserted into. By default it is inserted into the first level.

col_fill : object, default ''

If the columns have multiple levels, determines how the other levels are named. If None then the index name is repeated.

Returns resetted : DataFrame

rfloordiv (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Integer division of dataframe and other, element-wise (binary operator *rfloordiv*).

Equivalent to `other // dataframe`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

`DataFrame.floordiv`

Notes

Mismatched indices will be unioned together

rmod (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Modulo of dataframe and other, element-wise (binary operator *rmod*).

Equivalent to `other % dataframe`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

DataFrame.mod

Notes

Mismatched indices will be unioned together

rmul (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Multiplication of dataframe and other, element-wise (binary operator *rmul*).

Equivalent to `other * dataframe`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

DataFrame.mul

Notes

Mismatched indices will be unioned together

rolling (*window*, *min_periods*=None, *freq*=None, *center*=False, *win_type*=None, *on*=None, *axis*=0)

Provides rolling window calculations.

New in version 0.18.0.

Parameters window : int, or offset

Size of the moving window. This is the number of observations used for calculating the statistic. Each window will be a fixed size.

If its an offset then this will be the time period of each window. Each window will be a variable sized based on the observations included in the time-period. This is only valid for datetimelike indexes. This is new in 0.19.0

min_periods : int, default None

Minimum number of observations in window required to have a value (otherwise result is NA). For a window that is specified by an offset, this will default to 1.

freq : string or DateOffset object, optional (default None) (DEPRECATED)

Frequency to conform the data to before computing the statistic. Specified as a frequency string or DateOffset object.

center : boolean, default False

Set the labels at the center of the window.

win_type : string, default None

Provide a window type. See the notes below.

on : string, optional

For a DataFrame, column on which to calculate the rolling window, rather than the index

New in version 0.19.0.

axis : int or string, default 0

Returns a Window or Rolling sub-classed for the particular operation

Notes

By default, the result is set to the right edge of the window. This can be changed to the center of the window by setting `center=True`.

The *freq* keyword is used to conform time series data to a specified frequency by resampling the data. This is done with the default parameters of `resample()` (i.e. using the *mean*).

To learn more about the offsets & frequency strings, please see [this link](#).

The recognized `win_types` are:

- boxcar
- triang
- blackman
- hamming
- bartlett
- parzen
- bohman
- blackmanharris
- nutall
- barthann
- kaiser (needs beta)
- gaussian (needs std)
- general_gaussian (needs power, width)
- slepian (needs width).

Examples

```
>>> df = pd.DataFrame({'B': [0, 1, 2, np.nan, 4]})
>>> df
   B
0  0.0
1  1.0
2  2.0
3  NaN
4  4.0
```

Rolling sum with a window length of 2, using the 'triang' window type.

```
>>> df.rolling(2, win_type='triang').sum()
   B
0  NaN
1  1.0
2  2.5
3  NaN
4  NaN
```

Rolling sum with a window length of 2, min_periods defaults to the window length.

```
>>> df.rolling(2).sum()
   B
0  NaN
1  1.0
2  3.0
3  NaN
4  NaN
```

Same as above, but explicitly set the min_periods

```
>>> df.rolling(2, min_periods=1).sum()
   B
0  0.0
1  1.0
2  3.0
3  2.0
4  4.0
```

A ragged (meaning not-a-regular frequency), time-indexed DataFrame

```
>>> df = pd.DataFrame({'B': [0, 1, 2, np.nan, 4]},
.....:                  index = [pd.Timestamp('20130101 09:00:00'),
.....:                          pd.Timestamp('20130101 09:00:02'),
.....:                          pd.Timestamp('20130101 09:00:03'),
.....:                          pd.Timestamp('20130101 09:00:05'),
.....:                          pd.Timestamp('20130101 09:00:06')])
```

```
>>> df
                B
2013-01-01 09:00:00  0.0
2013-01-01 09:00:02  1.0
2013-01-01 09:00:03  2.0
2013-01-01 09:00:05  NaN
2013-01-01 09:00:06  4.0
```

Contrasting to an integer rolling window, this will roll a variable length window corresponding to the time period. The default for min_periods is 1.

```
>>> df.rolling('2s').sum()
                                     B
2013-01-01 09:00:00  0.0
2013-01-01 09:00:02  1.0
2013-01-01 09:00:03  3.0
2013-01-01 09:00:05  NaN
2013-01-01 09:00:06  4.0
```

round (*decimals=0, *args, **kwargs*)

Round a DataFrame to a variable number of decimal places.

New in version 0.17.0.

Parameters *decimals* : int, dict, Series

Number of decimal places to round each column to. If an int is given, round each column to the same number of places. Otherwise dict and Series round to variable numbers of places. Column names should be in the keys if *decimals* is a dict-like, or in the index if *decimals* is a Series. Any columns not included in *decimals* will be left as is. Elements of *decimals* which are not columns of the input will be ignored.

Returns DataFrame object

See also:

`numpy.around`, `Series.round`

Examples

```
>>> df = pd.DataFrame(np.random.random([3, 3]),
...                   columns=['A', 'B', 'C'], index=['first', 'second', 'third'])
>>> df
           A         B         C
first  0.028208  0.992815  0.173891
second 0.038683  0.645646  0.577595
third   0.877076  0.149370  0.491027
>>> df.round(2)
           A         B         C
first   0.03  0.99  0.17
second  0.04  0.65  0.58
third   0.88  0.15  0.49
>>> df.round({'A': 1, 'C': 2})
           A         B         C
first   0.0  0.992815  0.17
second  0.0  0.645646  0.58
third   0.9  0.149370  0.49
>>> decimals = pd.Series([1, 0, 2], index=['A', 'B', 'C'])
>>> df.round(decimals)
           A  B         C
first   0.0  1  0.17
second  0.0  1  0.58
third   0.9  0  0.49
```

rpow (*other, axis='columns', level=None, fill_value=None*)

Exponential power of dataframe and other, element-wise (binary operator *rpow*).

Equivalent to `other ** dataframe`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

`DataFrame.pow`

Notes

Mismatched indices will be unioned together

rsub (*other*, *axis='columns'*, *level=None*, *fill_value=None*)

Subtraction of dataframe and other, element-wise (binary operator *rsub*).

Equivalent to `other - dataframe`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

`DataFrame.sub`

Notes

Mismatched indices will be unioned together

rtruediv (*other*, *axis='columns'*, *level=None*, *fill_value=None*)

Floating division of dataframe and other, element-wise (binary operator *rtruediv*).

Equivalent to `other / dataframe`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

`DataFrame.truediv`

Notes

Mismatched indices will be unioned together

sample (*n=None, frac=None, replace=False, weights=None, random_state=None, axis=None*)
Returns a random sample of items from an axis of object.

New in version 0.16.1.

Parameters n : int, optional

Number of items from axis to return. Cannot be used with *frac*. Default = 1 if *frac* = None.

frac : float, optional

Fraction of axis items to return. Cannot be used with *n*.

replace : boolean, optional

Sample with or without replacement. Default = False.

weights : str or ndarray-like, optional

Default 'None' results in equal probability weighting. If passed a Series, will align with target object on index. Index values in weights not found in sampled object will be ignored and index values in sampled object not in weights will be assigned weights of zero. If called on a DataFrame, will accept the name of a column when axis = 0. Unless weights are a Series, weights must be same length as axis being sampled. If weights do not sum to 1, they will be normalized to sum to 1. Missing values in the weights column will be treated as zero. inf and -inf values not allowed.

random_state : int or numpy.random.RandomState, optional

Seed for the random number generator (if int), or numpy RandomState object.

axis : int or string, optional

Axis to sample. Accepts axis number or name. Default is stat axis for given data type (0 for Series and DataFrames, 1 for Panels).

Returns A new object of same type as caller.

Examples

Generate an example Series and DataFrame:

```
>>> s = pd.Series(np.random.randn(50))
>>> s.head()
0    -0.038497
1     1.820773
2    -0.972766
3    -1.598270
4    -1.095526
dtype: float64
>>> df = pd.DataFrame(np.random.randn(50, 4), columns=list('ABCD'))
>>> df.head()
      A         B         C         D
0  0.016443 -2.318952 -0.566372 -1.028078
1 -1.051921  0.438836  0.658280 -0.175797
2 -1.243569 -0.364626 -0.215065  0.057736
3  1.768216  0.404512 -0.385604 -1.457834
4  1.072446 -1.137172  0.314194 -0.046661
```

Next extract a random sample from both of these objects...

3 random elements from the Series:

```
>>> s.sample(n=3)
27    -0.994689
55    -1.049016
67    -0.224565
dtype: float64
```

And a random 10% of the DataFrame with replacement:

```
>>> df.sample(frac=0.1, replace=True)
      A         B         C         D
35  1.981780  0.142106  1.817165 -0.290805
49 -1.336199 -0.448634 -0.789640  0.217116
40  0.823173 -0.078816  1.009536  1.015108
15  1.421154 -0.055301 -1.922594 -0.019696
6   -0.148339  0.832938  1.787600 -1.383767
```

select (*crit*, *axis=0*)

Return data corresponding to axis labels matching criteria

Parameters *crit* : function

To be called on each index (label). Should return True or False

axis : int

Returns *selection* : type of caller

select_dtypes (*include=None*, *exclude=None*)

Return a subset of a DataFrame including/excluding columns based on their dtype.

Parameters *include*, *exclude* : list-like

A list of dtypes or strings to be included/excluded. You must pass in a non-empty sequence for at least one of these.

Returns *subset* : DataFrame

The subset of the frame including the dtypes in `include` and excluding the dtypes in `exclude`.

Raises `ValueError`

- If both of `include` and `exclude` are empty
- If `include` and `exclude` have overlapping elements
- If any kind of string dtype is passed in.

TypeError

- If either of `include` or `exclude` is not a sequence

Notes

- To select all *numeric* types use the numpy dtype `numpy.number`
- To select strings you must use the `object` dtype, but note that this will return *all* object dtype columns
- See the [numpy dtype hierarchy](#)
- To select Pandas categorical dtypes, use `'category'`

Examples

```
>>> df = pd.DataFrame({'a': np.random.randn(6).astype('f4'),
...                    'b': [True, False] * 3,
...                    'c': [1.0, 2.0] * 3})
>>> df
   a      b  c
0  0.3962  True  1
1  0.1459 False  2
2  0.2623  True  1
3  0.0764 False  2
4 -0.9703  True  1
5 -1.2094 False  2
>>> df.select_dtypes(include=['float64'])
   c
0  1
1  2
2  1
3  2
4  1
5  2
>>> df.select_dtypes(exclude=['floating'])
   b
0  True
1  False
2  True
3  False
4  True
5  False
```

sem (*axis=None, skipna=None, level=None, ddof=1, numeric_only=None, **kwargs*)

Return unbiased standard error of the mean over requested axis.

Normalized by N-1 by default. This can be changed using the `ddof` argument

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns sem : Series or DataFrame (if level specified)

set_axis (*axis, labels*)

public version of axis assignment

set_index (*keys, drop=True, append=False, inplace=False, verify_integrity=False*)

Set the DataFrame index (row labels) using one or more existing columns. By default yields a new object.

Parameters keys : column label or list of column labels / arrays

drop : boolean, default True

Delete columns to be used as the new index

append : boolean, default False

Whether to append columns to existing index

inplace : boolean, default False

Modify the DataFrame in place (do not create a new object)

verify_integrity : boolean, default False

Check the new index for duplicates. Otherwise defer the check until necessary. Setting to False will improve the performance of this method

Returns dataframe : DataFrame

Examples

```
>>> indexed_df = df.set_index(['A', 'B'])
>>> indexed_df2 = df.set_index(['A', [0, 1, 2, 0, 1, 2]])
>>> indexed_df3 = df.set_index([[0, 1, 2, 0, 1, 2]])
```

set_value (*index, col, value, takeable=False*)

Put single value at passed column and index

Parameters index : row label

col : column label

value : scalar value

takeable : interpret the index/col as indexers, default False

Returns frame : DataFrame

If label pair is contained, will be reference to calling DataFrame, otherwise a new object

shape

Return a tuple representing the dimensionality of the DataFrame.

shift (*periods=1, freq=None, axis=0*)

Shift index by desired number of periods with an optional time freq

Parameters periods : int

Number of periods to move, can be positive or negative

freq : DateOffset, timedelta, or time rule string, optional

Increment to use from the tseries module or time rule (e.g. 'EOM'). See Notes.

axis : {0 or 'index', 1 or 'columns' }

Returns shifted : DataFrame

Notes

If freq is specified then the index values are shifted but the data is not realigned. That is, use freq if you would like to extend the index when shifting and preserve the original data.

size

number of elements in the NDFrame

skew (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased skew over requested axis Normalized by N-1

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns skew : Series or DataFrame (if level specified)

slice_shift (*periods=1, axis=0*)

Equivalent to *shift* without copying data. The shifted data will not include the dropped periods and the shifted axis will be smaller than the original.

Parameters periods : int

Number of periods to move, can be positive or negative

Returns shifted : same type as caller

Notes

While the *slice_shift* is faster than *shift*, you may pay for it later during alignment.

sort (*columns=None, axis=0, ascending=True, inplace=False, kind='quicksort', na_position='last', **kwargs*)

DEPRECATED: use `DataFrame.sort_values()`

Sort DataFrame either by labels (along either axis) or by the values in column(s)

Parameters columns : object

Column name(s) in frame. Accepts a column name or a list for a nested sort. A tuple will be interpreted as the levels of a multi-index.

ascending : boolean or list, default True

Sort ascending vs. descending. Specify list for multiple sort orders

axis : {0 or 'index', 1 or 'columns'}, default 0

Sort index/rows versus columns

inplace : boolean, default False

Sort the DataFrame without creating a new instance

kind : {'quicksort', 'mergesort', 'heapsort'}, optional

This option is only applied when sorting on a single column or label.

na_position : {'first', 'last'} (optional, default='last')

'first' puts NaNs at the beginning 'last' puts NaNs at the end

Returns sorted : DataFrame

Examples

```
>>> result = df.sort(['A', 'B'], ascending=[1, 0])
```

sort_index (*axis=0, level=None, ascending=True, inplace=False, kind='quicksort', na_position='last', sort_remaining=True, by=None*)

Sort object by labels (along an axis)

Parameters axis : index, columns to direct sorting

level : int or level name or list of ints or list of level names

if not None, sort on values in specified index level(s)

ascending : boolean, default True

Sort ascending vs. descending

inplace : bool, default False

if True, perform operation in-place

kind : {'quicksort', 'mergesort', 'heapsort'}, default 'quicksort'

Choice of sorting algorithm. See also `ndarray.sort` for more information. *mergesort* is the only stable algorithm. For DataFrames, this option is only applied when sorting on a single column or label.

na_position : {'first', 'last'}, default 'last'

first puts NaNs at the beginning, *last* puts NaNs at the end

sort_remaining : bool, default True

if true and sorting by level and index is multilevel, sort by other levels too (in order) after sorting by specified level

Returns sorted_obj : DataFrame

sort_values (*by*, *axis=0*, *ascending=True*, *inplace=False*, *kind='quicksort'*, *na_position='last'*)
Sort by the values along either axis

New in version 0.17.0.

Parameters by : str or list of str

Name or list of names which refer to the axis items.

axis : {0 or 'index', 1 or 'columns'}, default 0

Axis to direct sorting

ascending : bool or list of bool, default True

Sort ascending vs. descending. Specify list for multiple sort orders. If this is a list of bools, must match the length of the by.

inplace : bool, default False

if True, perform operation in-place

kind : {'quicksort', 'mergesort', 'heapsort'}, default 'quicksort'

Choice of sorting algorithm. See also `ndarray.sort` for more information. *mergesort* is the only stable algorithm. For DataFrames, this option is only applied when sorting on a single column or label.

na_position : {'first', 'last'}, default 'last'

first puts NaNs at the beginning, *last* puts NaNs at the end

Returns sorted_obj : DataFrame

sortlevel (*level=0*, *axis=0*, *ascending=True*, *inplace=False*, *sort_remaining=True*)

Sort multilevel index by chosen axis and primary level. Data will be lexicographically sorted by the chosen level followed by the other levels (in order)

Parameters level : int

axis : {0 or 'index', 1 or 'columns'}, default 0

ascending : boolean, default True

inplace : boolean, default False

Sort the DataFrame without creating a new instance

sort_remaining : boolean, default True

Sort by the other levels too.

Returns sorted : DataFrame

See also:

`DataFrame.sort_index`

squeeze (**kwargs)

Squeeze length 1 dimensions.

stack (*level=-1, dropna=True*)

Pivot a level of the (possibly hierarchical) column labels, returning a DataFrame (or Series in the case of an object with a single level of column labels) having a hierarchical index with a new inner-most level of row labels. The level involved will automatically get sorted.

Parameters level : int, string, or list of these, default last level

Level(s) to stack, can pass level name

dropna : boolean, default True

Whether to drop rows in the resulting Frame/Series with no valid values

Returns stacked : DataFrame or Series

Examples

```
>>> s
      a  b
one  1.  2.
two  3.  4.
```

```
>>> s.stack()
one a    1
   b    2
two a    3
   b    4
```

std (*axis=None, skipna=None, level=None, ddof=1, numeric_only=None, **kwargs*)

Return sample standard deviation over requested axis.

Normalized by N-1 by default. This can be changed using the ddof argument

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns std : Series or DataFrame (if level specified)

style

Property returning a Styler object containing methods for building a styled HTML representation for the DataFrame.

See also:

`pandas.formats.style.Styler`

sub (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Subtraction of dataframe and other, element-wise (binary operator *sub*).

Equivalent to `dataframe - other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters *other* : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns *result* : DataFrame

See also:

`DataFrame.rsub`

Notes

Mismatched indices will be unioned together

subtract (*other*, *axis*='columns', *level*=None, *fill_value*=None)

Subtraction of dataframe and other, element-wise (binary operator *sub*).

Equivalent to `dataframe - other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters *other* : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns *result* : DataFrame

See also:

`DataFrame.rsub`

Notes

Mismatched indices will be unioned together

sum (*axis*=None, *skipna*=None, *level*=None, *numeric_only*=None, ***kwargs*)

Return the sum of the values for the requested axis

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns sum : Series or DataFrame (if level specified)

swapaxes (*axis1*, *axis2*, *copy=True*)

Interchange axes and swap values axes appropriately

Returns y : same as input

swaplevel (*i=-2*, *j=-1*, *axis=0*)

Swap levels *i* and *j* in a MultiIndex on a particular axis

Parameters i, j : int, string (can be mixed)

Level of index to be swapped. Can pass level name as string.

Returns swapped : type of caller (new object)

Changed in version 0.18.1: The indexes *i* and *j* are now optional, and default to the two innermost levels of the index.

tail (*n=5*)

Returns last *n* rows

take (*indices*, *axis=0*, *convert=True*, *is_copy=True*, ***kwargs*)

Analogous to `ndarray.take`

Parameters indices : list / array of ints

axis : int, default 0

convert : translate neg to pos indices (default)

is_copy : mark the returned frame as a copy

Returns taken : type of caller

to_clipboard (*excel=None*, *sep=None*, ***kwargs*)

Attempt to write text representation of object to the system clipboard This can be pasted into Excel, for example.

Parameters excel : boolean, defaults to True

if True, use the provided separator, writing in a csv format for allowing easy pasting into excel. if False, write a string representation of the object to the clipboard

sep : optional, defaults to tab

other keywords are passed to to_csv

Notes

Requirements for your platform

- Linux: xclip, or xsel (with gtk or PyQt4 modules)
- Windows: none
- OS X: none

`to_csv(*args, **kwargs)`

Write DataFrame to a comma-separated values (csv) file

Parameters `path_or_buf`: string or file handle, default None

File path or object, if None is provided the result is returned as a string.

sep: character, default ','

Field delimiter for the output file.

na_rep: string, default ''

Missing data representation

float_format: string, default None

Format string for floating point numbers

columns: sequence, optional

Columns to write

header: boolean or list of string, default True

Write out column names. If a list of string is given it is assumed to be aliases for the column names

index: boolean, default True

Write row names (index)

index_label: string or sequence, or False, default None

Column label for index column(s) if desired. If None is given, and *header* and *index* are True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex. If False do not print fields for index names. Use `index_label=False` for easier importing in R

mode: str

Python write mode, default 'w'

encoding: string, optional

A string representing the encoding to use in the output file, defaults to 'ascii' on Python 2 and 'utf-8' on Python 3.

compression: string, optional

a string representing the compression to use in the output file, allowed values are 'gzip', 'bz2', 'xz', only used when the first argument is a filename

line_terminator: string, default '\n'

The newline character or character sequence to use in the output file

quoting: optional constant from csv module

defaults to `csv.QUOTE_MINIMAL`. If you have set a `float_format` then floats are converted to strings and thus `csv.QUOTE_NONNUMERIC` will treat them as non-numeric

quotechar : string (length 1), default `""`

character used to quote fields

doublequote : boolean, default `True`

Control quoting of `quotechar` inside a field

escapechar : string (length 1), default `None`

character used to escape `sep` and `quotechar` when appropriate

chunksize : int or `None`

rows to write at a time

tupleize_cols : boolean, default `False`

write `multi_index` columns as a list of tuples (if `True`) or new (expanded format) if `False`)

date_format : string, default `None`

Format string for datetime objects

decimal: string, default `'.`

Character recognized as decimal separator. E.g. use `'.'` for European data

New in version 0.16.0.

to_dense ()

Return dense representation of `NDFrame` (as opposed to sparse)

to_dict (*orient='dict'*)

Convert `DataFrame` to dictionary.

Parameters orient : str {`'dict'`, `'list'`, `'series'`, `'split'`, `'records'`, `'index'`}

Determines the type of the values of the dictionary.

- `dict` (default) : dict like {column -> {index -> value}}
- `list` : dict like {column -> [values]}
- `series` : dict like {column -> Series(values)}
- `split` : dict like {index -> [index], columns -> [columns], data -> [values]}
- `records` : list like [{column -> value}, ... , {column -> value}]
- `index` : dict like {index -> {column -> value}}

New in version 0.17.0.

Abbreviations are allowed. *s* indicates *series* and *sp* indicates *split*.

Returns result : dict like {column -> {index -> value}}

to_excel (*args, **kwargs)

Write `DataFrame` to a excel sheet

Parameters excel_writer : string or `ExcelWriter` object

File path or existing `ExcelWriter`

sheet_name : string, default 'Sheet1'

Name of sheet which will contain DataFrame

na_rep : string, default ''

Missing data representation

float_format : string, default None

Format string for floating point numbers

columns : sequence, optional

Columns to write

header : boolean or list of string, default True

Write out column names. If a list of string is given it is assumed to be aliases for the column names

index : boolean, default True

Write row names (index)

index_label : string or sequence, default None

Column label for index column(s) if desired. If None is given, and *header* and *index* are True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex.

startrow :

upper left cell row to dump data frame

startcol :

upper left cell column to dump data frame

engine : string, default None

write engine to use - you can also set this via the options `io.excel.xlsx.writer`, `io.excel.xls.writer`, and `io.excel.xlsm.writer`.

merge_cells : boolean, default True

Write MultiIndex and Hierarchical Rows as merged cells.

encoding: string, default None

encoding of the resulting excel file. Only necessary for xlwt, other writers support unicode natively.

inf_rep : string, default 'inf'

Representation for infinity (there is no native representation for infinity in Excel)

Notes

If passing an existing ExcelWriter object, then the sheet will be added to the existing workbook. This can be used to save different DataFrames to one workbook:

```

>>> writer = ExcelWriter('output.xlsx')
>>> df1.to_excel(writer, 'Sheet1')
>>> df2.to_excel(writer, 'Sheet2')
>>> writer.save()

```

For compatibility with `to_csv`, `to_excel` serializes lists and dicts to strings before writing.

to_gbq (*destination_table*, *project_id*, *chunksize=10000*, *verbose=True*, *reauth=False*, *if_exists='fail'*, *private_key=None*)
Write a DataFrame to a Google BigQuery table.

THIS IS AN EXPERIMENTAL LIBRARY

Parameters dataframe : DataFrame

DataFrame to be written

destination_table : string

Name of table to be written, in the form 'dataset.tablename'

project_id : str

Google BigQuery Account project ID.

chunksize : int (default 10000)

Number of rows to be inserted in each chunk from the dataframe.

verbose : boolean (default True)

Show percentage complete

reauth : boolean (default False)

Force Google BigQuery to reauthenticate the user. This is useful if multiple accounts are used.

if_exists : {'fail', 'replace', 'append'}, default 'fail'

'fail': If table exists, do nothing. 'replace': If table exists, drop it, recreate it, and insert data. 'append': If table exists, insert data. Create if does not exist.

private_key : str (optional)

Service account private key in JSON format. Can be file path or string contents. This is useful for remote server authentication (eg. jupyter iPython notebook on remote host)

New in version 0.17.0.

to_hdf (*path_or_buf*, *key*, ***kwargs*)

Write the contained data to an HDF5 file using HDFStore.

Parameters path_or_buf : the path (string) or HDFStore object

key : string

identifier for the group in the store

mode : optional, {'a', 'w', 'r+'}, default 'a'

'w' Write; a new file is created (an existing file with the same name would be deleted).

'a' Append; an existing file is opened for reading and writing, and if the file does not exist it is created.

'r+' It is similar to 'a', but the file must already exist.

format : 'fixed(f)|table(t)', default is 'fixed'

fixed(f) [Fixed format] Fast writing/reading. Not-appendable, nor searchable

table(t) [Table format] Write as a PyTables Table structure which may perform worse but allow more flexible operations like searching / selecting subsets of the data

append : boolean, default False

For Table formats, append the input data to the existing

data_columns : list of columns, or True, default None

List of columns to create as indexed data columns for on-disk queries, or True to use all columns. By default only the axes of the object are indexed. See [here](#).

Applicable only to format='table'.

complevel : int, 1-9, default 0

If a complib is specified compression will be applied where possible

complib : {'zlib', 'bzip2', 'lzo', 'blosc', None}, default None

If complevel is > 0 apply compression to objects written in the store wherever possible

fletcher32 : bool, default False

If applying compression use the fletcher32 checksum

dropna : boolean, default False.

If true, ALL nan rows will not be written to store.

to_html (*args, **kwargs)

Render a DataFrame as an HTML table.

to_html-specific options:

bold_rows [boolean, default True] Make the row labels bold in the output

classes [str or list or tuple, default None] CSS class(es) to apply to the resulting html table

escape [boolean, default True] Convert the characters <, >, and & to HTML-safe sequences.=

max_rows [int, optional] Maximum number of rows to show before truncating. If None, show all.

max_cols [int, optional] Maximum number of columns to show before truncating. If None, show all.

decimal [string, default '.'] Character recognized as decimal separator, e.g. ',' in Europe

New in version 0.18.0.

border [int] A border=border attribute is included in the opening <table> tag. Default pd.options.html.border.

New in version 0.19.0.

Parameters **buf** : StringIO-like, optional

buffer to write to

columns : sequence, optional

the subset of columns to write; default None writes all columns

col_space : int, optional

the minimum width of each column

header : bool, optional

whether to print column labels, default True

index : bool, optional

whether to print index (row) labels, default True

na_rep : string, optional

string representation of NAN to use, default 'NaN'

formatters : list or dict of one-parameter functions, optional

formatter functions to apply to columns' elements by position or name, default None. The result of each function must be a unicode string. List must be of length equal to the number of columns.

float_format : one-parameter function, optional

formatter function to apply to columns' elements if they are floats, default None. The result of this function must be a unicode string.

sparsify : bool, optional

Set to False for a DataFrame with a hierarchical index to print every multiindex key at each row, default True

index_names : bool, optional

Prints the names of the indexes, default True

line_width : int, optional

Width to wrap a line in characters, default no wrap

justify : {'left', 'right'}, default None

Left or right-justify the column labels. If None uses the option from the print configuration (controlled by set_option), 'right' out of the box.

Returns formatted : string (or unicode, depending on data and options)

to_json (*path_or_buf=None, orient=None, date_format='epoch', double_precision=10, force_ascii=True, date_unit='ms', default_handler=None, lines=False*)

Convert the object to a JSON string.

Note NaN's and None will be converted to null and datetime objects will be converted to UNIX timestamps.

Parameters path_or_buf : the path or buffer to write the result string

if this is None, return a StringIO of the converted string

orient : string

- Series
 - default is 'index'
 - allowed values are: {'split', 'records', 'index'}
- DataFrame
 - default is 'columns'

- allowed values are: {'split', 'records', 'index', 'columns', 'values'}
- The format of the JSON string
 - split : dict like {index -> [index], columns -> [columns], data -> [values]}
 - records : list like [{column -> value}, ... , {column -> value}]
 - index : dict like {index -> {column -> value}}
 - columns : dict like {column -> {index -> value}}
 - values : just the values array

date_format : {'epoch', 'iso'}

Type of date conversion. *epoch* = epoch milliseconds, *iso* = ISO8601, default is epoch.

double_precision : The number of decimal places to use when encoding floating point values, default 10.

force_ascii : force encoded string to be ASCII, default True.

date_unit : string, default 'ms' (milliseconds)

The time unit to encode to, governs timestamp and ISO8601 precision. One of 's', 'ms', 'us', 'ns' for second, millisecond, microsecond, and nanosecond respectively.

default_handler : callable, default None

Handler to call if object cannot otherwise be converted to a suitable format for JSON. Should receive a single argument which is the object to convert and return a serialisable object.

lines : boolean, default False

If 'orient' is 'records' write out line delimited json format. Will throw ValueError if incorrect 'orient' since others are not list like.

New in version 0.19.0.

Returns same type as input object with filtered info axis

to_latex (*buf=None, columns=None, col_space=None, header=True, index=True, na_rep='NaN', formatters=None, float_format=None, sparsify=None, index_names=True, bold_rows=True, column_format=None, longtable=None, escape=None, encoding=None, decimal='.'*)

Render a DataFrame to a tabular environment table. You can splice this into a LaTeX document. Requires `usepackage{booktabs}`.

to_latex-specific options:

bold_rows [boolean, default True] Make the row labels bold in the output

column_format [str, default None] The columns format as specified in [LaTeX table format](#) e.g 'rcl' for 3 columns

longtable [boolean, default will be read from the pandas config module] default: False Use a longtable environment instead of tabular. Requires adding a `usepackage{longtable}` to your LaTeX preamble.

escape [boolean, default will be read from the pandas config module] default: True When set to False prevents from escaping latex special characters in column names.

encoding [str, default None] A string representing the encoding to use in the output file, defaults to 'ascii' on Python 2 and 'utf-8' on Python 3.

decimal [string, default '.'] Character recognized as decimal separator, e.g. ',' in Europe
New in version 0.18.0.

Parameters **buf** : StringIO-like, optional

buffer to write to

columns : sequence, optional

the subset of columns to write; default None writes all columns

col_space : int, optional

the minimum width of each column

header : bool, optional

whether to print column labels, default True

index : bool, optional

whether to print index (row) labels, default True

na_rep : string, optional

string representation of NAN to use, default 'NaN'

formatters : list or dict of one-parameter functions, optional

formatter functions to apply to columns' elements by position or name, default None. The result of each function must be a unicode string. List must be of length equal to the number of columns.

float_format : one-parameter function, optional

formatter function to apply to columns' elements if they are floats, default None. The result of this function must be a unicode string.

sparsify : bool, optional

Set to False for a DataFrame with a hierarchical index to print every multiindex key at each row, default True

index_names : bool, optional

Prints the names of the indexes, default True

line_width : int, optional

Width to wrap a line in characters, default no wrap

Returns **formatted** : string (or unicode, depending on data and options)

to_mol2 (*filepath_or_buffer=None*, *update_properties=True*, *molecule_column='mol'*,
columns=None)
Write DataFrame to Mol2 file.

New in version 0.3.

Parameters **filepath_or_buffer** : string or None

File path

update_properties [bool, optional (default=True)] Switch to update properties from the DataFrames to the molecules while writing.

molecule_column [string or None, optional (default='mol')] Name of molecule column. If None the molecules will be skipped.

columns [list or None, optional (default=None)] A list of columns to write to file. If None then all available fields are written.

to_msgpack (*path_or_buf=None, encoding='utf-8', **kwargs*)
msgpack (serialize) object to input file path

THIS IS AN EXPERIMENTAL LIBRARY and the storage format may not be stable until a future release.

Parameters path : string File path, buffer-like, or None

if None, return generated string

append : boolean whether to append to an existing msgpack

(default is False)

compress : type of compressor (zlib or blosc), default to None (no

compression)

to_panel ()

Transform long (stacked) format (DataFrame) into wide (3D, Panel) format.

Currently the index of the DataFrame must be a 2-level MultiIndex. This may be generalized later

Returns panel : Panel

to_period (*freq=None, axis=0, copy=True*)

Convert DataFrame from DatetimeIndex to PeriodIndex with desired frequency (inferred from index if not passed)

Parameters freq : string, default

axis : {0 or 'index', 1 or 'columns'}, default 0

The axis to convert (the index by default)

copy : boolean, default True

If False then underlying input data is not copied

Returns ts : TimeSeries with PeriodIndex

to_pickle (*path*)

Pickle (serialize) object to input file path.

Parameters path : string

File path

to_records (*index=True, convert_datetime64=True*)

Convert DataFrame to record array. Index will be put in the 'index' field of the record array if requested

Parameters index : boolean, default True

Include index in resulting record array, stored in 'index' field

convert_datetime64 : boolean, default True

Whether to convert the index to datetime.datetime if it is a DatetimeIndex

Returns y : recarray

to_sdf (*filepath_or_buffer=None, update_properties=True, molecule_column=None, columns=None*)
Write DataFrame to SDF file.

New in version 0.3.

Parameters filepath_or_buffer : string or None

File path

update_properties [bool, optional (default=True)] Switch to update properties from the DataFrames to the molecules while writing.

molecule_column [string or None, optional (default='mol')] Name of molecule column. If None the molecules will be skipped.

columns [list or None, optional (default=None)] A list of columns to write to file. If None then all available fields are written.

to_sparse (*fill_value=None, kind='block'*)

Convert to SparseDataFrame

Parameters fill_value : float, default NaN

kind : { 'block', 'integer' }

Returns y : SparseDataFrame

to_sql (*name, con, flavor=None, schema=None, if_exists='fail', index=True, index_label=None, chunksize=None, dtype=None*)

Write records stored in a DataFrame to a SQL database.

Parameters name : string

Name of SQL table

con : SQLAlchemy engine or DBAPI2 connection (legacy mode)

Using SQLAlchemy makes it possible to use any DB supported by that library. If a DBAPI2 object, only sqlite3 is supported.

flavor : 'sqlite', default None

DEPRECATED: this parameter will be removed in a future version, as 'sqlite' is the only supported option if SQLAlchemy is not installed.

schema : string, default None

Specify the schema (if database flavor supports this). If None, use default schema.

if_exists : { 'fail', 'replace', 'append' }, default 'fail'

- fail: If table exists, do nothing.
- replace: If table exists, drop it, recreate it, and insert data.
- append: If table exists, insert data. Create if does not exist.

index : boolean, default True

Write DataFrame index as a column.

index_label : string or sequence, default None

Column label for index column(s). If None is given (default) and *index* is True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex.

chunksize : int, default None

If not None, then rows will be written in batches of this size at a time. If None, all rows will be written at once.

dtype : dict of column name to SQL type, default None

Optional specifying the datatype for columns. The SQL type should be a SQLAlchemy type, or a string for sqlite3 fallback connection.

to_stata (*fname*, *convert_dates=None*, *write_index=True*, *encoding='latin-1'*, *byteorder=None*, *time_stamp=None*, *data_label=None*, *variable_labels=None*)

A class for writing Stata binary dta files from array-like objects

Parameters **fname** : str or buffer

String path of file-like object

convert_dates : dict

Dictionary mapping columns containing datetime types to stata internal format to use when writing the dates. Options are 'tc', 'td', 'tm', 'tw', 'th', 'tq', 'ty'. Column can be either an integer or a name. Datetime columns that do not have a conversion type specified will be converted to 'tc'. Raises `NotImplementedError` if a datetime column has timezone information

write_index : bool

Write the index to Stata dataset.

encoding : str

Default is latin-1. Unicode is not supported

byteorder : str

Can be ">", "<", "little", or "big". default is `sys.byteorder`

time_stamp : datetime

A datetime to use as file creation date. Default is the current time.

dataset_label : str

A label for the data set. Must be 80 characters or smaller.

variable_labels : dict

Dictionary containing columns as keys and variable labels as values. Each label must be 80 characters or smaller.

New in version 0.19.0.

Raises **NotImplementedError**

- If datetimes contain timezone information
- Column dtype is not representable in Stata

ValueError

- Columns listed in `convert_dates` are not either `datetime64[ns]` or `datetime.datetime`
- Column listed in `convert_dates` is not in `DataFrame`
- Categorical label contains more than 32,000 characters

New in version 0.19.0.

Examples

```
>>> writer = StataWriter('./data_file.dta', data)
>>> writer.write_file()
```

Or with dates

```
>>> writer = StataWriter('./date_data_file.dta', data, {2 : 'tw'})
>>> writer.write_file()
```

to_string (*buf=None, columns=None, col_space=None, header=True, index=True, na_rep='NaN', formatters=None, float_format=None, sparsify=None, index_names=True, justify=None, line_width=None, max_rows=None, max_cols=None, show_dimensions=False*)
Render a DataFrame to a console-friendly tabular output.

Parameters **buf** : StringIO-like, optional

buffer to write to

columns : sequence, optional

the subset of columns to write; default None writes all columns

col_space : int, optional

the minimum width of each column

header : bool, optional

whether to print column labels, default True

index : bool, optional

whether to print index (row) labels, default True

na_rep : string, optional

string representation of NAN to use, default 'NaN'

formatters : list or dict of one-parameter functions, optional

formatter functions to apply to columns' elements by position or name, default None. The result of each function must be a unicode string. List must be of length equal to the number of columns.

float_format : one-parameter function, optional

formatter function to apply to columns' elements if they are floats, default None. The result of this function must be a unicode string.

sparsify : bool, optional

Set to False for a DataFrame with a hierarchical index to print every multiindex key at each row, default True

index_names : bool, optional

Prints the names of the indexes, default True

line_width : int, optional

Width to wrap a line in characters, default no wrap

justify : {'left', 'right'}, default None

Left or right-justify the column labels. If None uses the option from the print configuration (controlled by set_option), 'right' out of the box.

Returns formatted : string (or unicode, depending on data and options)

to_timestamp (*freq=None, how='start', axis=0, copy=True*)

Cast to DatetimeIndex of timestamps, at *beginning* of period

Parameters freq : string, default frequency of PeriodIndex

Desired frequency

how : {'s', 'e', 'start', 'end'}

Convention for converting period to timestamp; start of period vs. end

axis : {0 or 'index', 1 or 'columns'}, default 0

The axis to convert (the index by default)

copy : boolean, default True

If false then underlying input data is not copied

Returns df : DataFrame with DatetimeIndex

to_xarray ()

Return an xarray object from the pandas object.

Returns a DataArray for a Series

a Dataset for a DataFrame

a DataArray for higher dims

Notes

See the [xarray docs](#)

Examples

```
>>> df = pd.DataFrame({'A' : [1, 1, 2],
                       'B' : ['foo', 'bar', 'foo'],
                       'C' : np.arange(4.,7)})

>>> df
   A  B  C
0  1  foo  4.0
1  1  bar  5.0
2  2  foo  6.0
```

```
>>> df.to_xarray()
<xarray.Dataset>
Dimensions:  (index: 3)
Coordinates:
  * index    (index) int64 0 1 2
Data variables:
  A          (index) int64 1 1 2
  B          (index) object 'foo' 'bar' 'foo'
  C          (index) float64 4.0 5.0 6.0
```

```
>>> df = pd.DataFrame({'A' : [1, 1, 2],
                       'B' : ['foo', 'bar', 'foo'],
                       'C' : np.arange(4.,7)})
                       ).set_index(['B', 'A'])
```

```
>>> df
      C
B  A
foo 1  4.0
bar 1  5.0
foo 2  6.0
```

```
>>> df.to_xarray()
<xarray.Dataset>
Dimensions:  (A: 2, B: 2)
Coordinates:
  * B        (B) object 'bar' 'foo'
  * A        (A) int64 1 2
Data variables:
  C          (B, A) float64 5.0 nan 4.0 6.0
```

```
>>> p = pd.Panel(np.arange(24).reshape(4,3,2),
                items=list('ABCD'),
                major_axis=pd.date_range('20130101', periods=3),
                minor_axis=['first', 'second'])

>>> p
<class 'pandas.core.panel.Panel'>
Dimensions: 4 (items) x 3 (major_axis) x 2 (minor_axis)
Items axis: A to D
Major_axis axis: 2013-01-01 00:00:00 to 2013-01-03 00:00:00
Minor_axis axis: first to second
```

```
>>> p.to_xarray()
<xarray.DataArray (items: 4, major_axis: 3, minor_axis: 2)>
array([[[ 0,  1],
         [ 2,  3],
         [ 4,  5]],
       [[ 6,  7],
         [ 8,  9],
         [10, 11]],
       [[12, 13],
         [14, 15],
         [16, 17]],
       [[18, 19],
         [20, 21],
         [22, 23]]])
Coordinates:
  * items      (items) object 'A' 'B' 'C' 'D'
  * major_axis (major_axis) datetime64[ns] 2013-01-01 2013-01-02 2013-01-03 # noqa
  * minor_axis (minor_axis) object 'first' 'second'
```

transpose (**args*, ***kwargs*)
Transpose index and columns

truediv (*other*, *axis='columns'*, *level=None*, *fill_value=None*)
Floating division of dataframe and other, element-wise (binary operator *truediv*).

Equivalent to `dataframe / other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other : Series, DataFrame, or constant

axis : {0, 1, 'index', 'columns'}

For Series input, axis to match Series index on

fill_value : None or float value, default None

Fill missing (NaN) values with this value. If both DataFrame locations are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : DataFrame

See also:

`DataFrame.rtruediv`

Notes

Mismatched indices will be unioned together

truncate (*before=None, after=None, axis=None, copy=True*)

Truncates a sorted NDFrame before and/or after some particular index value. If the axis contains only datetime values, before/after parameters are converted to datetime values.

Parameters before : date

Truncate before index value

after : date

Truncate after index value

axis : the truncation axis, defaults to the stat axis

copy : boolean, default is True,

return a copy of the truncated section

Returns truncated : type of caller

tshift (*periods=1, freq=None, axis=0*)

Shift the time index, using the index's frequency if available.

Parameters periods : int

Number of periods to move, can be positive or negative

freq : DateOffset, timedelta, or time rule string, default None

Increment to use from the tseries module or time rule (e.g. 'EOM')

axis : int or basestring

Corresponds to the axis that contains the Index

Returns shifted : NDFrame

Notes

If freq is not specified then tries to use the freq or inferred_freq attributes of the index. If neither of those attributes exist, a ValueError is thrown

tz_convert (*tz, axis=0, level=None, copy=True*)

Convert tz-aware axis to target time zone.

Parameters `tz` : string or `pytz.timezone` object

axis : the axis to convert

level : int, str, default None

If axis is a `MultiIndex`, convert a specific level. Otherwise must be None

copy : boolean, default True

Also make a copy of the underlying data

Raises `TypeError`

If the axis is tz-naive.

tz_localize (**args, **kwargs*)

Localize tz-naive `TimeSeries` to target time zone.

Parameters `tz` : string or `pytz.timezone` object

axis : the axis to localize

level : int, str, default None

If axis is a `MultiIndex`, localize a specific level. Otherwise must be None

copy : boolean, default True

Also make a copy of the underlying data

ambiguous : 'infer', bool-ndarray, 'NaT', default 'raise'

- 'infer' will attempt to infer fall dst-transition hours based on order
- bool-ndarray where True signifies a DST time, False designates a non-DST time (note that this flag is only applicable for ambiguous times)
- 'NaT' will return NaT where there are ambiguous times
- 'raise' will raise an `AmbiguousTimeError` if there are ambiguous times

infer_dst : boolean, default False (DEPRECATED)

Attempt to infer fall dst-transition hours based on order

Raises `TypeError`

If the `TimeSeries` is tz-aware and `tz` is not None.

unstack (*level=-1, fill_value=None*)

Pivot a level of the (necessarily hierarchical) index labels, returning a `DataFrame` having a new level of column labels whose inner-most level consists of the pivoted index labels. If the index is not a `MultiIndex`, the output will be a `Series` (the analogue of `stack` when the columns are not a `MultiIndex`). The level involved will automatically get sorted.

Parameters **level** : int, string, or list of these, default -1 (last level)

Level(s) of index to unstack, can pass level name

fill_value : replace NaN with this value if the unstack produces missing values

Returns **unstacked** : `DataFrame` or `Series`

See also:

`DataFrame.pivot` Pivot a table based on column values.

DataFrame.stack Pivot a level of the column labels (inverse operation from *unstack*).

Examples

```
>>> index = pd.MultiIndex.from_tuples([('one', 'a'), ('one', 'b'),
...                                   ('two', 'a'), ('two', 'b')])
>>> s = pd.Series(np.arange(1.0, 5.0), index=index)
>>> s
one  a    1.0
     b    2.0
two  a    3.0
     b    4.0
dtype: float64
```

```
>>> s.unstack(level=-1)
     a    b
one  1.0  2.0
two  3.0  4.0
```

```
>>> s.unstack(level=0)
     one  two
a    1.0  3.0
b    2.0  4.0
```

```
>>> df = s.unstack(level=0)
>>> df.unstack()
one  a    1.0
     b    2.0
two  a    3.0
     b    4.0
dtype: float64
```

update (*other*, *join*='left', *overwrite*=True, *filter_func*=None, *raise_conflict*=False)

Modify DataFrame in place using non-NA values from passed DataFrame. Aligns on indices

Parameters **other** : DataFrame, or object coercible into a DataFrame

join : {'left'}, default 'left'

overwrite : boolean, default True

If True then overwrite values for common keys in the calling frame

filter_func : callable(1d-array) -> 1d-array<boolean>, default None

Can choose to replace values other than NA. Return True for values that should be updated

raise_conflict : boolean

If True, will raise an error if the DataFrame and other both contain data in the same place.

values

Numpy representation of NDFrame

Notes

The dtype will be a lower-common-denominator dtype (implicit upcasting); that is to say if the dtypes (even of numeric types) are mixed, the one that accommodates all will be chosen. Use this with care if you are not dealing with the blocks.

e.g. If the dtypes are float16 and float32, dtype will be upcast to float32. If dtypes are int32 and uint8, dtype will be upcast to int32. By `numpy.find_common_type` convention, mixing int64 and uint64 will result in a float64 dtype.

var (*axis=None, skipna=None, level=None, ddof=1, numeric_only=None, **kwargs*)

Return unbiased variance over requested axis.

Normalized by N-1 by default. This can be changed using the `ddof` argument

Parameters axis : {index (0), columns (1)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a Series

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns var : Series or DataFrame (if level specified)

where (*cond, other=nan, inplace=False, axis=None, level=None, try_cast=False, raise_on_error=True*)

Return an object of same shape as self and whose corresponding entries are from self where `cond` is True and otherwise are from `other`.

Parameters cond : boolean NDFrame, array or callable

If `cond` is callable, it is computed on the NDFrame and should return boolean NDFrame or array. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as `cond`.

other : scalar, NDFrame, or callable

If `other` is callable, it is computed on the NDFrame and should return scalar or NDFrame. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as `other`.

inplace : boolean, default False

Whether to perform the operation in place on the data

axis : alignment axis if needed, default None

level : alignment level if needed, default None

try_cast : boolean, default False

try to cast the result back to the input type (if possible),

raise_on_error : boolean, default True

Whether to raise on invalid data types (e.g. trying to where on strings)

Returns **wh** : same type as caller

See also:

`DataFrame.mask()`

Notes

The `where` method is an application of the if-then idiom. For each element in the calling `DataFrame`, if `cond` is `True` the element is used; otherwise the corresponding element from the `DataFrame` `other` is used.

The signature for `DataFrame.where()` differs from `numpy.where()`. Roughly `df1.where(m, df2)` is equivalent to `np.where(m, df1, df2)`.

For further details and examples see the `where` documentation in indexing.

Examples

```
>>> s = pd.Series(range(5))
>>> s.where(s > 0)
0    NaN
1     1.0
2     2.0
3     3.0
4     4.0
```

```
>>> df = pd.DataFrame(np.arange(10).reshape(-1, 2), columns=['A', 'B'])
>>> m = df % 3 == 0
>>> df.where(m, -df)
   A  B
0  0 -1
1 -2  3
2 -4 -5
3  6 -7
4 -8  9
>>> df.where(m, -df) == np.where(m, df, -df)
   A    B
0  True True
1  True True
2  True True
3  True True
4  True True
>>> df.where(m, -df) == df.mask(~m, -df)
   A    B
0  True True
1  True True
```

```

2 True True
3 True True
4 True True

```

xs (*key*, *axis=0*, *level=None*, *drop_level=True*)

Returns a cross-section (row(s) or column(s)) from the Series/DataFrame. Defaults to cross-section on the rows (*axis=0*).

Parameters *key* : object

Some label contained in the index, or partially in a MultiIndex

axis : int, default 0

Axis to retrieve cross-section on

level : object, defaults to first n levels (n=1 or len(key))

In case of a key partially contained in a MultiIndex, indicate which levels are used. Levels can be referred by label or position.

drop_level : boolean, default True

If False, returns object with same levels as self.

Returns *xs* : Series or DataFrame

Notes

xs is only for getting, not setting values.

MultiIndex Slicers is a generic way to get/set values on any level or levels. It is a superset of *xs* functionality, see MultiIndex Slicers

Examples

```

>>> df
   A  B  C
a  4  5  2
b  4  0  9
c  9  7  3
>>> df.xs('a')
A    4
B    5
C    2
Name: a
>>> df.xs('C', axis=1)
a    2
b    9
c    3
Name: C

```

```

>>> df
      first second third  A  B  C  D
bar  one     1     4  1  8  9
     two     1     7  5  5  0
baz  one     1     6  6  8  0
     three  2     5  3  5  3

```

```

>>> df.xs(('baz', 'three'))
      A B C D
third
2     5 3 5 3
>>> df.xs('one', level=1)
      A B C D
first third
bar   1   4 1 8 9
baz   1   6 6 8 0
>>> df.xs(('baz', 2), level=[0, 'third'])
      A B C D
second
three 5 3 5 3

```

class `oddt.pandas.ChemPanel` (*data=None, items=None, major_axis=None, minor_axis=None, copy=False, dtype=None*)

Bases: `pandas.core.panel.Panel`

Modified `pandas.Panel` to adopt higher dimension data than `ChemDataFrame`. Main purpose is to store molecular fingerprints in one column and keep 2D numpy array underneath.

New in version 0.3.

Attributes

<i>at</i>	Fast label-based scalar accessor
<i>axes</i>	Return index label(s) of the internal NDFrame
<i>blocks</i>	Internal property, property synonym for <code>as_blocks()</code>
<i>dtypes</i>	Return the dtypes in this object.
<i>empty</i>	True if NDFrame is entirely empty [no items], meaning any of the axes are of length 0.
<i>ftypes</i>	Return the ftypes (indication of sparse/dense and dtype) in this object.
<i>iat</i>	Fast integer location scalar accessor.
<i>iloc</i>	Purely integer-location based indexing for selection by position.
<i>ix</i>	A primarily label-location based indexer, with integer position fallback.
<i>loc</i>	Purely label-location based indexer for selection by label.
<i>ndim</i>	Number of axes / array dimensions
<i>shape</i>	Return a tuple of axis dimensions
<i>size</i>	number of elements in the NDFrame
<i>values</i>	Numpy representation of NDFrame

`is_copy`

Methods

<i>abs()</i>	Return an object with absolute value taken—only applicable to objects that are all
<i>add(other[, axis])</i>	Addition of series and other, element-wise (binary operator <i>add</i>).
<i>add_prefix(prefix)</i>	Concatenate prefix string with panel items names.
<i>add_suffix(suffix)</i>	Concatenate suffix string with panel items names.
<i>align(other, **kwargs)</i>	
<i>all([axis, bool_only, skipna, level])</i>	Return whether all elements are True over requested axis
<i>any([axis, bool_only, skipna, level])</i>	Return whether any element is True over requested axis

Table 4.45 – continued from previous

<code>apply(func[, axis])</code>	Applies function along axis (or axes) of the Panel
<code>as_blocks([copy])</code>	Convert the frame to a dict of dtype -> Constructor Types that each has a homog
<code>as_matrix()</code>	
<code>asfreq(freq[, method, how, normalize])</code>	Convert TimeSeries to specified frequency.
<code>asof(where[, subset])</code>	The last row without any NaN is taken (or the last row without
<code>astype(dtype[, copy, raise_on_error])</code>	Cast object to input numpy.dtype
<code>at_time(time[, asof])</code>	Select values at particular time of day (e.g.
<code>between_time(start_time, end_time[, ...])</code>	Select values between particular times of the day (e.g., 9:00-9:30 AM).
<code>bfill([axis, inplace, limit, downcast])</code>	Synonym for NDFrame.fillna(method='bfill')
<code>bool()</code>	Return the bool of a single element PandasObject.
<code>clip([lower, upper, axis])</code>	Trim values at input threshold(s).
<code>clip_lower(threshold[, axis])</code>	Return copy of the input with values below given value(s) truncated.
<code>clip_upper(threshold[, axis])</code>	Return copy of input with values above given value(s) truncated.
<code>compound([axis, skipna, level])</code>	Return the compound percentage of the values for the requested axis
<code>conform(frame[, axis])</code>	Conform input DataFrame to align with chosen axis pair.
<code>consolidate([inplace])</code>	Compute NDFrame with “consolidated” internals (data of each dtype grouped to
<code>convert_objects([convert_dates, ...])</code>	Deprecated.
<code>copy([deep])</code>	Make a copy of this objects data.
<code>count([axis])</code>	Return number of observations over requested axis.
<code>cummax([axis, skipna])</code>	Return cumulative max over requested axis.
<code>cummin([axis, skipna])</code>	Return cumulative minimum over requested axis.
<code>cumprod([axis, skipna])</code>	Return cumulative product over requested axis.
<code>cumsum([axis, skipna])</code>	Return cumulative sum over requested axis.
<code>describe([percentiles, include, exclude])</code>	Generate various summary statistics, excluding NaN values.
<code>div(other[, axis])</code>	Floating division of series and other, element-wise (binary operator <i>truediv</i>).
<code>divide(other[, axis])</code>	Floating division of series and other, element-wise (binary operator <i>truediv</i>).
<code>drop(labels[, axis, level, inplace, errors])</code>	Return new object with labels in requested axis removed.
<code>dropna([axis, how, inplace])</code>	Drop 2D from panel, holding passed axis constant
<code>eq(other[, axis])</code>	Wrapper for comparison method eq
<code>equals(other)</code>	Determines if two NDFrame objects contain the same elements.
<code>ffill([axis, inplace, limit, downcast])</code>	Synonym for NDFrame.fillna(method='ffill')
<code>fillna([value, method, axis, inplace, ...])</code>	Fill NA/NaN values using the specified method
<code>filter([items, like, regex, axis])</code>	Subset rows or columns of dataframe according to labels in the specified index.
<code>first(offset)</code>	Convenience method for subsetting initial periods of time series data based on a
<code>floordiv(other[, axis])</code>	Integer division of series and other, element-wise (binary operator <i>floordiv</i>).
<code>fromDict(data[, intersect, orient, dtype])</code>	Construct Panel from dict of DataFrame objects
<code>from_dict(data[, intersect, orient, dtype])</code>	Construct Panel from dict of DataFrame objects
<code>ge(other[, axis])</code>	Wrapper for comparison method ge
<code>get(key[, default])</code>	Get item from object for given key (DataFrame column, Panel slice, etc.).
<code>get_dtype_counts()</code>	Return the counts of dtypes in this object.
<code>get_ftype_counts()</code>	Return the counts of ftypes in this object.
<code>get_value(*args, **kwargs)</code>	Quickly retrieve single value at (item, major, minor) location
<code>get_values()</code>	same as values (but handles sparseness conversions)
<code>groupby(function[, axis])</code>	Group data on given axis, returning GroupBy object
<code>gt(other[, axis])</code>	Wrapper for comparison method gt
<code>head([n])</code>	
<code>interpolate([method, axis, limit, inplace, ...])</code>	Interpolate values according to different methods.
<code>isnull()</code>	Return a boolean same-sized object indicating if the values are null.
<code>iteritems()</code>	Iterate over (label, values) on info axis
<code>iterkv(*args, **kwargs)</code>	iteritems alias used to get around 2to3. Deprecated

Table 4.45 – continued from previous

<code>join(other[, how, lsuffix, rsuffix])</code>	Join items with other Panel either on major and minor axes column
<code>keys()</code>	Get the ‘info axis’ (see Indexing for more)
<code>kurt([axis, skipna, level, numeric_only])</code>	Return unbiased kurtosis over requested axis using Fisher’s definition of kurtosis
<code>kurtosis([axis, skipna, level, numeric_only])</code>	Return unbiased kurtosis over requested axis using Fisher’s definition of kurtosis
<code>last(offset)</code>	Convenience method for subsetting final periods of time series data based on a d
<code>le(other[, axis])</code>	Wrapper for comparison method le
<code>lt(other[, axis])</code>	Wrapper for comparison method lt
<code>mad([axis, skipna, level])</code>	Return the mean absolute deviation of the values for the requested axis
<code>major_xs(key)</code>	Return slice of panel along major axis
<code>mask(cond[, other, inplace, axis, level, ...])</code>	Return an object of same shape as self and whose corresponding entries are from
<code>max([axis, skipna, level, numeric_only])</code>	This method returns the maximum of the values in the object.
<code>mean([axis, skipna, level, numeric_only])</code>	Return the mean of the values for the requested axis
<code>median([axis, skipna, level, numeric_only])</code>	Return the median of the values for the requested axis
<code>min([axis, skipna, level, numeric_only])</code>	This method returns the minimum of the values in the object.
<code>minor_xs(key)</code>	Return slice of panel along minor axis
<code>mod(other[, axis])</code>	Modulo of series and other, element-wise (binary operator <i>mod</i>).
<code>mul(other[, axis])</code>	Multiplication of series and other, element-wise (binary operator <i>mul</i>).
<code>multiply(other[, axis])</code>	Multiplication of series and other, element-wise (binary operator <i>mul</i>).
<code>ne(other[, axis])</code>	Wrapper for comparison method ne
<code>notnull()</code>	Return a boolean same-sized object indicating if the values are not null.
<code>pct_change([periods, fill_method, limit, freq])</code>	Percent change over given number of periods.
<code>pipe(func, *args, **kwargs)</code>	Apply func(self, *args, **kwargs)
<code>pop(item)</code>	Return item and drop from frame.
<code>pow(other[, axis])</code>	Exponential power of series and other, element-wise (binary operator <i>pow</i>).
<code>prod([axis, skipna, level, numeric_only])</code>	Return the product of the values for the requested axis
<code>product([axis, skipna, level, numeric_only])</code>	Return the product of the values for the requested axis
<code>radd(other[, axis])</code>	Addition of series and other, element-wise (binary operator <i>radd</i>).
<code>rank([axis, method, numeric_only, ...])</code>	Compute numerical data ranks (1 through n) along axis.
<code>rdiv(other[, axis])</code>	Floating division of series and other, element-wise (binary operator <i>rtruediv</i>).
<code>reindex([items, major_axis, minor_axis])</code>	Conform Panel to new index with optional filling logic, placing NA/NaN in locat
<code>reindex_axis(labels[, axis, method, level, ...])</code>	Conform input object to new index with optional filling logic, placing NA/NaN i
<code>reindex_like(other[, method, copy, limit, ...])</code>	Return an object with matching indices to myself.
<code>rename([items, major_axis, minor_axis])</code>	Alter axes input function or functions.
<code>rename_axis(mapper[, axis, copy, inplace])</code>	Alter index and / or columns using input function or functions.
<code>replace([to_replace, value, inplace, limit, ...])</code>	Replace values given in ‘to_replace’ with ‘value’.
<code>resample(rule[, how, axis, fill_method, ...])</code>	Convenience method for frequency conversion and resampling of time series.
<code>rfloordiv(other[, axis])</code>	Integer division of series and other, element-wise (binary operator <i>rfloordiv</i>).
<code>rmod(other[, axis])</code>	Modulo of series and other, element-wise (binary operator <i>rmod</i>).
<code>rmul(other[, axis])</code>	Multiplication of series and other, element-wise (binary operator <i>rmul</i>).
<code>round([decimals])</code>	Round each value in Panel to a specified number of decimal places.
<code>rpow(other[, axis])</code>	Exponential power of series and other, element-wise (binary operator <i>rpow</i>).
<code>rsub(other[, axis])</code>	Subtraction of series and other, element-wise (binary operator <i>rsub</i>).
<code>rtruediv(other[, axis])</code>	Floating division of series and other, element-wise (binary operator <i>rtruediv</i>).
<code>sample([n, frac, replace, weights, ...])</code>	Returns a random sample of items from an axis of object.
<code>select(crit[, axis])</code>	Return data corresponding to axis labels matching criteria
<code>sem([axis, skipna, level, ddof, numeric_only])</code>	Return unbiased standard error of the mean over requested axis.
<code>set_axis(axis, labels)</code>	public version of axis assignment
<code>set_value(*args, **kwargs)</code>	Quickly set single value at (item, major, minor) location
<code>shift([periods, freq, axis])</code>	Shift index by desired number of periods with an optional time freq.
<code>skew([axis, skipna, level, numeric_only])</code>	Return unbiased skew over requested axis

Table 4.45 – continued from previous

<code>slice_shift([periods, axis])</code>	Equivalent to <i>shift</i> without copying data.
<code>sort_index([axis, level, ascending, ...])</code>	Sort object by labels (along an axis)
<code>sort_values(by[, axis, ascending, inplace, ...])</code>	
<code>squeeze(**kwargs)</code>	Squeeze length 1 dimensions.
<code>std([axis, skipna, level, ddof, numeric_only])</code>	Return sample standard deviation over requested axis.
<code>sub(other[, axis])</code>	Subtraction of series and other, element-wise (binary operator <i>sub</i>).
<code>subtract(other[, axis])</code>	Subtraction of series and other, element-wise (binary operator <i>sub</i>).
<code>sum([axis, skipna, level, numeric_only])</code>	Return the sum of the values for the requested axis
<code>swapaxes(axis1, axis2[, copy])</code>	Interchange axes and swap values axes appropriately
<code>swaplevel([i, j, axis])</code>	Swap levels i and j in a MultiIndex on a particular axis
<code>tail([n])</code>	
<code>take(indices[, axis, convert, is_copy])</code>	Analogous to ndarray.take
<code>toLong(*args, **kwargs)</code>	
<code>to_clipboard([excel, sep])</code>	Attempt to write text representation of object to the system clipboard This can be
<code>to_dense()</code>	Return dense representation of NDFrame (as opposed to sparse)
<code>to_excel(path[, na_rep, engine])</code>	Write each DataFrame in Panel to a separate excel sheet
<code>to_frame([filter_observations])</code>	Transform wide format into long (stacked) format as DataFrame whose columns
<code>to_hdf(path_or_buf, key, **kwargs)</code>	Write the contained data to an HDF5 file using HDFStore.
<code>to_json([path_or_buf, orient, date_format, ...])</code>	Convert the object to a JSON string.
<code>to_long(*args, **kwargs)</code>	
<code>to_msgpack([path_or_buf, encoding])</code>	msgpack (serialize) object to input file path
<code>to_pickle(path)</code>	Pickle (serialize) object to input file path.
<code>to_sparse(*args, **kwargs)</code>	NOT IMPLEMENTED: do not call this method, as sparsifying is not supported f
<code>to_sql(name, con[, flavor, schema, ...])</code>	Write records stored in a DataFrame to a SQL database.
<code>to_xarray()</code>	Return an xarray object from the pandas object.
<code>transpose(*args, **kwargs)</code>	Permute the dimensions of the Panel
<code>truediv(other[, axis])</code>	Floating division of series and other, element-wise (binary operator <i>truediv</i>).
<code>truncate([before, after, axis, copy])</code>	Truncates a sorted NDFrame before and/or after some particular index value.
<code>tshift([periods, freq, axis])</code>	
<code>tz_convert(tz[, axis, level, copy])</code>	Convert tz-aware axis to target time zone.
<code>tz_localize(*args, **kwargs)</code>	Localize tz-naive TimeSeries to target time zone.
<code>update(other[, join, overwrite, ...])</code>	Modify Panel in place using non-NA values from passed Panel, or object coercib
<code>var([axis, skipna, level, ddof, numeric_only])</code>	Return unbiased variance over requested axis.
<code>where(cond[, other, inplace, axis, level, ...])</code>	Return an object of same shape as self and whose corresponding entries are from
<code>xs(key[, axis])</code>	Return slice of panel along selected axis

abs ()

Return an object with absolute value taken—only applicable to objects that are all numeric.

Returns abs: type of caller

add (other, axis=0)

Addition of series and other, element-wise (binary operator *add*). Equivalent to `panel + other`.

Parameters **other** : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.radd`

add_prefix (*prefix*)

Concatenate prefix string with panel items names.

Parameters *prefix* : string

Returns *with_prefix* : type of caller

add_suffix (*suffix*)

Concatenate suffix string with panel items names.

Parameters *suffix* : string

Returns *with_suffix* : type of caller

align (*other*, ***kwargs*)

all (*axis=None*, *bool_only=None*, *skipna=None*, *level=None*, ***kwargs*)

Return whether all elements are True over requested axis

Parameters *axis* : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

bool_only : boolean, default None

Include only boolean columns. If None, will attempt to use everything, then use only boolean data. Not implemented for Series.

Returns *all* : DataFrame or Panel (if level specified)

any (*axis=None*, *bool_only=None*, *skipna=None*, *level=None*, ***kwargs*)

Return whether any element is True over requested axis

Parameters *axis* : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

bool_only : boolean, default None

Include only boolean columns. If None, will attempt to use everything, then use only boolean data. Not implemented for Series.

Returns *any* : DataFrame or Panel (if level specified)

apply (*func*, *axis='major'*, ***kwargs*)

Applies function along axis (or axes) of the Panel

Parameters *func* : function

Function to apply to each combination of 'other' axes e.g. if axis = 'items', the combination of major_axis/minor_axis will each be passed as a Series; if axis = ('items', 'major'), DataFrames of items & major axis will be passed

axis : {'items', 'minor', 'major'}, or {0, 1, 2}, or a tuple with two

axes

Additional keyword arguments will be passed as keywords to the function

Returns result : Panel, DataFrame, or Series

Examples

Returns a Panel with the square root of each element

```
>>> p = pd.Panel(np.random.rand(4, 3, 2))
>>> p.apply(np.sqrt)
```

Equivalent to `p.sum(1)`, returning a DataFrame

```
>>> p.apply(lambda x: x.sum(), axis=1)
```

Equivalent to previous:

```
>>> p.apply(lambda x: x.sum(), axis='minor')
```

Return the shapes of each DataFrame over axis 2 (i.e the shapes of items x major), as a Series

```
>>> p.apply(lambda x: x.shape, axis=(0,1))
```

as_blocks (*copy=True*)

Convert the frame to a dict of dtype -> Constructor Types that each has a homogeneous dtype.

NOTE: the dtypes of the blocks WILL BE PRESERVED HERE (unlike in `as_matrix`)

Parameters copy : boolean, default True

Returns values : a dict of dtype -> Constructor Types

as_matrix ()

asfreq (*freq, method=None, how=None, normalize=False*)

Convert TimeSeries to specified frequency.

Optionally provide filling method to pad/backfill missing values.

Parameters freq : DateOffset object, or string

method : { 'backfill'/'bfill', 'pad'/'ffill' }, default None

Method to use for filling holes in reindexed Series (note this does not fill NaNs that already were present):

- 'pad' / 'ffill': propagate last valid observation forward to next valid
- 'backfill' / 'bfill': use NEXT valid observation to fill

how : { 'start', 'end' }, default end

For PeriodIndex only, see PeriodIndex.asfreq

normalize : bool, default False

Whether to reset output index to midnight

Returns converted : type of caller

Notes

To learn more about the frequency strings, please see [this link](#).

asof (*where, subset=None*)

The last row without any NaN is taken (or the last row without NaN considering only the subset of columns in the case of a DataFrame)

New in version 0.19.0: For DataFrame

If there is no good value, NaN is returned.

Parameters **where** : date or array of dates

subset : string or list of strings, default None

if not None use these columns for NaN propagation

Returns where is scalar

- value or NaN if input is Series
- Series if input is DataFrame

where is Index: same shape object as input

See also:

`merge_asof`

Notes

Dates are assumed to be sorted Raises if this is not the case

astype (*dtype, copy=True, raise_on_error=True, **kwargs*)

Cast object to input numpy.dtype Return a copy when copy = True (be really careful with this!)

Parameters **dtype** : data type, or dict of column name -> data type

Use a numpy.dtype or Python type to cast entire pandas object to the same type. Alternatively, use {col: dtype, ...}, where col is a column label and dtype is a numpy.dtype or Python type to cast one or more of the DataFrame's columns to column-specific types.

raise_on_error : raise on invalid input

kwargs : keyword arguments to pass on to the constructor

Returns **casted** : type of caller

at

Fast label-based scalar accessor

Similarly to `loc`, `at` provides **label** based scalar lookups. You can also set using these indexers.

at_time (*time, asof=False*)

Select values at particular time of day (e.g. 9:30AM).

Parameters **time** : datetime.time or string

Returns **values_at_time** : type of caller

axes

Return index label(s) of the internal NDFrame

between_time (*start_time, end_time, include_start=True, include_end=True*)
 Select values between particular times of the day (e.g., 9:00-9:30 AM).

Parameters **start_time** : datetime.time or string

end_time : datetime.time or string

include_start : boolean, default True

include_end : boolean, default True

Returns **values_between_time** : type of caller

bfill (*axis=None, inplace=False, limit=None, downcast=None*)
 Synonym for NDFrame.fillna(method='bfill')

blocks

Internal property, property synonym for as_blocks()

bool ()

Return the bool of a single element PandasObject.

This must be a boolean scalar value, either True or False. Raise a ValueError if the PandasObject does not have exactly 1 element, or that element is not boolean

clip (*lower=None, upper=None, axis=None, *args, **kwargs*)
 Trim values at input threshold(s).

Parameters **lower** : float or array_like, default None

upper : float or array_like, default None

axis : int or string axis name, optional

Align object with lower and upper along the given axis.

Returns **clipped** : Series

Examples

```
>>> df
   0      1
0  0.335232 -1.256177
1 -1.367855  0.746646
2  0.027753 -1.176076
3  0.230930 -0.679613
4  1.261967  0.570967
>>> df.clip(-1.0, 0.5)
   0      1
0  0.335232 -1.000000
1 -1.000000  0.500000
2  0.027753 -1.000000
3  0.230930 -0.679613
4  0.500000  0.500000
>>> t
0  -0.3
1  -0.2
2  -0.1
3   0.0
4   0.1
dtype: float64
>>> df.clip(t, t + 1, axis=0)
```

	0	1
0	0.335232	-0.300000
1	-0.200000	0.746646
2	0.027753	-0.100000
3	0.230930	0.000000
4	1.100000	0.570967

clip_lower (*threshold*, *axis=None*)

Return copy of the input with values below given value(s) truncated.

Parameters threshold : float or array_like

axis : int or string axis name, optional

Align object with threshold along the given axis.

Returns clipped : same type as input

See also:

clip

clip_upper (*threshold*, *axis=None*)

Return copy of input with values above given value(s) truncated.

Parameters threshold : float or array_like

axis : int or string axis name, optional

Align object with threshold along the given axis.

Returns clipped : same type as input

See also:

clip

compound (*axis=None*, *skipna=None*, *level=None*)

Return the compound percentage of the values for the requested axis

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns compounded : DataFrame or Panel (if level specified)

conform (*frame*, *axis='items'*)

Conform input DataFrame to align with chosen axis pair.

Parameters frame : DataFrame

axis : {'items', 'major', 'minor' }

Axis the input corresponds to. E.g., if axis='major', then the frame's columns would be items, and the index would be values of the minor axis

Returns DataFrame

consolidate (*inplace=False*)

Compute NDFrame with “consolidated” internals (data of each dtype grouped together in a single ndarray). Mainly an internal API function, but available here to the savvy user

Parameters **inplace** : boolean, default False

If False return new object, otherwise modify existing object

Returns **consolidated** : type of caller

convert_objects (*convert_dates=True, convert_numeric=False, convert_timedeltas=True, copy=True*)

Deprecated.

Attempt to infer better dtype for object columns

Parameters **convert_dates** : boolean, default True

If True, convert to date where possible. If ‘coerce’, force conversion, with unconvertible values becoming NaT.

convert_numeric : boolean, default False

If True, attempt to coerce to numbers (including strings), with unconvertible values becoming NaN.

convert_timedeltas : boolean, default True

If True, convert to timedelta where possible. If ‘coerce’, force conversion, with unconvertible values becoming NaT.

copy : boolean, default True

If True, return a copy even if no copy is necessary (e.g. no conversion was done). Note: This is meant for internal use, and should not be confused with inplace.

Returns **converted** : same as input object

See also:

pandas.to_datetime Convert argument to datetime.

pandas.to_timedelta Convert argument to timedelta.

pandas.to_numeric Return a fixed frequency timedelta index, with day as the default.

copy (*deep=True*)

Make a copy of this objects data.

Parameters **deep** : boolean or string, default True

Make a deep copy, including a copy of the data and the indices. With `deep=False` neither the indices or the data are copied.

Note that when `deep=True` data is copied, actual python objects will not be copied recursively, only the reference to the object. This is in contrast to `copy.deepcopy` in the Standard Library, which recursively copies object data.

Returns **copy** : type of caller

count (*axis='major'*)

Return number of observations over requested axis.

Parameters **axis** : {‘items’, ‘major’, ‘minor’} or {0, 1, 2}

Returns count : DataFrame

cummax (*axis=None, skipna=True, *args, **kwargs*)
 Return cumulative max over requested axis.

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cummax : DataFrame

cummin (*axis=None, skipna=True, *args, **kwargs*)
 Return cumulative minimum over requested axis.

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cummin : DataFrame

cumprod (*axis=None, skipna=True, *args, **kwargs*)
 Return cumulative product over requested axis.

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cumprod : DataFrame

cumsum (*axis=None, skipna=True, *args, **kwargs*)
 Return cumulative sum over requested axis.

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cumsum : DataFrame

describe (*percentiles=None, include=None, exclude=None*)
 Generate various summary statistics, excluding NaN values.

Parameters percentiles : array-like, optional

The percentiles to include in the output. Should all be in the interval [0, 1]. By default *percentiles* is [.25, .5, .75], returning the 25th, 50th, and 75th percentiles.

include, exclude : list-like, 'all', or None (default)

Specify the form of the returned result. Either:

- None to both (default). The result will include only numeric-typed columns or, if none are, only categorical columns.
- A list of dtypes or strings to be included/excluded. To select all numeric types use `numpy.number`. To select categorical objects use type object. See also the `select_dtypes` documentation. eg. `df.describe(include=['O'])`
- If include is the string 'all', the output column-set will match the input one.

Returns summary: NDFrame of summary statistics

See also:

`DataFrame.select_dtypes`

Notes

The output DataFrame index depends on the requested dtypes:

For numeric dtypes, it will include: count, mean, std, min, max, and lower, 50, and upper percentiles.

For object dtypes (e.g. timestamps or strings), the index will include the count, unique, most common, and frequency of the most common. Timestamps also include the first and last items.

For mixed dtypes, the index will be the union of the corresponding output types. Non-applicable entries will be filled with NaN. Note that mixed-dtype outputs can only be returned from mixed-dtype inputs and appropriate use of the include/exclude arguments.

If multiple values have the highest count, then the *count* and *most common* pair will be arbitrarily chosen from among those with the highest count.

The include, exclude arguments are ignored for Series.

div (*other, axis=0*)

Floating division of series and other, element-wise (binary operator *truediv*). Equivalent to `panel / other`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rtruediv`

divide (*other, axis=0*)

Floating division of series and other, element-wise (binary operator *truediv*). Equivalent to `panel / other`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rtruediv`

drop (*labels, axis=0, level=None, inplace=False, errors='raise'*)

Return new object with labels in requested axis removed.

Parameters *labels* : single label or list-like

axis : int or axis name

level : int or level name, default None

For MultiIndex

inplace : bool, default False

If True, do operation inplace and return None.

errors : { 'ignore', 'raise' }, default 'raise'

If 'ignore', suppress error and existing labels are dropped.

New in version 0.16.1.

Returns dropped : type of caller

dropna (*axis=0, how='any', inplace=False*)

Drop 2D from panel, holding passed axis constant

Parameters axis : int, default 0

Axis to hold constant. E.g. axis=1 will drop major_axis entries having a certain amount of NA data

how : { 'all', 'any' }, default 'any'

'any': one or more values are NA in the DataFrame along the axis. For 'all' they all must be.

inplace : bool, default False

If True, do operation inplace and return None.

Returns dropped : Panel

dtypes

Return the dtypes in this object.

empty

True if NDFrame is entirely empty [no items], meaning any of the axes are of length 0.

See also:

`pandas.Series.dropna`, `pandas.DataFrame.dropna`

Notes

If NDFrame contains only NaNs, it is still not considered empty. See the example below.

Examples

An example of an actual empty DataFrame. Notice the index is empty:

```
>>> df_empty = pd.DataFrame({'A' : []})
>>> df_empty
Empty DataFrame
Columns: [A]
Index: []
>>> df_empty.empty
True
```

If we only have NaNs in our DataFrame, it is not considered empty! We will need to drop the NaNs to make the DataFrame empty:

```
>>> df = pd.DataFrame({'A' : [np.nan]})
>>> df
   A
0 NaN
```

```

>>> df.empty
False
>>> df.dropna().empty
True

```

eq (*other*, *axis=None*)

Wrapper for comparison method eq

equals (*other*)

Determines if two NDFrame objects contain the same elements. NaNs in the same location are considered equal.

ffill (*axis=None*, *inplace=False*, *limit=None*, *downcast=None*)

Synonym for NDFrame.fillna(method='ffill')

fillna (*value=None*, *method=None*, *axis=None*, *inplace=False*, *limit=None*, *downcast=None*, ***kwargs*)

Fill NA/NaN values using the specified method

Parameters value : scalar, dict, Series, or DataFrame

Value to use to fill holes (e.g. 0), alternately a dict/Series/DataFrame of values specifying which value to use for each index (for a Series) or column (for a DataFrame). (values not in the dict/Series/DataFrame will not be filled). This value cannot be a list.

method : {'backfill', 'bfill', 'pad', 'ffill', None}, default None

Method to use for filling holes in reindexed Series pad / ffill: propagate last valid observation forward to next valid backfill / bfill: use NEXT valid observation to fill gap

axis : {0, 1, 2, 'items', 'major_axis', 'minor_axis'}

inplace : boolean, default False

If True, fill in place. Note: this will modify any other views on this object, (e.g. a no-copy slice for a column in a DataFrame).

limit : int, default None

If method is specified, this is the maximum number of consecutive NaN values to forward/backward fill. In other words, if there is a gap with more than this number of consecutive NaNs, it will only be partially filled. If method is not specified, this is the maximum number of entries along the entire axis where NaNs will be filled.

downcast : dict, default is None

a dict of item->dtype of what to downcast if possible, or the string 'infer' which will try to downcast to an appropriate equal type (e.g. float64 to int64 if possible)

Returns filled : Panel

See also:

reindex, *asfreq*

filter (*items=None*, *like=None*, *regex=None*, *axis=None*)

Subset rows or columns of dataframe according to labels in the specified index.

Note that this routine does not filter a dataframe on its contents. The filter is applied to the labels of the index.

Parameters items : list-like

List of info axis to restrict to (must not all be present)

like : string

Keep info axis where “arg in col == True”

regex : string (regular expression)

Keep info axis with `re.search(regex, col) == True`

axis : int or string axis name

The axis to filter on. By default this is the info axis, ‘index’ for Series, ‘columns’ for DataFrame

Returns same type as input object**See also:**

`pandas.DataFrame.select`

Notes

The `items`, `like`, and `regex` parameters are enforced to be mutually exclusive.

`axis` defaults to the info axis that is used when indexing with `[]`.

Examples

```
>>> df
  one  two  three
mouse  1    2     3
rabbit 4    5     6
```

```
>>> # select columns by name
>>> df.filter(items=['one', 'three'])
  one  three
mouse  1     3
rabbit 4     6
```

```
>>> # select columns by regular expression
>>> df.filter(regex='e$', axis=1)
  one  three
mouse  1     3
rabbit 4     6
```

```
>>> # select rows containing 'bbi'
>>> df.filter(like='bbi', axis=0)
  one  two  three
rabbit 4    5     6
```

first (*offset*)

Convenience method for subsetting initial periods of time series data based on a date offset.

Parameters `offset` : string, `DateOffset`, `dateutil.relativedelta`

Returns `subset` : type of caller

Examples

`ts.first('10D')` -> First 10 days

floordiv (*other*, *axis=0*)

Integer division of series and other, element-wise (binary operator *floordiv*). Equivalent to `panel // other`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rfloordiv`

fromDict (*data*, *intersect=False*, *orient='items'*, *dtype=None*)

Construct Panel from dict of DataFrame objects

Parameters *data* : dict

{field : DataFrame}

intersect : boolean

Intersect indexes of input DataFrames

orient : {'items', 'minor'}, default 'items'

The “orientation” of the data. If the keys of the passed dict should be the items of the result panel, pass 'items' (default). Otherwise if the columns of the values of the passed DataFrame objects should be the items (which in the case of mixed-dtype data you should do), instead pass 'minor'

dtype : dtype, default None

Data type to force, otherwise infer

Returns Panel

from_dict (*data*, *intersect=False*, *orient='items'*, *dtype=None*)

Construct Panel from dict of DataFrame objects

Parameters *data* : dict

{field : DataFrame}

intersect : boolean

Intersect indexes of input DataFrames

orient : {'items', 'minor'}, default 'items'

The “orientation” of the data. If the keys of the passed dict should be the items of the result panel, pass 'items' (default). Otherwise if the columns of the values of the passed DataFrame objects should be the items (which in the case of mixed-dtype data you should do), instead pass 'minor'

dtype : dtype, default None

Data type to force, otherwise infer

Returns Panel

ftypes

Return the ftypes (indication of sparse/dense and dtype) in this object.

ge (*other, axis=None*)

Wrapper for comparison method ge

get (*key, default=None*)

Get item from object for given key (DataFrame column, Panel slice, etc.). Returns default value if not found.

Parameters **key** : object

Returns **value** : type of items contained in object

get_dtype_counts ()

Return the counts of dtypes in this object.

get_fstype_counts ()

Return the counts of ftypes in this object.

get_value (**args, **kwargs*)

Quickly retrieve single value at (item, major, minor) location

Parameters **item** : item label (panel item)

major : major axis label (panel item row)

minor : minor axis label (panel item column)

takeable : interpret the passed labels as indexers, default False

Returns **value** : scalar value

get_values ()

same as values (but handles sparseness conversions)

groupby (*function, axis='major'*)

Group data on given axis, returning GroupBy object

Parameters **function** : callable

Mapping function for chosen access

axis : {'major', 'minor', 'items'}, default 'major'

Returns **grouped** : PanelGroupBy

gt (*other, axis=None*)

Wrapper for comparison method gt

head (*n=5*)**iat**

Fast integer location scalar accessor.

Similarly to `iloc`, `iat` provides **integer** based lookups. You can also set using these indexers.

iloc

Purely integer-location based indexing for selection by position.

`.iloc[]` is primarily integer position based (from 0 to `length-1` of the axis), but may also be used with a boolean array.

Allowed inputs are:

- An integer, e.g. 5.

- A list or array of integers, e.g. [4, 3, 0].
- A slice object with ints, e.g. 1:7.
- A boolean array.
- A callable function with one argument (the calling Series, DataFrame or Panel) and that returns valid output for indexing (one of the above)

`.iloc` will raise `IndexError` if a requested indexer is out-of-bounds, except `slice` indexers which allow out-of-bounds indexing (this conforms with python/numpy `slice` semantics).

See more at Selection by Position

interpolate (*method='linear', axis=0, limit=None, inplace=False, limit_direction='forward', downcast=None, **kwargs*)

Interpolate values according to different methods.

Please note that only `method='linear'` is supported for DataFrames/Series with a MultiIndex.

Parameters method : {'linear', 'time', 'index', 'values', 'nearest', 'zero',

'slinear', 'quadratic', 'cubic', 'barycentric', 'krogh', 'polynomial', 'spline', 'piecewise_polynomial', 'from_derivatives', 'pchip', 'akima' }

- 'linear': ignore the index and treat the values as equally spaced. This is the only method supported on MultiIndexes. default
- 'time': interpolation works on daily and higher resolution data to interpolate given length of interval
- 'index', 'values': use the actual numerical values of the index
- 'nearest', 'zero', 'slinear', 'quadratic', 'cubic', 'barycentric', 'polynomial' is passed to `scipy.interpolate.interpld`. Both 'polynomial' and 'spline' require that you also specify an `order` (int), e.g. `df.interpolate(method='polynomial', order=4)`. These use the actual numerical values of the index.
- 'krogh', 'piecewise_polynomial', 'spline', 'pchip' and 'akima' are all wrappers around the scipy interpolation methods of similar names. These use the actual numerical values of the index. See the scipy documentation for more on their behavior [here](#) # noqa and [here](#) # noqa
- 'from_derivatives' refers to `BPoly.from_derivatives` which replaces 'piecewise_polynomial' interpolation method in scipy 0.18

New in version 0.18.1: Added support for the 'akima' method Added interpolate method 'from_derivatives' which replaces 'piecewise_polynomial' in scipy 0.18; backwards-compatible with scipy < 0.18

axis : {0, 1}, default 0

- 0: fill column-by-column
- 1: fill row-by-row

limit : int, default None.

Maximum number of consecutive NaNs to fill.

limit_direction : {'forward', 'backward', 'both'}, defaults to 'forward'

If limit is specified, consecutive NaNs will be filled in this direction.

New in version 0.17.0.

inplace : bool, default False

Update the NDFrame in place if possible.

downcast : optional, 'infer' or None, defaults to None

Downcast dtypes if possible.

kwargs : keyword arguments to pass on to the interpolating function.

Returns Series or DataFrame of same shape interpolated at the NaNs

See also:

reindex, replace, fillna

Examples

Filling in NaNs

```
>>> s = pd.Series([0, 1, np.nan, 3])
>>> s.interpolate()
0    0
1    1
2    2
3    3
dtype: float64
```

is_copy = None

isnull ()

Return a boolean same-sized object indicating if the values are null.

See also:

notnull boolean inverse of isnull

iteritems ()

Iterate over (label, values) on info axis

This is index for Series, columns for DataFrame, major_axis for Panel, and so on.

iterkv (*args, **kwargs)

iteritems alias used to get around 2to3. Deprecated

ix

A primarily label-location based indexer, with integer position fallback.

`.ix[]` supports mixed integer and label based access. It is primarily label based, but will fall back to integer positional access unless the corresponding axis is of integer type.

`.ix` is the most general indexer and will support any of the inputs in `.loc` and `.iloc`. `.ix` also supports floating point label schemes. `.ix` is exceptionally useful when dealing with mixed positional and label based hierarchical indexes.

However, when an axis is integer based, ONLY label based access and not positional access is supported. Thus, in such cases, it's usually better to be explicit and use `.iloc` or `.loc`.

See more at Advanced Indexing.

join (*other*, *how*='left', *lsuffix*='', *rsuffix*='')

Join items with other Panel either on major and minor axes column

Parameters other : Panel or list of Panels

Index should be similar to one of the columns in this one

how : { 'left', 'right', 'outer', 'inner' }

How to handle indexes of the two objects. Default: 'left' for joining on index,
None otherwise * left: use calling frame's index * right: use input frame's index
* outer: form union of indexes * inner: use intersection of indexes

lsuffix : string

Suffix to use from left frame's overlapping columns

rsuffix : string

Suffix to use from right frame's overlapping columns

Returns joined : Panel

keys ()

Get the 'info axis' (see Indexing for more)

This is index for Series, columns for DataFrame and major_axis for Panel.

kurt (*axis*=None, *skipna*=None, *level*=None, *numeric_only*=None, ***kwargs*)

Return unbiased kurtosis over requested axis using Fisher's definition of kurtosis (kurtosis of normal == 0.0). Normalized by N-1

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns kurt : DataFrame or Panel (if level specified)

kurtosis (*axis*=None, *skipna*=None, *level*=None, *numeric_only*=None, ***kwargs*)

Return unbiased kurtosis over requested axis using Fisher's definition of kurtosis (kurtosis of normal == 0.0). Normalized by N-1

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns `kurt` : DataFrame or Panel (if level specified)

last (*offset*)

Convenience method for subsetting final periods of time series data based on a date offset.

Parameters `offset` : string, DateOffset, dateutil.relativedelta

Returns `subset` : type of caller

Examples

`ts.last('5M')` -> Last 5 months

le (*other, axis=None*)

Wrapper for comparison method `le`

loc

Purely label-location based indexer for selection by label.

`.loc[]` is primarily label based, but may also be used with a boolean array.

Allowed inputs are:

- A single label, e.g. `5` or `'a'`, (note that `5` is interpreted as a *label* of the index, and **never** as an integer position along the index).
- A list or array of labels, e.g. `['a', 'b', 'c']`.
- A slice object with labels, e.g. `'a':'f'` (note that contrary to usual python slices, **both** the start and the stop are included!).
- A boolean array.
- A callable function with one argument (the calling Series, DataFrame or Panel) and that returns valid output for indexing (one of the above)

`.loc` will raise a `KeyError` when the items are not found.

See more at Selection by Label

lt (*other, axis=None*)

Wrapper for comparison method `lt`

mad (*axis=None, skipna=None, level=None*)

Return the mean absolute deviation of the values for the requested axis

Parameters `axis` : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns mad : DataFrame or Panel (if level specified)

major_xs (*key*)

Return slice of panel along major axis

Parameters key : object

Major axis label

Returns y : DataFrame

index -> minor axis, columns -> items

Notes

major_xs is only for getting, not setting values.

MultiIndex Slicers is a generic way to get/set values on any level or levels and is a superset of major_xs functionality, see MultiIndex Slicers

mask (*cond, other=nan, inplace=False, axis=None, level=None, try_cast=False, raise_on_error=True*)

Return an object of same shape as self and whose corresponding entries are from self where cond is False and otherwise are from other.

Parameters cond : boolean NDFrame, array or callable

If cond is callable, it is computed on the NDFrame and should return boolean NDFrame or array. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as cond.

other : scalar, NDFrame, or callable

If other is callable, it is computed on the NDFrame and should return scalar or NDFrame. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as other.

inplace : boolean, default False

Whether to perform the operation in place on the data

axis : alignment axis if needed, default None

level : alignment level if needed, default None

try_cast : boolean, default False

try to cast the result back to the input type (if possible),

raise_on_error : boolean, default True

Whether to raise on invalid data types (e.g. trying to where on strings)

Returns wh : same type as caller

See also:

`DataFrame.where()`

Notes

The mask method is an application of the if-then idiom. For each element in the calling DataFrame, if `cond` is `False` the element is used; otherwise the corresponding element from the DataFrame `other` is used.

The signature for `DataFrame.where()` differs from `numpy.where()`. Roughly `df1.where(m, df2)` is equivalent to `np.where(m, df1, df2)`.

For further details and examples see the mask documentation in indexing.

Examples

```
>>> s = pd.Series(range(5))
>>> s.where(s > 0)
0    NaN
1    1.0
2    2.0
3    3.0
4    4.0
```

```
>>> df = pd.DataFrame(np.arange(10).reshape(-1, 2), columns=['A', 'B'])
>>> m = df % 3 == 0
>>> df.where(m, -df)
   A  B
0  0 -1
1 -2  3
2 -4 -5
3  6 -7
4 -8  9
>>> df.where(m, -df) == np.where(m, df, -df)
   A    B
0  True True
1  True True
2  True True
3  True True
4  True True
>>> df.where(m, -df) == df.mask(~m, -df)
   A    B
0  True True
1  True True
2  True True
3  True True
4  True True
```

max (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

This method returns the maximum of the values in the object. If you want the *index* of the maximum, use `idxmax`. This is the equivalent of the `numpy.ndarray` method `argmax`.

Parameters **axis** : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns max : DataFrame or Panel (if level specified)

mean (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the mean of the values for the requested axis

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns mean : DataFrame or Panel (if level specified)

median (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the median of the values for the requested axis

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns median : DataFrame or Panel (if level specified)

min (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

This method returns the minimum of the values in the object. If you want the *index* of the minimum, use `idxmin`. This is the equivalent of the `numpy.ndarray` method `argmin`.

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **min** : DataFrame or Panel (if level specified)

minor_xs (*key*)

Return slice of panel along minor axis

Parameters **key** : object

Minor axis label

Returns **y** : DataFrame

index -> major axis, columns -> items

Notes

minor_xs is only for getting, not setting values.

MultiIndex Slicers is a generic way to get/set values on any level or levels and is a superset of minor_xs functionality, see MultiIndex Slicers

mod (*other, axis=0*)

Modulo of series and other, element-wise (binary operator *mod*). Equivalent to `panel % other`.

Parameters **other** : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rmod`

mul (*other, axis=0*)

Multiplication of series and other, element-wise (binary operator *mul*). Equivalent to `panel * other`.

Parameters **other** : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rmul`

multiply (*other, axis=0*)

Multiplication of series and other, element-wise (binary operator *mul*). Equivalent to `panel * other`.

Parameters **other** : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:`Panel.rmul`**ndim**

Number of axes / array dimensions

ne (*other, axis=None*)Wrapper for comparison method `ne`**notnull** ()

Return a boolean same-sized object indicating if the values are not null.

See also:`isnull` boolean inverse of `notnull`**pct_change** (*periods=1, fill_method='pad', limit=None, freq=None, **kwargs*)

Percent change over given number of periods.

Parameters `periods` : int, default 1

Periods to shift for forming percent change

fill_method : str, default 'pad'

How to handle NAs before computing percent changes

limit : int, default None

The number of consecutive NAs to fill before stopping

freq : DateOffset, timedelta, or offset alias string, optionalIncrement to use from time series API (e.g. 'M' or `BDay()`)**Returns** `chg` : NDFrame**Notes**

By default, the percentage change is calculated along the stat axis: 0, or `Index`, for `DataFrame` and 1, or `minor` for `Panel`. You can change this with the `axis` keyword argument.

pipe (*func, *args, **kwargs*)Apply `func(self, *args, **kwargs)`

New in version 0.16.2.

Parameters `func` : function

function to apply to the NDFrame. `args`, and `kwargs` are passed into `func`. Alternatively a `(callable, data_keyword)` tuple where `data_keyword` is a string indicating the keyword of callable that expects the NDFrame.

args : positional arguments passed into `func`.**kwargs** : a dictionary of keyword arguments passed into `func`.**Returns** `object` : the return type of `func`.**See also:**`pandas.DataFrame.apply`, `pandas.DataFrame.applymap`, `pandas.Series.map`

Notes

Use `.pipe` when chaining together functions that expect on Series or DataFrames. Instead of writing

```
>>> f(g(h(df), arg1=a), arg2=b, arg3=c)
```

You can write

```
>>> (df.pipe(h)
...   .pipe(g, arg1=a)
...   .pipe(f, arg2=b, arg3=c)
... )
```

If you have a function that takes the data as (say) the second argument, pass a tuple indicating which keyword expects the data. For example, suppose `f` takes its data as `arg2`:

```
>>> (df.pipe(h)
...   .pipe(g, arg1=a)
...   .pipe((f, 'arg2'), arg1=a, arg3=c)
... )
```

pop (*item*)

Return item and drop from frame. Raise `KeyError` if not found.

pow (*other*, *axis=0*)

Exponential power of series and other, element-wise (binary operator *pow*). Equivalent to `panel ** other`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rpow`

prod (*axis=None*, *skipna=None*, *level=None*, *numeric_only=None*, ***kwargs*)

Return the product of the values for the requested axis

Parameters *axis* : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **prod** : DataFrame or Panel (if level specified)

product (*axis=None*, *skipna=None*, *level=None*, *numeric_only=None*, ***kwargs*)

Return the product of the values for the requested axis

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns prod : DataFrame or Panel (if level specified)

radd (*other*, *axis=0*)

Addition of series and other, element-wise (binary operator *radd*). Equivalent to `other + panel`.

Parameters other : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.add`

rank (*axis=0*, *method='average'*, *numeric_only=None*, *na_option='keep'*, *ascending=True*, *pct=False*)

Compute numerical data ranks (1 through n) along axis. Equal values are assigned a rank that is the average of the ranks of those values

Parameters axis: {0 or 'index', 1 or 'columns'}, default 0

index to direct ranking

method : {'average', 'min', 'max', 'first', 'dense'}

- average: average rank of group
- min: lowest rank in group
- max: highest rank in group
- first: ranks assigned in order they appear in the array
- dense: like 'min', but rank always increases by 1 between groups

numeric_only : boolean, default None

Include only float, int, boolean data. Valid only for DataFrame or Panel objects

na_option : {'keep', 'top', 'bottom'}

- keep: leave NA values where they are
- top: smallest rank if ascending
- bottom: smallest rank if descending

ascending : boolean, default True

False for ranks by high (1) to low (N)

pct : boolean, default False

Computes percentage rank of data

Returns **ranks** : same type as caller

rdiv (*other*, *axis=0*)

Floating division of series and other, element-wise (binary operator *rtruediv*). Equivalent to `other / panel`.

Parameters **other** : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.truediv`

reindex (*items=None*, *major_axis=None*, *minor_axis=None*, ***kwargs*)

Conform Panel to new index with optional filling logic, placing NA/NaN in locations having no value in the previous index. A new object is produced unless the new index is equivalent to the current one and `copy=False`

Parameters **items**, **major_axis**, **minor_axis** : array-like, optional (can be specified in order, or as

keywords) New labels / index to conform to. Preferably an Index object to avoid duplicating data

method : {None, 'backfill'/'bfill', 'pad'/'ffill', 'nearest' }, optional

method to use for filling holes in reindexed DataFrame. Please note: this is only applicable to DataFrames/Series with a monotonically increasing/decreasing index.

- default: don't fill gaps
- pad / ffill: propagate last valid observation forward to next valid
- backfill / bfill: use next valid observation to fill gap
- nearest: use nearest valid observations to fill gap

copy : boolean, default True

Return a new object, even if the passed indexes are the same

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

fill_value : scalar, default np.NaN

Value to use for missing values. Defaults to NaN, but can be any "compatible" value

limit : int, default None

Maximum number of consecutive elements to forward or backward fill

tolerance : optional

Maximum distance between original and new labels for inexact matches. The values of the index at the matching locations most satisfy the equation $\text{abs}(\text{index}[\text{indexer}] - \text{target}) \leq \text{tolerance}$.

New in version 0.17.0.

Returns `reindexed`: Panel

Examples

Create a dataframe with some fictional data.

```
>>> index = ['Firefox', 'Chrome', 'Safari', 'IE10', 'Konqueror']
>>> df = pd.DataFrame({
...     'http_status': [200,200,404,404,301],
...     'response_time': [0.04, 0.02, 0.07, 0.08, 1.0]},
...     index=index)
>>> df
```

	http_status	response_time
Firefox	200	0.04
Chrome	200	0.02
Safari	404	0.07
IE10	404	0.08
Konqueror	301	1.00

Create a new index and reindex the dataframe. By default values in the new index that do not have corresponding records in the dataframe are assigned NaN.

```
>>> new_index= ['Safari', 'Iceweasel', 'Comodo Dragon', 'IE10',
...             'Chrome']
>>> df.reindex(new_index)
```

	http_status	response_time
Safari	404	0.07
Iceweasel	NaN	NaN
Comodo Dragon	NaN	NaN
IE10	404	0.08
Chrome	200	0.02

We can fill in the missing values by passing a value to the keyword `fill_value`. Because the index is not monotonically increasing or decreasing, we cannot use arguments to the keyword `method` to fill the NaN values.

```
>>> df.reindex(new_index, fill_value=0)
```

	http_status	response_time
Safari	404	0.07
Iceweasel	0	0.00
Comodo Dragon	0	0.00
IE10	404	0.08
Chrome	200	0.02

```
>>> df.reindex(new_index, fill_value='missing')
```

	http_status	response_time
Safari	404	0.07
Iceweasel	missing	missing
Comodo Dragon	missing	missing
IE10	404	0.08
Chrome	200	0.02

To further illustrate the filling functionality in `reindex`, we will create a dataframe with a monotonically increasing index (for example, a sequence of dates).

```
>>> date_index = pd.date_range('1/1/2010', periods=6, freq='D')
>>> df2 = pd.DataFrame({"prices": [100, 101, np.nan, 100, 89, 88]},
...                    index=date_index)
>>> df2
```

	prices
2010-01-01	100
2010-01-02	101
2010-01-03	NaN
2010-01-04	100
2010-01-05	89
2010-01-06	88

Suppose we decide to expand the dataframe to cover a wider date range.

```
>>> date_index2 = pd.date_range('12/29/2009', periods=10, freq='D')
>>> df2.reindex(date_index2)
```

	prices
2009-12-29	NaN
2009-12-30	NaN
2009-12-31	NaN
2010-01-01	100
2010-01-02	101
2010-01-03	NaN
2010-01-04	100
2010-01-05	89
2010-01-06	88
2010-01-07	NaN

The index entries that did not have a value in the original data frame (for example, '2009-12-29') are by default filled with NaN. If desired, we can fill in the missing values using one of several options.

For example, to backpropagate the last valid value to fill the NaN values, pass `bfill` as an argument to the method keyword.

```
>>> df2.reindex(date_index2, method='bfill')
```

	prices
2009-12-29	100
2009-12-30	100
2009-12-31	100
2010-01-01	100
2010-01-02	101
2010-01-03	NaN
2010-01-04	100
2010-01-05	89
2010-01-06	88
2010-01-07	NaN

Please note that the NaN value present in the original dataframe (at index value 2010-01-03) will not be filled by any of the value propagation schemes. This is because filling while reindexing does not look at dataframe values, but only compares the original and desired indexes. If you do want to fill in the NaN values present in the original dataframe, use the `fillna()` method.

reindex_axis (*labels*, *axis=0*, *method=None*, *level=None*, *copy=True*, *limit=None*, *fill_value=nan*)

Conform input object to new index with optional filling logic, placing NA/NaN in locations having no value in the previous index. A new object is produced unless the new index is equivalent to the current one and `copy=False`

Parameters labels : array-like

New labels / index to conform to. Preferably an Index object to avoid duplicating data

axis : {0, 1, 2, 'items', 'major_axis', 'minor_axis'}

method : {None, 'backfill'/'bfill', 'pad'/'ffill', 'nearest'}, optional

Method to use for filling holes in reindexed DataFrame:

- default: don't fill gaps
- pad / ffill: propagate last valid observation forward to next valid
- backfill / bfill: use next valid observation to fill gap
- nearest: use nearest valid observations to fill gap

copy : boolean, default True

Return a new object, even if the passed indexes are the same

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

limit : int, default None

Maximum number of consecutive elements to forward or backward fill

tolerance : optional

Maximum distance between original and new labels for inexact matches. The values of the index at the matching locations most satisfy the equation $\text{abs}(\text{index}[\text{indexer}] - \text{target}) \leq \text{tolerance}$.

New in version 0.17.0.

Returns reindexed : Panel

See also:

reindex, reindex_like

Examples

```
>>> df.reindex_axis(['A', 'B', 'C'], axis=1)
```

reindex_like (*other, method=None, copy=True, limit=None, tolerance=None*)

Return an object with matching indices to myself.

Parameters other : Object

method : string or None

copy : boolean, default True

limit : int, default None

Maximum number of consecutive labels to fill for inexact matches.

tolerance : optional

Maximum distance between labels of the other object and this object for inexact matches.

New in version 0.17.0.

Returns `reindexed` : same as input

Notes

Like calling `s.reindex(index=other.index, columns=other.columns, method=...)`

rename (*items=None, major_axis=None, minor_axis=None, **kwargs*)

Alter axes input function or functions. Function / dict values must be unique (1-to-1). Labels not contained in a dict / Series will be left as-is. Extra labels listed don't throw an error. Alternatively, change `Series.name` with a scalar value (Series only).

Parameters `items`, `major_axis`, `minor_axis` : scalar, list-like, dict-like or function, optional

Scalar or list-like will alter the `Series.name` attribute, and raise on `DataFrame` or `Panel`. dict-like or functions are transformations to apply to that axis' values

copy : boolean, default True

Also copy underlying data

inplace : boolean, default False

Whether to return a new `Panel`. If True then value of `copy` is ignored.

Returns `renamed` : `Panel` (new object)

See also:

`pandas.NDFrame.rename_axis`

Examples

```
>>> s = pd.Series([1, 2, 3])
>>> s
0    1
1    2
2    3
dtype: int64
>>> s.rename("my_name") # scalar, changes Series.name
0    1
1    2
2    3
Name: my_name, dtype: int64
>>> s.rename(lambda x: x ** 2) # function, changes labels
0    1
1    2
4    3
dtype: int64
>>> s.rename({1: 3, 2: 5}) # mapping, changes labels
0    1
3    2
5    3
dtype: int64
>>> df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
```

```

>>> df.rename(2)
...
TypeError: 'int' object is not callable
>>> df.rename(index=str, columns={"A": "a", "B": "c"})
   a  c
0  1  4
1  2  5
2  3  6
>>> df.rename(index=str, columns={"A": "a", "C": "c"})
   a  B
0  1  4
1  2  5
2  3  6

```

rename_axis (*mapper*, *axis=0*, *copy=True*, *inplace=False*)

Alter index and / or columns using input function or functions. A scalar or list-like for *mapper* will alter the `Index.name` or `MultiIndex.names` attribute. A function or dict for *mapper* will alter the labels. Function / dict values must be unique (1-to-1). Labels not contained in a dict / Series will be left as-is.

Parameters *mapper* : scalar, list-like, dict-like or function, optional

axis : int or string, default 0

copy : boolean, default True

Also copy underlying data

inplace : boolean, default False

Returns *renamed* : type of caller

See also:

`pandas.NDFrame.rename`, `pandas.Index.rename`

Examples

```

>>> df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
>>> df.rename_axis("foo") # scalar, alters df.index.name
   A  B
foo
0  1  4
1  2  5
2  3  6
>>> df.rename_axis(lambda x: 2 * x) # function: alters labels
   A  B
0  1  4
2  2  5
4  3  6
>>> df.rename_axis({"A": "ehh", "C": "see"}, axis="columns") # mapping
   ehh  B
0    1  4
1    2  5
2    3  6

```

replace (*to_replace=None*, *value=None*, *inplace=False*, *limit=None*, *regex=False*, *method='pad'*, *axis=None*)

Replace values given in 'to_replace' with 'value'.

Parameters `to_replace` : str, regex, list, dict, Series, numeric, or None

- str or regex:
 - str: string exactly matching `to_replace` will be replaced with `value`
 - regex: regexs matching `to_replace` will be replaced with `value`
- list of str, regex, or numeric:
 - First, if `to_replace` and `value` are both lists, they **must** be the same length.
 - Second, if `regex=True` then all of the strings in **both** lists will be interpreted as regexs otherwise they will match directly. This doesn't matter much for `value` since there are only a few possible substitution regexes you can use.
 - str and regex rules apply as above.
- dict:
 - Nested dictionaries, e.g., `{'a': {'b': nan}}`, are read as follows: look in column 'a' for the value 'b' and replace it with nan. You can nest regular expressions as well. Note that column names (the top-level dictionary keys in a nested dictionary) **cannot** be regular expressions.
 - Keys map to column names and values map to substitution values. You can treat this as a special case of passing two lists except that you are specifying the column to search in.
- None:
 - This means that the `regex` argument must be a string, compiled regular expression, or list, dict, ndarray or Series of such elements. If `value` is also None then this **must** be a nested dictionary or Series.

See the examples section for examples of each of these.

value : scalar, dict, list, str, regex, default None

Value to use to fill holes (e.g. 0), alternately a dict of values specifying which value to use for each column (columns not in the dict will not be filled). Regular expressions, strings and lists or dicts of such objects are also allowed.

inplace : boolean, default False

If True, in place. Note: this will modify any other views on this object (e.g. a column from a DataFrame). Returns the caller if this is True.

limit : int, default None

Maximum size gap to forward or backward fill

regex : bool or same types as `to_replace`, default False

Whether to interpret `to_replace` and/or `value` as regular expressions. If this is True then `to_replace` *must* be a string. Otherwise, `to_replace` must be None because this parameter will be interpreted as a regular expression or a list, dict, or array of regular expressions.

method : string, optional, {'pad', 'ffill', 'bfill'}

The method to use when for replacement, when `to_replace` is a list.

Returns **filled** : NDFrame

Raises AssertionError

- If *regex* is not a `bool` and *to_replace* is not `None`.

TypeError

- If *to_replace* is a `dict` and *value* is not a `list`, `dict`, `ndarray`, or `Series`
- If *to_replace* is `None` and *regex* is not compilable into a regular expression or is a `list`, `dict`, `ndarray`, or `Series`.

ValueError

- If *to_replace* and *value* are `list`s or `ndarray`s, but they are not the same length.

See also:

`NDFrame.reindex`, `NDFrame.asfreq`, `NDFrame.fillna`

Notes

- Regex substitution is performed under the hood with `re.sub`. The rules for substitution for `re.sub` are the same.
- Regular expressions will only substitute on strings, meaning you cannot provide, for example, a regular expression matching floating point numbers and expect the columns in your frame that have a numeric dtype to be matched. However, if those floating point numbers *are* strings, then you can do this.
- This method has *a lot* of options. You are encouraged to experiment and play with this method to gain intuition about how it works.

resample (*rule*, *how=None*, *axis=0*, *fill_method=None*, *closed=None*, *label=None*, *convention='start'*, *kind=None*, *loffset=None*, *limit=None*, *base=0*, *on=None*, *level=None*)

Convenience method for frequency conversion and resampling of time series. Object must have a datetime-like index (`DatetimeIndex`, `PeriodIndex`, or `TimedeltaIndex`), or pass datetime-like values to the `on` or `level` keyword.

Parameters rule : string

the offset string or object representing target conversion

axis : int, optional, default 0

closed : {'right', 'left'}

Which side of bin interval is closed

label : {'right', 'left'}

Which bin edge label to label bucket with

convention : {'start', 'end', 's', 'e'}

loffset : `timedelta`

Adjust the resampled time labels

base : int, default 0

For frequencies that evenly subdivide 1 day, the “origin” of the aggregated intervals. For example, for ‘5min’ frequency, `base` could range from 0 through 4. Defaults to 0

on : string, optional

For a DataFrame, column to use instead of index for resampling. Column must be datetime-like.

New in version 0.19.0.

level : string or int, optional

For a MultiIndex, level (name or number) to use for resampling. Level must be datetime-like.

New in version 0.19.0.

To learn more about the offset strings, please see [this link](#)

<<http://pandas.pydata.org/pandas-docs/stable/timeseries.html#offset-aliases>>‘_.

Examples

Start by creating a series with 9 one minute timestamps.

```
>>> index = pd.date_range('1/1/2000', periods=9, freq='T')
>>> series = pd.Series(range(9), index=index)
>>> series
2000-01-01 00:00:00    0
2000-01-01 00:01:00    1
2000-01-01 00:02:00    2
2000-01-01 00:03:00    3
2000-01-01 00:04:00    4
2000-01-01 00:05:00    5
2000-01-01 00:06:00    6
2000-01-01 00:07:00    7
2000-01-01 00:08:00    8
Freq: T, dtype: int64
```

Downsample the series into 3 minute bins and sum the values of the timestamps falling into a bin.

```
>>> series.resample('3T').sum()
2000-01-01 00:00:00    3
2000-01-01 00:03:00   12
2000-01-01 00:06:00   21
Freq: 3T, dtype: int64
```

Downsample the series into 3 minute bins as above, but label each bin using the right edge instead of the left. Please note that the value in the bucket used as the label is not included in the bucket, which it labels. For example, in the original series the bucket 2000-01-01 00:03:00 contains the value 3, but the summed value in the resampled bucket with the label “2000-01-01 00:03:00” does not include 3 (if it did, the summed value would be 6, not 3). To include this value close the right side of the bin interval as illustrated in the example below this one.

```
>>> series.resample('3T', label='right').sum()
2000-01-01 00:03:00    3
2000-01-01 00:06:00   12
2000-01-01 00:09:00   21
Freq: 3T, dtype: int64
```

Downsample the series into 3 minute bins as above, but close the right side of the bin interval.

```
>>> series.resample('3T', label='right', closed='right').sum()
2000-01-01 00:00:00    0
2000-01-01 00:03:00    6
```

```
2000-01-01 00:06:00    15
2000-01-01 00:09:00    15
Freq: 3T, dtype: int64
```

Upsample the series into 30 second bins.

```
>>> series.resample('30S').asfreq()[0:5] #select first 5 rows
2000-01-01 00:00:00    0
2000-01-01 00:00:30   NaN
2000-01-01 00:01:00    1
2000-01-01 00:01:30   NaN
2000-01-01 00:02:00    2
Freq: 30S, dtype: float64
```

Upsample the series into 30 second bins and fill the NaN values using the pad method.

```
>>> series.resample('30S').pad()[0:5]
2000-01-01 00:00:00    0
2000-01-01 00:00:30    0
2000-01-01 00:01:00    1
2000-01-01 00:01:30    1
2000-01-01 00:02:00    2
Freq: 30S, dtype: int64
```

Upsample the series into 30 second bins and fill the NaN values using the bfill method.

```
>>> series.resample('30S').bfill()[0:5]
2000-01-01 00:00:00    0
2000-01-01 00:00:30    1
2000-01-01 00:01:00    1
2000-01-01 00:01:30    2
2000-01-01 00:02:00    2
Freq: 30S, dtype: int64
```

Pass a custom function via apply

```
>>> def custom_resampler(array_like):
...     return np.sum(array_like)+5
```

```
>>> series.resample('3T').apply(custom_resampler)
2000-01-01 00:00:00    8
2000-01-01 00:03:00   17
2000-01-01 00:06:00   26
Freq: 3T, dtype: int64
```

rfloordiv (*other*, *axis=0*)

Integer division of series and other, element-wise (binary operator *rfloordiv*). Equivalent to `other // panel`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.floordiv`

rmod (*other*, *axis=0*)

Modulo of series and other, element-wise (binary operator *rmod*). Equivalent to `other % panel`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.mod`

rmul (*other*, *axis=0*)

Multiplication of series and other, element-wise (binary operator *rmul*). Equivalent to `other * panel`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.mul`

round (*decimals=0*, **args*, ***kwargs*)

Round each value in Panel to a specified number of decimal places.

New in version 0.18.0.

Parameters *decimals* : int

Number of decimal places to round to (default: 0). If *decimals* is negative, it specifies the number of positions to the left of the decimal point.

Returns Panel object

See also:

`numpy.around`

rpow (*other*, *axis=0*)

Exponential power of series and other, element-wise (binary operator *rpow*). Equivalent to `other ** panel`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.pow`

rsub (*other*, *axis=0*)

Subtraction of series and other, element-wise (binary operator *rsub*). Equivalent to `other - panel`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.sub`

rtruediv (*other*, *axis=0*)

Floating division of series and other, element-wise (binary operator *rtruediv*). Equivalent to `other / panel`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.truediv`

sample (*n=None*, *frac=None*, *replace=False*, *weights=None*, *random_state=None*, *axis=None*)

Returns a random sample of items from an axis of object.

New in version 0.16.1.

Parameters *n* : int, optional

Number of items from axis to return. Cannot be used with *frac*. Default = 1 if *frac* = None.

frac : float, optional

Fraction of axis items to return. Cannot be used with *n*.

replace : boolean, optional

Sample with or without replacement. Default = False.

weights : str or ndarray-like, optional

Default 'None' results in equal probability weighting. If passed a Series, will align with target object on index. Index values in weights not found in sampled object will be ignored and index values in sampled object not in weights will be assigned weights of zero. If called on a DataFrame, will accept the name of a column when *axis* = 0. Unless weights are a Series, weights must be same length as axis being sampled. If weights do not sum to 1, they will be normalized to sum to 1. Missing values in the weights column will be treated as zero. inf and -inf values not allowed.

random_state : int or numpy.random.RandomState, optional

Seed for the random number generator (if int), or numpy RandomState object.

axis : int or string, optional

Axis to sample. Accepts axis number or name. Default is stat axis for given data type (0 for Series and DataFrames, 1 for Panels).

Returns A new object of same type as caller.

Examples

Generate an example Series and DataFrame:

```
>>> s = pd.Series(np.random.randn(50))
>>> s.head()
0    -0.038497
1     1.820773
2    -0.972766
3    -1.598270
4    -1.095526
dtype: float64
>>> df = pd.DataFrame(np.random.randn(50, 4), columns=list('ABCD'))
>>> df.head()
      A         B         C         D
0  0.016443 -2.318952 -0.566372 -1.028078
1 -1.051921  0.438836  0.658280 -0.175797
2 -1.243569 -0.364626 -0.215065  0.057736
3  1.768216  0.404512 -0.385604 -1.457834
4  1.072446 -1.137172  0.314194 -0.046661
```

Next extract a random sample from both of these objects...

3 random elements from the Series:

```
>>> s.sample(n=3)
27    -0.994689
55    -1.049016
67    -0.224565
dtype: float64
```

And a random 10% of the DataFrame with replacement:

```
>>> df.sample(frac=0.1, replace=True)
      A         B         C         D
35  1.981780  0.142106  1.817165 -0.290805
49 -1.336199 -0.448634 -0.789640  0.217116
40  0.823173 -0.078816  1.009536  1.015108
15  1.421154 -0.055301 -1.922594 -0.019696
6   -0.148339  0.832938  1.787600 -1.383767
```

select (*crit*, *axis=0*)

Return data corresponding to axis labels matching criteria

Parameters *crit* : function

To be called on each index (label). Should return True or False

axis : int

Returns *selection* : type of caller

sem (*axis=None*, *skipna=None*, *level=None*, *ddof=1*, *numeric_only=None*, ***kwargs*)

Return unbiased standard error of the mean over requested axis.

Normalized by N-1 by default. This can be changed using the *ddof* argument

Parameters *axis* : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns sem : DataFrame or Panel (if level specified)

set_axis (*axis, labels*)

public version of axis assignment

set_value (**args, **kwargs*)

Quickly set single value at (item, major, minor) location

Parameters item : item label (panel item)

major : major axis label (panel item row)

minor : minor axis label (panel item column)

value : scalar

takeable : interpret the passed labels as indexers, default False

Returns panel : Panel

If label combo is contained, will be reference to calling Panel, otherwise a new object

shape

Return a tuple of axis dimensions

shift (*periods=1, freq=None, axis='major'*)

Shift index by desired number of periods with an optional time freq. The shifted data will not include the dropped periods and the shifted axis will be smaller than the original. This is different from the behavior of DataFrame.shift()

Parameters periods : int

Number of periods to move, can be positive or negative

freq : DateOffset, timedelta, or time rule string, optional

axis : {'items', 'major', 'minor'} or {0, 1, 2}

Returns shifted : Panel

size

number of elements in the NDFrame

skew (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased skew over requested axis Normalized by N-1

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns skew : DataFrame or Panel (if level specified)

slice_shift (*periods=1, axis=0*)

Equivalent to *shift* without copying data. The shifted data will not include the dropped periods and the shifted axis will be smaller than the original.

Parameters periods : int

Number of periods to move, can be positive or negative

Returns shifted : same type as caller

Notes

While the *slice_shift* is faster than *shift*, you may pay for it later during alignment.

sort_index (*axis=0, level=None, ascending=True, inplace=False, kind='quicksort', na_position='last', sort_remaining=True*)

Sort object by labels (along an axis)

Parameters axis : axes to direct sorting

level : int or level name or list of ints or list of level names

if not None, sort on values in specified index level(s)

ascending : boolean, default True

Sort ascending vs. descending

inplace : bool, default False

if True, perform operation in-place

kind : { 'quicksort', 'mergesort', 'heapsort' }, default 'quicksort'

Choice of sorting algorithm. See also `ndarray.sort` for more information. *mergesort* is the only stable algorithm. For DataFrames, this option is only applied when sorting on a single column or label.

na_position : { 'first', 'last' }, default 'last'

first puts NaNs at the beginning, *last* puts NaNs at the end

sort_remaining : bool, default True

if true and sorting by level and index is multilevel, sort by other levels too (in order) after sorting by specified level

Returns sorted_obj : NDFrame

sort_values (*by, axis=0, ascending=True, inplace=False, kind='quicksort', na_position='last'*)

squeeze (***kwargs*)

Squeeze length 1 dimensions.

std (*axis=None, skipna=None, level=None, ddof=1, numeric_only=None, **kwargs*)
Return sample standard deviation over requested axis.

Normalized by N-1 by default. This can be changed using the `ddof` argument

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns std : DataFrame or Panel (if level specified)

sub (*other, axis=0*)

Subtraction of series and other, element-wise (binary operator *sub*). Equivalent to `panel - other`.

Parameters other : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rsub`

subtract (*other, axis=0*)

Subtraction of series and other, element-wise (binary operator *sub*). Equivalent to `panel - other`.

Parameters other : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rsub`

sum (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the sum of the values for the requested axis

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns sum : DataFrame or Panel (if level specified)

swapaxes (*axis1*, *axis2*, *copy=True*)

Interchange axes and swap values axes appropriately

Returns y : same as input

swaplevel (*i=-2*, *j=-1*, *axis=0*)

Swap levels *i* and *j* in a MultiIndex on a particular axis

Parameters i, j : int, string (can be mixed)

Level of index to be swapped. Can pass level name as string.

Returns swapped : type of caller (new object)

Changed in version 0.18.1: The indexes *i* and *j* are now optional, and default to the two innermost levels of the index.

tail (*n=5*)

take (*indices*, *axis=0*, *convert=True*, *is_copy=True*, ***kwargs*)

Analogous to ndarray.take

Parameters indices : list / array of ints

axis : int, default 0

convert : translate neg to pos indices (default)

is_copy : mark the returned frame as a copy

Returns taken : type of caller

toLong (**args*, ***kwargs*)

to_clipboard (*excel=None*, *sep=None*, ***kwargs*)

Attempt to write text representation of object to the system clipboard This can be pasted into Excel, for example.

Parameters excel : boolean, defaults to True

if True, use the provided separator, writing in a csv format for allowing easy pasting into excel. if False, write a string representation of the object to the clipboard

sep : optional, defaults to tab

other keywords are passed to to_csv

Notes

Requirements for your platform

- Linux: xclip, or xsel (with gtk or PyQt4 modules)
- Windows: none
- OS X: none

to_dense ()

Return dense representation of NDFrame (as opposed to sparse)

to_excel (*path*, *na_rep*='', *engine*=None, ***kwargs*)

Write each DataFrame in Panel to a separate excel sheet

Parameters *path* : string or ExcelWriter object

File path or existing ExcelWriter

na_rep : string, default ''

Missing data representation

engine : string, default None

write engine to use - you can also set this via the options
io.excel.xlsx.writer, io.excel.xls.writer, and
io.excel.xlsm.writer.

Other Parameters *float_format* : string, default None

Format string for floating point numbers

cols : sequence, optional

Columns to write

header : boolean or list of string, default True

Write out column names. If a list of string is given it is assumed to be aliases for the column names

index : boolean, default True

Write row names (index)

index_label : string or sequence, default None

Column label for index column(s) if desired. If None is given, and *header* and *index* are True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex.

startrow : upper left cell row to dump data frame

startcol : upper left cell column to dump data frame

Notes

Keyword arguments (and *na_rep*) are passed to the `to_excel` method for each DataFrame written.

to_frame (*filter_observations*=True)

Transform wide format into long (stacked) format as DataFrame whose columns are the Panel's items and whose index is a MultiIndex formed of the Panel's major and minor axes.

Parameters *filter_observations* : boolean, default True

Drop (major, minor) pairs without a complete set of observations across all the items

Returns *y* : DataFrame

to_hdf (*path_or_buf*, *key*, ***kwargs*)

Write the contained data to an HDF5 file using HDFStore.

Parameters path_or_buf : the path (string) or HDFStore object

key : string

identifier for the group in the store

mode : optional, {'a', 'w', 'r+'}, default 'a'

'w' Write; a new file is created (an existing file with the same name would be deleted).

'a' Append; an existing file is opened for reading and writing, and if the file does not exist it is created.

'r+' It is similar to 'a', but the file must already exist.

format : 'fixed(f)|table(t)', default is 'fixed'

fixed(f) [Fixed format] Fast writing/reading. Not-appendable, nor searchable

table(t) [Table format] Write as a PyTables Table structure which may perform worse but allow more flexible operations like searching / selecting subsets of the data

append : boolean, default False

For Table formats, append the input data to the existing

data_columns : list of columns, or True, default None

List of columns to create as indexed data columns for on-disk queries, or True to use all columns. By default only the axes of the object are indexed. See [here](#).

Applicable only to format='table'.

complevel : int, 1-9, default 0

If a complib is specified compression will be applied where possible

complib : {'zlib', 'bzip2', 'lzo', 'blosc', None}, default None

If complevel is > 0 apply compression to objects written in the store wherever possible

fletcher32 : bool, default False

If applying compression use the fletcher32 checksum

dropna : boolean, default False.

If true, ALL nan rows will not be written to store.

to_json (*path_or_buf=None, orient=None, date_format='epoch', double_precision=10, force_ascii=True, date_unit='ms', default_handler=None, lines=False*)
Convert the object to a JSON string.

Note NaN's and None will be converted to null and datetime objects will be converted to UNIX timestamps.

Parameters path_or_buf : the path or buffer to write the result string

if this is None, return a StringIO of the converted string

orient : string

- Series
- default is 'index'

- allowed values are: { 'split', 'records', 'index' }
- DataFrame
 - default is 'columns'
 - allowed values are: { 'split', 'records', 'index', 'columns', 'values' }
- The format of the JSON string
 - split : dict like { index -> [index], columns -> [columns], data -> [values] }
 - records : list like [{ column -> value }, ... , { column -> value }]
 - index : dict like { index -> { column -> value } }
 - columns : dict like { column -> { index -> value } }
 - values : just the values array

date_format : { 'epoch', 'iso' }

Type of date conversion. *epoch* = epoch milliseconds, *iso* = ISO8601, default is epoch.

double_precision : The number of decimal places to use when encoding floating point values, default 10.

force_ascii : force encoded string to be ASCII, default True.

date_unit : string, default 'ms' (milliseconds)

The time unit to encode to, governs timestamp and ISO8601 precision. One of 's', 'ms', 'us', 'ns' for second, millisecond, microsecond, and nanosecond respectively.

default_handler : callable, default None

Handler to call if object cannot otherwise be converted to a suitable format for JSON. Should receive a single argument which is the object to convert and return a serialisable object.

lines : boolean, default False

If 'orient' is 'records' write out line delimited json format. Will throw ValueError if incorrect 'orient' since others are not list like.

New in version 0.19.0.

Returns same type as input object with filtered info axis

to_long (*args, **kwargs)

to_msgpack (path_or_buf=None, encoding='utf-8', **kwargs)
msgpack (serialize) object to input file path

THIS IS AN EXPERIMENTAL LIBRARY and the storage format may not be stable until a future release.

Parameters path : string File path, buffer-like, or None

if None, return generated string

append : boolean whether to append to an existing msgpack
(default is False)

compress : type of compressor (zlib or blosc), default to None (no

compression)

to_pickle (*path*)

Pickle (serialize) object to input file path.

Parameters path : string

File path

to_sparse (**args, **kwargs*)

NOT IMPLEMENTED: do not call this method, as sparsifying is not supported for Panel objects and will raise an error.

Convert to SparsePanel

to_sql (*name, con, flavor=None, schema=None, if_exists='fail', index=True, index_label=None, chunksize=None, dtype=None*)

Write records stored in a DataFrame to a SQL database.

Parameters name : string

Name of SQL table

con : SQLAlchemy engine or DBAPI2 connection (legacy mode)

Using SQLAlchemy makes it possible to use any DB supported by that library. If a DBAPI2 object, only sqlite3 is supported.

flavor : 'sqlite', default None

DEPRECATED: this parameter will be removed in a future version, as 'sqlite' is the only supported option if SQLAlchemy is not installed.

schema : string, default None

Specify the schema (if database flavor supports this). If None, use default schema.

if_exists : {'fail', 'replace', 'append'}, default 'fail'

- fail: If table exists, do nothing.
- replace: If table exists, drop it, recreate it, and insert data.
- append: If table exists, insert data. Create if does not exist.

index : boolean, default True

Write DataFrame index as a column.

index_label : string or sequence, default None

Column label for index column(s). If None is given (default) and *index* is True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex.

chunksize : int, default None

If not None, then rows will be written in batches of this size at a time. If None, all rows will be written at once.

dtype : dict of column name to SQL type, default None

Optional specifying the datatype for columns. The SQL type should be a SQLAlchemy type, or a string for sqlite3 fallback connection.

to_xarray ()

Return an xarray object from the pandas object.

Returns a DataArray for a Series

a Dataset for a DataFrame

a DataArray for higher dims

Notes

See the [xarray docs](#)

Examples

```
>>> df = pd.DataFrame({'A' : [1, 1, 2],
                       'B' : ['foo', 'bar', 'foo'],
                       'C' : np.arange(4.,7)})

>>> df
   A  B  C
0  1  foo  4.0
1  1  bar  5.0
2  2  foo  6.0
```

```
>>> df.to_xarray()
<xarray.Dataset>
Dimensions:  (index: 3)
Coordinates:
  * index    (index) int64 0 1 2
Data variables:
  A          (index) int64 1 1 2
  B          (index) object 'foo' 'bar' 'foo'
  C          (index) float64 4.0 5.0 6.0
```

```
>>> df = pd.DataFrame({'A' : [1, 1, 2],
                       'B' : ['foo', 'bar', 'foo'],
                       'C' : np.arange(4.,7)})
>>> df.set_index(['B', 'A'])

>>> df
      B  A  C
foo  1  4.0
bar  1  5.0
foo  2  6.0
```

```
>>> df.to_xarray()
<xarray.Dataset>
Dimensions:  (A: 2, B: 2)
Coordinates:
  * B        (B) object 'bar' 'foo'
  * A        (A) int64 1 2
Data variables:
  C          (B, A) float64 5.0 nan 4.0 6.0
```

```
>>> p = pd.Panel(np.arange(24).reshape(4,3,2),
                 items=list('ABCD'),
                 major_axis=pd.date_range('20130101', periods=3),
                 minor_axis=['first', 'second'])

>>> p
<class 'pandas.core.panel.Panel'>
```

```
Dimensions: 4 (items) x 3 (major_axis) x 2 (minor_axis)
Items axis: A to D
Major_axis axis: 2013-01-01 00:00:00 to 2013-01-03 00:00:00
Minor_axis axis: first to second
```

```
>>> p.to_xarray()
<xarray.DataArray (items: 4, major_axis: 3, minor_axis: 2)>
array([[[ 0,  1],
         [ 2,  3],
         [ 4,  5]],
       [[ 6,  7],
         [ 8,  9],
         [10, 11]],
       [[12, 13],
         [14, 15],
         [16, 17]],
       [[18, 19],
         [20, 21],
         [22, 23]]])
Coordinates:
  * items      (items) object 'A' 'B' 'C' 'D'
  * major_axis (major_axis) datetime64[ns] 2013-01-01 2013-01-02 2013-01-03 # noqa
  * minor_axis (minor_axis) object 'first' 'second'
```

transpose (*args, **kwargs)

Permute the dimensions of the Panel

Parameters *args* : three positional arguments: each one of

{0, 1, 2, 'items', 'major_axis', 'minor_axis'}

copy [boolean, default False] Make a copy of the underlying data. Mixed-dtype data will always result in a copy

Returns *y* : same as input

Examples

```
>>> p.transpose(2, 0, 1)
>>> p.transpose(2, 0, 1, copy=True)
```

truediv (*other*, *axis=0*)

Floating division of series and other, element-wise (binary operator *truediv*). Equivalent to `panel / other`.

Parameters *other* : DataFrame or Panel

axis : {items, major_axis, minor_axis}

Axis to broadcast over

Returns Panel

See also:

`Panel.rtruediv`

truncate (*before=None, after=None, axis=None, copy=True*)

Truncates a sorted NDFrame before and/or after some particular index value. If the axis contains only datetime values, before/after parameters are converted to datetime values.

Parameters before : date

Truncate before index value

after : date

Truncate after index value

axis : the truncation axis, defaults to the stat axis

copy : boolean, default is True,

return a copy of the truncated section

Returns truncated : type of caller

tshift (*periods=1, freq=None, axis='major'*)

tz_convert (*tz, axis=0, level=None, copy=True*)

Convert tz-aware axis to target time zone.

Parameters tz : string or pytz.timezone object

axis : the axis to convert

level : int, str, default None

If axis is a MultiIndex, convert a specific level. Otherwise must be None

copy : boolean, default True

Also make a copy of the underlying data

Raises TypeError

If the axis is tz-naive.

tz_localize (**args, **kwargs*)

Localize tz-naive TimeSeries to target time zone.

Parameters tz : string or pytz.timezone object

axis : the axis to localize

level : int, str, default None

If axis is a MultiIndex, localize a specific level. Otherwise must be None

copy : boolean, default True

Also make a copy of the underlying data

ambiguous : 'infer', bool-ndarray, 'NaT', default 'raise'

- 'infer' will attempt to infer fall dst-transition hours based on order
- bool-ndarray where True signifies a DST time, False designates a non-DST time (note that this flag is only applicable for ambiguous times)
- 'NaT' will return NaT where there are ambiguous times
- 'raise' will raise an AmbiguousTimeError if there are ambiguous times

infer_dst : boolean, default False (DEPRECATED)

Attempt to infer fall dst-transition hours based on order

Raises TypeError

If the TimeSeries is tz-aware and tz is not None.

update (*other*, *join*='left', *overwrite*=True, *filter_func*=None, *raise_conflict*=False)

Modify Panel in place using non-NA values from passed Panel, or object coercible to Panel. Aligns on items

Parameters other : Panel, or object coercible to Panel

join : How to join individual DataFrames

{ 'left', 'right', 'outer', 'inner' }, default 'left'

overwrite : boolean, default True

If True then overwrite values for common keys in the calling panel

filter_func : callable(1d-array) -> 1d-array<boolean>, default None

Can choose to replace values other than NA. Return True for values that should be updated

raise_conflict : bool

If True, will raise an error if a DataFrame and other both contain data in the same place.

values

Numpy representation of NDFrame

Notes

The dtype will be a lower-common-denominator dtype (implicit upcasting); that is to say if the dtypes (even of numeric types) are mixed, the one that accommodates all will be chosen. Use this with care if you are not dealing with the blocks.

e.g. If the dtypes are float16 and float32, dtype will be upcast to float32. If dtypes are int32 and uint8, dtype will be upcast to int32. By `numpy.find_common_type` convention, mixing int64 and uint64 will result in a float64 dtype.

var (*axis*=None, *skipna*=None, *level*=None, *ddof*=1, *numeric_only*=None, ***kwargs*)

Return unbiased variance over requested axis.

Normalized by N-1 by default. This can be changed using the `ddof` argument

Parameters axis : {items (0), major_axis (1), minor_axis (2)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a DataFrame

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns var : DataFrame or Panel (if level specified)

where (*cond*, *other=nan*, *inplace=False*, *axis=None*, *level=None*, *try_cast=False*, *raise_on_error=True*)

Return an object of same shape as self and whose corresponding entries are from self where cond is True and otherwise are from other.

Parameters cond : boolean NDFrame, array or callable

If cond is callable, it is computed on the NDFrame and should return boolean NDFrame or array. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as cond.

other : scalar, NDFrame, or callable

If other is callable, it is computed on the NDFrame and should return scalar or NDFrame. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as other.

inplace : boolean, default False

Whether to perform the operation in place on the data

axis : alignment axis if needed, default None

level : alignment level if needed, default None

try_cast : boolean, default False

try to cast the result back to the input type (if possible),

raise_on_error : boolean, default True

Whether to raise on invalid data types (e.g. trying to where on strings)

Returns wh : same type as caller

See also:

`DataFrame.mask()`

Notes

The where method is an application of the if-then idiom. For each element in the calling DataFrame, if cond is True the element is used; otherwise the corresponding element from the DataFrame other is used.

The signature for `DataFrame.where()` differs from `numpy.where()`. Roughly `df1.where(m, df2)` is equivalent to `np.where(m, df1, df2)`.

For further details and examples see the where documentation in indexing.

Examples

```
>>> s = pd.Series(range(5))
>>> s.where(s > 0)
0    NaN
1    1.0
2    2.0
3    3.0
4    4.0
```

```
>>> df = pd.DataFrame(np.arange(10).reshape(-1, 2), columns=['A', 'B'])
>>> m = df % 3 == 0
>>> df.where(m, -df)
   A  B
0  0 -1
1 -2  3
2 -4 -5
3  6 -7
4 -8  9
>>> df.where(m, -df) == np.where(m, df, -df)
   A    B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
>>> df.where(m, -df) == df.mask(~m, -df)
   A    B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
```

xs (*key*, *axis=1*)

Return slice of panel along selected axis

Parameters *key* : object

Label

axis : {‘items’, ‘major’, ‘minor’, default 1/‘major’}

Returns *y* : ndim(self)-1

Notes

xs is only for getting, not setting values.

MultiIndex Slicers is a generic way to get/set values on any level or levels and is a superset of xs functionality, see MultiIndex Slicers

class `oddt.pandas.ChemSeries` (*data=None*, *index=None*, *dtype=None*, *name=None*, *copy=False*, *fast-path=False*)

Bases: `pandas.core.series.Series`

Pandas Series modified to adapt `oddt.toolkit.Molecule` objects and apply molecular methods easily.

New in version 0.3.

Attributes

<i>T</i>	return the transpose, which is by definition self
<i>asobject</i>	return object Series which contains boxed values
<i>at</i>	Fast label-based scalar accessor
<i>axes</i>	Return a list of the row axis labels
<i>base</i>	return the base object if the memory of the underlying data is
<i>blocks</i>	Internal property, property synonym for <i>as_blocks()</i>
<i>data</i>	return the data pointer of the underlying data
<i>dtype</i>	return the dtype object of the underlying data
<i>dtypes</i>	return the dtype object of the underlying data
<i>empty</i>	True if NDFrame is entirely empty [no items], meaning any of the axes are of length 0.
<i>flags</i>	return the ndarray.flags for the underlying data
<i>ftype</i>	return if the data is sparse/dense
<i>ftypes</i>	return if the data is sparse/dense
<i>iat</i>	Fast integer location scalar accessor.
<i>iloc</i>	Purely integer-location based indexing for selection by position.
<i>imag</i>	
<i>is_monotonic</i>	Return boolean if values in the object are
<i>is_monotonic_decreasing</i>	Return boolean if values in the object are
<i>is_monotonic_increasing</i>	Return boolean if values in the object are
<i>is_time_series</i>	
<i>is_unique</i>	Return boolean if values in the object are unique
<i>itemsize</i>	return the size of the dtype of the item of the underlying data
<i>ix</i>	A primarily label-location based indexer, with integer position fallback.
<i>loc</i>	Purely label-location based indexer for selection by label.
<i>name</i>	
<i>nbytes</i>	return the number of bytes in the underlying data
<i>ndim</i>	return the number of dimensions of the underlying data,
<i>real</i>	
<i>shape</i>	return a tuple of the shape of the underlying data
<i>size</i>	return the number of elements in the underlying data
<i>strides</i>	return the strides of the underlying data
<i>values</i>	Return Series as ndarray or ndarray-like

hasnans	
is_copy	

Methods

<i>abs()</i>	Return an object with absolute value taken—only applicable to objects that are all
<i>add(other[, level, fill_value, axis])</i>	Addition of series and other, element-wise (binary operator <i>add</i>).
<i>add_prefix(prefix)</i>	Concatenate prefix string with panel items names.
<i>add_suffix(suffix)</i>	Concatenate suffix string with panel items names.
<i>align(other[, join, axis, level, copy, ...])</i>	Align two object on their axes with the
<i>all([axis, bool_only, skipna, level])</i>	Return whether all elements are True over requested axis
<i>any([axis, bool_only, skipna, level])</i>	Return whether any element is True over requested axis
<i>append(to_append[, ignore_index, ...])</i>	Concatenate two or more Series.

Table 4.47 – continued from previous page

<code>apply(func[, convert_dtype, args])</code>	Invoke function on values of Series.
<code>argmax([axis, skipna])</code>	Index of first occurrence of maximum of values.
<code>argmin([axis, skipna])</code>	Index of first occurrence of minimum of values.
<code>argsort([axis, kind, order])</code>	Overrides ndarray.argsort.
<code>as_blocks([copy])</code>	Convert the frame to a dict of dtype -> Constructor Types that each has a homogeneous dtype.
<code>as_matrix([columns])</code>	Convert the frame to its Numpy-array representation.
<code>asfreq(freq[, method, how, normalize])</code>	Convert TimeSeries to specified frequency.
<code>asof(where[, subset])</code>	The last row without any NaN is taken (or the last row without NaN).
<code>astype(dtype[, copy, raise_on_error])</code>	Cast object to input numpy.dtype
<code>at_time(time[, asof])</code>	Select values at particular time of day (e.g. 9:00 AM).
<code>autocorr([lag])</code>	Lag-N autocorrelation
<code>between(left, right[, inclusive])</code>	Return boolean Series equivalent to left <= series <= right.
<code>between_time(start_time, end_time[, ...])</code>	Select values between particular times of the day (e.g., 9:00-9:30 AM).
<code>bfill([axis, inplace, limit, downcast])</code>	Synonym for NDFrame.fillna(method='bfill')
<code>bool()</code>	Return the bool of a single element PandasObject.
<code>calcfp(*args, **kwargs)</code>	Helper function to map FP calculation through the series
<code>cat</code>	alias of <code>CategoricalAccessor</code>
<code>clip([lower, upper, axis])</code>	Trim values at input threshold(s).
<code>clip_lower(threshold[, axis])</code>	Return copy of the input with values below given value(s) truncated.
<code>clip_upper(threshold[, axis])</code>	Return copy of input with values above given value(s) truncated.
<code>combine(other, func[, fill_value])</code>	Perform elementwise binary operation on two Series using given function
<code>combine_first(other)</code>	Combine Series values, choosing the calling Series's values first.
<code>compound([axis, skipna, level])</code>	Return the compound percentage of the values for the requested axis
<code>compress(condition, *args, **kwargs)</code>	Return selected slices of an array along given axis as a Series
<code>consolidate([inplace])</code>	Compute NDFrame with "consolidated" internals (data of each dtype grouped together)
<code>convert_objects([convert_dates, ...])</code>	Deprecated.
<code>copy([deep])</code>	Make a copy of this objects data.
<code>corr(other[, method, min_periods])</code>	Compute correlation with <i>other</i> Series, excluding missing values
<code>count([level])</code>	Return number of non-NA/null observations in the Series
<code>cov(other[, min_periods])</code>	Compute covariance with Series, excluding missing values
<code>cummax([axis, skipna])</code>	Return cumulative max over requested axis.
<code>cummin([axis, skipna])</code>	Return cumulative minimum over requested axis.
<code>cumprod([axis, skipna])</code>	Return cumulative product over requested axis.
<code>cumsum([axis, skipna])</code>	Return cumulative sum over requested axis.
<code>describe([percentiles, include, exclude])</code>	Generate various summary statistics, excluding NaN values.
<code>diff([periods])</code>	1st discrete difference of object
<code>div(other[, level, fill_value, axis])</code>	Floating division of series and other, element-wise (binary operator <i>truediv</i>).
<code>divide(other[, level, fill_value, axis])</code>	Floating division of series and other, element-wise (binary operator <i>truediv</i>).
<code>dot(other)</code>	Matrix multiplication with DataFrame or inner-product with Series
<code>drop(labels[, axis, level, inplace, errors])</code>	Return new object with labels in requested axis removed.
<code>drop_duplicates(*args, **kwargs)</code>	Return Series with duplicate values removed
<code>dropna([axis, inplace])</code>	Return Series without null values
<code>dt</code>	alias of <code>CombinedDatetimelikeProperties</code>
<code>duplicated(*args, **kwargs)</code>	Return boolean Series denoting duplicate values
<code>eq(other[, level, fill_value, axis])</code>	Equal to of series and other, element-wise (binary operator <i>eq</i>).
<code>equals(other)</code>	Determines if two NDFrame objects contain the same elements.
<code>ewm([com, span, halflife, alpha, ...])</code>	Provides exponential weighted functions
<code>expanding([min_periods, freq, center, axis])</code>	Provides expanding transformations.
<code>factorize([sort, na_sentinel])</code>	Encode the object as an enumerated type or categorical variable
<code>ffill([axis, inplace, limit, downcast])</code>	Synonym for NDFrame.fillna(method='ffill')

Table 4.47 – continued from previous page

<code>fillna([value, method, axis, inplace, ...])</code>	Fill NA/NaN values using the specified method
<code>filter([items, like, regex, axis])</code>	Subset rows or columns of dataframe according to labels in the specified index.
<code>first(offset)</code>	Convenience method for subsetting initial periods of time series data based on a
<code>first_valid_index()</code>	Return label for first non-NA/null value
<code>floordiv(other[, level, fill_value, axis])</code>	Integer division of series and other, element-wise (binary operator <i>floordiv</i>).
<code>from_array(arr[, index, name, dtype, copy, ...])</code>	
<code>from_csv(path[, sep, parse_dates, header, ...])</code>	Read CSV file (DISCOURAGED, please use <code>pandas.read_csv()</code> instead)
<code>ge(other[, level, fill_value, axis])</code>	Greater than or equal to of series and other, element-wise (binary operator <i>ge</i>).
<code>get(key[, default])</code>	Get item from object for given key (DataFrame column, Panel slice, etc.).
<code>get_dtype_counts()</code>	Return the counts of dtypes in this object.
<code>get_ftype_counts()</code>	Return the counts of ftypes in this object.
<code>get_value(label[, takeable])</code>	Quickly retrieve single value at passed index label
<code>get_values()</code>	same as <code>values</code> (but handles sparseness conversions); is a view
<code>groupby([by, axis, level, as_index, sort, ...])</code>	Group series using mapper (dict or key function, apply given function to group,
<code>gt(other[, level, fill_value, axis])</code>	Greater than of series and other, element-wise (binary operator <i>gt</i>).
<code>head([n])</code>	Returns first <i>n</i> rows
<code>hist([by, ax, grid, xlabelsize, xrot, ...])</code>	Draw histogram of the input series using matplotlib
<code>idxmax([axis, skipna])</code>	Index of first occurrence of maximum of values.
<code>idxmin([axis, skipna])</code>	Index of first occurrence of minimum of values.
<code>iget(i[, axis])</code>	DEPRECATED.
<code>iget_value(i[, axis])</code>	DEPRECATED.
<code>interpolate([method, axis, limit, inplace, ...])</code>	Interpolate values according to different methods.
<code>irow(i[, axis])</code>	DEPRECATED.
<code>isin(values)</code>	Return a boolean <i>Series</i> showing whether each element in the <i>Series</i> is exa
<code>isnull()</code>	Return a boolean same-sized object indicating if the values are null.
<code>item()</code>	return the first element of the underlying data as a python
<code>iteritems()</code>	Lazily iterate over (index, value) tuples
<code>iterkv(*args, **kwargs)</code>	iteritems alias used to get around 2to3. Deprecated
<code>keys()</code>	Alias for <code>index</code>
<code>kurt([axis, skipna, level, numeric_only])</code>	Return unbiased kurtosis over requested axis using Fisher’s definition of kurtosi
<code>kurtosis([axis, skipna, level, numeric_only])</code>	Return unbiased kurtosis over requested axis using Fisher’s definition of kurtosi
<code>last(offset)</code>	Convenience method for subsetting final periods of time series data based on a c
<code>last_valid_index()</code>	Return label for last non-NA/null value
<code>le(other[, level, fill_value, axis])</code>	Less than or equal to of series and other, element-wise (binary operator <i>le</i>).
<code>lt(other[, level, fill_value, axis])</code>	Less than of series and other, element-wise (binary operator <i>lt</i>).
<code>mad([axis, skipna, level])</code>	Return the mean absolute deviation of the values for the requested axis
<code>map(arg[, na_action])</code>	Map values of <i>Series</i> using input correspondence (which can be
<code>mask(cond[, other, inplace, axis, level, ...])</code>	Return an object of same shape as self and whose corresponding entries are from
<code>max([axis, skipna, level, numeric_only])</code>	This method returns the maximum of the values in the object.
<code>mean([axis, skipna, level, numeric_only])</code>	Return the mean of the values for the requested axis
<code>median([axis, skipna, level, numeric_only])</code>	Return the median of the values for the requested axis
<code>memory_usage([index, deep])</code>	Memory usage of the <i>Series</i>
<code>min([axis, skipna, level, numeric_only])</code>	This method returns the minimum of the values in the object.
<code>mod(other[, level, fill_value, axis])</code>	Modulo of series and other, element-wise (binary operator <i>mod</i>).
<code>mode()</code>	Returns the mode(s) of the dataset.
<code>mul(other[, level, fill_value, axis])</code>	Multiplication of series and other, element-wise (binary operator <i>mul</i>).
<code>multiply(other[, level, fill_value, axis])</code>	Multiplication of series and other, element-wise (binary operator <i>mul</i>).
<code>ne(other[, level, fill_value, axis])</code>	Not equal to of series and other, element-wise (binary operator <i>ne</i>).
<code>nlargest(*args, **kwargs)</code>	Return the largest <i>n</i> elements.
<code>nonzero()</code>	Return the indices of the elements that are non-zero

Table 4.47 – continued from previous page

<code>notnull()</code>	Return a boolean same-sized object indicating if the values are not null.
<code>nsmallest(*args, **kwargs)</code>	Return the smallest <i>n</i> elements.
<code>nunique([dropna])</code>	Return number of unique elements in the object.
<code>order([na_last, ascending, kind, ...])</code>	DEPRECATED: use <code>Series.sort_values()</code>
<code>pct_change([periods, fill_method, limit, freq])</code>	Percent change over given number of periods.
<code>pipe(func, *args, **kwargs)</code>	Apply <code>func(self, *args, **kwargs)</code>
<code>plot</code>	alias of <code>SeriesPlotMethods</code>
<code>pop(item)</code>	Return item and drop from frame.
<code>pow(other[, level, fill_value, axis])</code>	Exponential power of series and other, element-wise (binary operator <i>pow</i>).
<code>prod([axis, skipna, level, numeric_only])</code>	Return the product of the values for the requested axis
<code>product([axis, skipna, level, numeric_only])</code>	Return the product of the values for the requested axis
<code>ptp([axis, skipna, level, numeric_only])</code>	Returns the difference between the maximum value and the minimum value in t
<code>put(*args, **kwargs)</code>	Applies the <i>put</i> method to its <i>values</i> attribute if it has one.
<code>quantile([q, interpolation])</code>	Return value at the given quantile, a la numpy.percentile.
<code>radd(other[, level, fill_value, axis])</code>	Addition of series and other, element-wise (binary operator <i>radd</i>).
<code>rank([axis, method, numeric_only, ...])</code>	Compute numerical data ranks (1 through n) along axis.
<code>ravel([order])</code>	Return the flattened underlying data as an ndarray
<code>rdiv(other[, level, fill_value, axis])</code>	Floating division of series and other, element-wise (binary operator <i>rtruediv</i>).
<code>reindex([index])</code>	Conform Series to new index with optional filling logic, placing NA/NaN in loc
<code>reindex_axis(labels[, axis])</code>	for compatibility with higher dims
<code>reindex_like(other[, method, copy, limit, ...])</code>	Return an object with matching indices to myself.
<code>rename([index])</code>	Alter axes input function or functions.
<code>rename_axis(mapper[, axis, copy, inplace])</code>	Alter index and / or columns using input function or functions.
<code>reorder_levels(order)</code>	Rearrange index levels using input order.
<code>repeat(reps, *args, **kwargs)</code>	Repeat elements of an Series.
<code>replace([to_replace, value, inplace, limit, ...])</code>	Replace values given in ‘to_replace’ with ‘value’.
<code>resample(rule[, how, axis, fill_method, ...])</code>	Convenience method for frequency conversion and resampling of time series.
<code>reset_index([level, drop, name, inplace])</code>	Analogous to the <code>pandas.DataFrame.reset_index()</code> function, see doc
<code>reshape(*args, **kwargs)</code>	DEPRECATED: calling this method will raise an error in a future release.
<code>rfloordiv(other[, level, fill_value, axis])</code>	Integer division of series and other, element-wise (binary operator <i>rfloordiv</i>).
<code>rmod(other[, level, fill_value, axis])</code>	Modulo of series and other, element-wise (binary operator <i>rmod</i>).
<code>rmul(other[, level, fill_value, axis])</code>	Multiplication of series and other, element-wise (binary operator <i>rmul</i>).
<code>rolling(window[, min_periods, freq, center, ...])</code>	Provides rolling window calculations.
<code>round([decimals])</code>	Round each value in a Series to the given number of decimals.
<code>rpow(other[, level, fill_value, axis])</code>	Exponential power of series and other, element-wise (binary operator <i>rpow</i>).
<code>rsub(other[, level, fill_value, axis])</code>	Subtraction of series and other, element-wise (binary operator <i>rsub</i>).
<code>rtruediv(other[, level, fill_value, axis])</code>	Floating division of series and other, element-wise (binary operator <i>rtruediv</i>).
<code>sample([n, frac, replace, weights, ...])</code>	Returns a random sample of items from an axis of object.
<code>searchsorted(v[, side, sorter])</code>	Find indices where elements should be inserted to maintain order.
<code>select(crit[, axis])</code>	Return data corresponding to axis labels matching criteria
<code>sem([axis, skipna, level, ddof, numeric_only])</code>	Return unbiased standard error of the mean over requested axis.
<code>set_axis(axis, labels)</code>	public version of axis assignment
<code>set_value(label, value[, takeable])</code>	Quickly set single value at passed label.
<code>shift([periods, freq, axis])</code>	Shift index by desired number of periods with an optional time freq
<code>skew([axis, skipna, level, numeric_only])</code>	Return unbiased skew over requested axis
<code>slice_shift([periods, axis])</code>	Equivalent to <i>shift</i> without copying data.
<code>sort([axis, ascending, kind, na_position, ...])</code>	DEPRECATED: use <code>Series.sort_values(inplace=True)()</code> for IN
<code>sort_index([axis, level, ascending, ...])</code>	Sort object by labels (along an axis)
<code>sort_values([axis, ascending, inplace, ...])</code>	Sort by the values along either axis
<code>sortlevel([level, ascending, sort_remaining])</code>	Sort Series with MultiIndex by chosen level.

Table 4.47 – continued from previous page

<code>squeeze(**kwargs)</code>	Squeeze length 1 dimensions.
<code>std([axis, skipna, level, ddof, numeric_only])</code>	Return sample standard deviation over requested axis.
<code>str</code>	alias of <code>StringMethods</code>
<code>sub(other[, level, fill_value, axis])</code>	Subtraction of series and other, element-wise (binary operator <i>sub</i>).
<code>subtract(other[, level, fill_value, axis])</code>	Subtraction of series and other, element-wise (binary operator <i>sub</i>).
<code>sum([axis, skipna, level, numeric_only])</code>	Return the sum of the values for the requested axis
<code>swapaxes(axis1, axis2[, copy])</code>	Interchange axes and swap values axes appropriately
<code>swaplevel([i, j, copy])</code>	Swap levels i and j in a MultiIndex
<code>tail([n])</code>	Returns last n rows
<code>take(indices[, axis, convert, is_copy])</code>	return Series corresponding to requested indices
<code>to_clipboard([excel, sep])</code>	Attempt to write text representation of object to the system clipboard This can b
<code>to_csv([path, index, sep, na_rep, ...])</code>	Write Series to a comma-separated values (csv) file
<code>to_dense()</code>	Return dense representation of NDFrame (as opposed to sparse)
<code>to_dict()</code>	Convert Series to {label -> value} dict
<code>to_frame([name])</code>	Convert Series to DataFrame
<code>to_hdf(path_or_buf, key, **kwargs)</code>	Write the contained data to an HDF5 file using HDFStore.
<code>to_json([path_or_buf, orient, date_format, ...])</code>	Convert the object to a JSON string.
<code>to_mol2([filepath_or_buffer])</code>	
<code>to_msgpack([path_or_buf, encoding])</code>	msgpack (serialize) object to input file path
<code>to_period([freq, copy])</code>	Convert Series from DatetimeIndex to PeriodIndex with desired
<code>to_pickle(path)</code>	Pickle (serialize) object to input file path.
<code>to_sdf([filepath_or_buffer])</code>	
<code>to_smiles([filepath_or_buffer])</code>	
<code>to_sparse([kind, fill_value])</code>	Convert Series to SparseSeries
<code>to_sql(name, con[, flavor, schema, ...])</code>	Write records stored in a DataFrame to a SQL database.
<code>to_string([buf, na_rep, float_format, ...])</code>	Render a string representation of the Series
<code>to_timestamp([freq, how, copy])</code>	Cast to datetimeindex of timestamps, at <i>beginning</i> of period
<code>to_xarray()</code>	Return an xarray object from the pandas object.
<code>tolist()</code>	Convert Series to a nested list
<code>transpose(*args, **kwargs)</code>	return the transpose, which is by definition self
<code>truediv(other[, level, fill_value, axis])</code>	Floating division of series and other, element-wise (binary operator <i>truediv</i>).
<code>truncate([before, after, axis, copy])</code>	Truncates a sorted NDFrame before and/or after some particular index value.
<code>tshift([periods, freq, axis])</code>	Shift the time index, using the index's frequency if available.
<code>tz_convert(tz[, axis, level, copy])</code>	Convert tz-aware axis to target time zone.
<code>tz_localize(*args, **kwargs)</code>	Localize tz-naive TimeSeries to target time zone.
<code>unique()</code>	Return np.ndarray of unique values in the object.
<code>unstack([level, fill_value])</code>	Unstack, a.k.a.
<code>update(other)</code>	Modify Series in place using non-NA values from passed Series.
<code>valid([inplace])</code>	
<code>value_counts([normalize, sort, ascending, ...])</code>	Returns object containing counts of unique values.
<code>var([axis, skipna, level, ddof, numeric_only])</code>	Return unbiased variance over requested axis.
<code>view([dtype])</code>	
<code>where(cond[, other, inplace, axis, level, ...])</code>	Return an object of same shape as self and whose corresponding entries are from
<code>xs(key[, axis, level, drop_level])</code>	Returns a cross-section (row(s) or column(s)) from the Series/DataFrame.

T

return the transpose, which is by definition self

abs ()

Return an object with absolute value taken—only applicable to objects that are all numeric.

Returns abs: type of caller

add (*other*, *level=None*, *fill_value=None*, *axis=0*)

Addition of series and other, element-wise (binary operator *add*).

Equivalent to `series + other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.radd`

add_prefix (*prefix*)

Concatenate prefix string with panel items names.

Parameters prefix : string

Returns with_prefix : type of caller

add_suffix (*suffix*)

Concatenate suffix string with panel items names.

Parameters suffix : string

Returns with_suffix : type of caller

align (*other*, *join='outer'*, *axis=None*, *level=None*, *copy=True*, *fill_value=None*, *method=None*, *limit=None*, *fill_axis=0*, *broadcast_axis=None*)

Align two object on their axes with the specified join method for each axis Index

Parameters other : DataFrame or Series

join : {'outer', 'inner', 'left', 'right'}, default 'outer'

axis : allowed axis of the other object, default None

Align on index (0), columns (1), or both (None)

level : int or level name, default None

Broadcast across a level, matching Index values on the passed MultiIndex level

copy : boolean, default True

Always returns new objects. If `copy=False` and no reindexing is required then original objects are returned.

fill_value : scalar, default np.NaN

Value to use for missing values. Defaults to NaN, but can be any "compatible" value

method : str, default None

limit : int, default None

fill_axis : {0, 'index'}, default 0

Filling axis, method and limit

broadcast_axis : {0, 'index'}, default None

Broadcast values along this axis, if aligning two objects of different dimensions

New in version 0.17.0.

Returns (left, right) : (Series, type of other)

Aligned objects

all (*axis=None, bool_only=None, skipna=None, level=None, **kwargs*)

Return whether all elements are True over requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

bool_only : boolean, default None

Include only boolean columns. If None, will attempt to use everything, then use only boolean data. Not implemented for Series.

Returns all : scalar or Series (if level specified)

any (*axis=None, bool_only=None, skipna=None, level=None, **kwargs*)

Return whether any element is True over requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

bool_only : boolean, default None

Include only boolean columns. If None, will attempt to use everything, then use only boolean data. Not implemented for Series.

Returns any : scalar or Series (if level specified)

append (*to_append, ignore_index=False, verify_integrity=False*)

Concatenate two or more Series.

Parameters to_append : Series or list/tuple of Series

ignore_index : boolean, default False

If True, do not use the index labels.

verify_integrity : boolean, default False

If True, raise Exception on creating index with duplicates

Returns appended : Series

Examples

```
>>> s1 = pd.Series([1, 2, 3])
>>> s2 = pd.Series([4, 5, 6])
>>> s3 = pd.Series([4, 5, 6], index=[3,4,5])
>>> s1.append(s2)
0    1
1    2
2    3
0    4
1    5
2    6
dtype: int64
```

```
>>> s1.append(s3)
0    1
1    2
2    3
3    4
4    5
5    6
dtype: int64
```

With `ignore_index` set to `True`:

```
>>> s1.append(s2, ignore_index=True)
0    1
1    2
2    3
3    4
4    5
5    6
dtype: int64
```

With `verify_integrity` set to `True`:

```
>>> s1.append(s2, verify_integrity=True)
ValueError: Indexes have overlapping values: [0, 1, 2]
```

apply (*func*, *convert_dtype=True*, *args=()*, ***kwds*)

Invoke function on values of Series. Can be `ufunc` (a NumPy function that applies to the entire Series) or a Python function that only works on single values

Parameters `func` : function

convert_dtype : boolean, default `True`

Try to find better dtype for elementwise function results. If `False`, leave as `dtype=object`

args : tuple

Positional arguments to pass to function in addition to the value

Additional keyword arguments will be passed as keywords to the function

Returns `y` : Series or DataFrame if `func` returns a Series

See also:

Series.map For element-wise operations

Examples

Create a series with typical summer temperatures for each city.

```
>>> import pandas as pd
>>> import numpy as np
>>> series = pd.Series([20, 21, 12], index=['London',
... 'New York', 'Helsinki'])
London      20
New York    21
Helsinki    12
dtype: int64
```

Square the values by defining a function and passing it as an argument to `apply()`.

```
>>> def square(x):
...     return x**2
>>> series.apply(square)
London      400
New York    441
Helsinki    144
dtype: int64
```

Square the values by passing an anonymous function as an argument to `apply()`.

```
>>> series.apply(lambda x: x**2)
London      400
New York    441
Helsinki    144
dtype: int64
```

Define a custom function that needs additional positional arguments and pass these additional arguments using the `args` keyword.

```
>>> def subtract_custom_value(x, custom_value):
...     return x-custom_value
```

```
>>> series.apply(subtract_custom_value, args=(5,))
London      15
New York    16
Helsinki     7
dtype: int64
```

Define a custom function that takes keyword arguments and pass these arguments to `apply`.

```
>>> def add_custom_values(x, **kwargs):
...     for month in kwargs:
...         x+=kwargs[month]
...     return x
```

```
>>> series.apply(add_custom_values, june=30, july=20, august=25)
London      95
New York    96
Helsinki    87
dtype: int64
```

Use a function from the Numpy library.

```
>>> series.apply(np.log)
London      2.995732
New York    3.044522
Helsinki    2.484907
dtype: float64
```

argmax (*axis=None, skipna=True, *args, **kwargs*)
 Index of first occurrence of maximum of values.

Parameters **skipna** : boolean, default True
 Exclude NA/null values

Returns **idxmax** : Index of maximum of values

See also:

`DataFrame.idxmax`, `numpy.ndarray.argmax`

Notes

This method is the Series version of `ndarray.argmax`.

argmin (*axis=None, skipna=True, *args, **kwargs*)
 Index of first occurrence of minimum of values.

Parameters **skipna** : boolean, default True
 Exclude NA/null values

Returns **idxmin** : Index of minimum of values

See also:

`DataFrame.idxmin`, `numpy.ndarray.argmin`

Notes

This method is the Series version of `ndarray.argmin`.

argsort (*axis=0, kind='quicksort', order=None*)
 Overrides `ndarray.argsort`. Argsorts the value, omitting NA/null values, and places the result in the same locations as the non-NA values

Parameters **axis** : int (can only be zero)
kind : { 'mergesort', 'quicksort', 'heapsort' }, default 'quicksort'
 Choice of sorting algorithm. See `np.sort` for more information. 'mergesort' is the only stable algorithm
order : ignored

Returns **argsorted** : Series, with -1 indicated where nan values are present

See also:

`numpy.ndarray.argsort`

as_blocks (*copy=True*)
 Convert the frame to a dict of dtype -> Constructor Types that each has a homogeneous dtype.

NOTE: the dtypes of the blocks WILL BE PRESERVED HERE (unlike in `as_matrix`)

Parameters `copy` : boolean, default True

Returns values : a dict of dtype -> Constructor Types

as_matrix (*columns=None*)

Convert the frame to its Numpy-array representation.

Parameters `columns`: list, optional, default:None

If None, return all columns, otherwise, returns specified columns.

Returns values : ndarray

If the caller is heterogeneous and contains booleans or objects, the result will be of dtype=object. See Notes.

See also:

`pandas.DataFrame.values`

Notes

Return is NOT a Numpy-matrix, rather, a Numpy-array.

The dtype will be a lower-common-denominator dtype (implicit upcasting); that is to say if the dtypes (even of numeric types) are mixed, the one that accommodates all will be chosen. Use this with care if you are not dealing with the blocks.

e.g. If the dtypes are float16 and float32, dtype will be upcast to float32. If dtypes are int32 and uint8, dtype will be upcase to int32. By `numpy.find_common_type` convention, mixing int64 and uint64 will result in a float64 dtype.

This method is provided for backwards compatibility. Generally, it is recommended to use `‘.values’`.

asfreq (*freq, method=None, how=None, normalize=False*)

Convert TimeSeries to specified frequency.

Optionally provide filling method to pad/backfill missing values.

Parameters `freq` : DateOffset object, or string

method : { ‘backfill’/’bfill’, ‘pad’/’ffill’ }, default None

Method to use for filling holes in reindexed Series (note this does not fill NaNs that already were present):

- ‘pad’ / ‘ffill’: propagate last valid observation forward to next valid
- ‘backfill’ / ‘bfill’: use NEXT valid observation to fill

how : { ‘start’, ‘end’ }, default end

For PeriodIndex only, see PeriodIndex.asfreq

normalize : bool, default False

Whether to reset output index to midnight

Returns converted : type of caller

Notes

To learn more about the frequency strings, please see [this link](#).

asobject

return object Series which contains boxed values

this is an internal non-public method

asof (*where, subset=None*)

The last row without any NaN is taken (or the last row without NaN considering only the subset of columns in the case of a DataFrame)

New in version 0.19.0: For DataFrame

If there is no good value, NaN is returned.

Parameters **where** : date or array of dates

subset : string or list of strings, default None

if not None use these columns for NaN propagation

Returns where is scalar

- value or NaN if input is Series
- Series if input is DataFrame

where is Index: same shape object as input

See also:

`merge_asof`

Notes

Dates are assumed to be sorted Raises if this is not the case

astype (*dtype, copy=True, raise_on_error=True, **kwargs*)

Cast object to input numpy.dtype Return a copy when copy = True (be really careful with this!)

Parameters **dtype** : data type, or dict of column name -> data type

Use a numpy.dtype or Python type to cast entire pandas object to the same type. Alternatively, use {col: dtype, ...}, where col is a column label and dtype is a numpy.dtype or Python type to cast one or more of the DataFrame's columns to column-specific types.

raise_on_error : raise on invalid input

kwargs : keyword arguments to pass on to the constructor

Returns **casted** : type of caller

at

Fast label-based scalar accessor

Similarly to `loc`, `at` provides **label** based scalar lookups. You can also set using these indexers.

at_time (*time, asof=False*)

Select values at particular time of day (e.g. 9:30AM).

Parameters **time** : datetime.time or string

Returns values_at_time : type of caller

autocorr (*lag=1*)

Lag-N autocorrelation

Parameters lag : int, default 1

Number of lags to apply before performing autocorrelation.

Returns autocorr : float

axes

Return a list of the row axis labels

base

return the base object if the memory of the underlying data is shared

between (*left, right, inclusive=True*)

Return boolean Series equivalent to left <= series <= right. NA values will be treated as False

Parameters left : scalar

Left boundary

right : scalar

Right boundary

Returns is_between : Series

between_time (*start_time, end_time, include_start=True, include_end=True*)

Select values between particular times of the day (e.g., 9:00-9:30 AM).

Parameters start_time : datetime.time or string

end_time : datetime.time or string

include_start : boolean, default True

include_end : boolean, default True

Returns values_between_time : type of caller

bfill (*axis=None, inplace=False, limit=None, downcast=None*)

Synonym for NDFrame.fillna(method='bfill')

blocks

Internal property, property synonym for as_blocks()

bool ()

Return the bool of a single element PandasObject.

This must be a boolean scalar value, either True or False. Raise a ValueError if the PandasObject does not have exactly 1 element, or that element is not boolean

calcfp (**args, **kwargs*)

Helper function to map FP calculation through the series

cat

alias of CategoricalAccessor

clip (*lower=None, upper=None, axis=None, *args, **kwargs*)

Trim values at input threshold(s).

Parameters lower : float or array_like, default None

upper : float or array_like, default None

axis : int or string axis name, optional

Align object with lower and upper along the given axis.

Returns clipped : Series

Examples

```
>>> df
   0      1
0  0.335232 -1.256177
1 -1.367855  0.746646
2  0.027753 -1.176076
3  0.230930 -0.679613
4  1.261967  0.570967
>>> df.clip(-1.0, 0.5)
   0      1
0  0.335232 -1.000000
1 -1.000000  0.500000
2  0.027753 -1.000000
3  0.230930 -0.679613
4  0.500000  0.500000
>>> t
0  -0.3
1  -0.2
2  -0.1
3   0.0
4   0.1
dtype: float64
>>> df.clip(t, t + 1, axis=0)
   0      1
0  0.335232 -0.300000
1 -0.200000  0.746646
2  0.027753 -0.100000
3  0.230930  0.000000
4  1.100000  0.570967
```

clip_lower (*threshold*, *axis=None*)

Return copy of the input with values below given value(s) truncated.

Parameters threshold : float or array_like

axis : int or string axis name, optional

Align object with threshold along the given axis.

Returns clipped : same type as input

See also:

clip

clip_upper (*threshold*, *axis=None*)

Return copy of input with values above given value(s) truncated.

Parameters threshold : float or array_like

axis : int or string axis name, optional

Align object with threshold along the given axis.

Returns clipped : same type as input

See also:`clip`**combine** (*other, func, fill_value=nan*)

Perform elementwise binary operation on two Series using given function with optional fill value when an index is missing from one Series or the other

Parameters other : Series or scalar value**func** : function**fill_value** : scalar value**Returns result** : Series**combine_first** (*other*)

Combine Series values, choosing the calling Series's values first. Result index will be the union of the two indexes

Parameters other : Series**Returns y** : Series**compound** (*axis=None, skipna=None, level=None*)

Return the compound percentage of the values for the requested axis

Parameters axis : {index (0)}**skipna** : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns compounded : scalar or Series (if level specified)**compress** (*condition, *args, **kwargs*)

Return selected slices of an array along given axis as a Series

See also:`numpy.ndarray.compress`**consolidate** (*inplace=False*)

Compute NDFrame with "consolidated" internals (data of each dtype grouped together in a single ndarray). Mainly an internal API function, but available here to the savvy user

Parameters inplace : boolean, default False

If False return new object, otherwise modify existing object

Returns consolidated : type of caller**convert_objects** (*convert_dates=True, convert_numeric=False, convert_timedeltas=True, copy=True*)

Deprecated.

Attempt to infer better dtype for object columns

Parameters `convert_dates` : boolean, default True

If True, convert to date where possible. If ‘coerce’, force conversion, with unconvertible values becoming NaT.

`convert_numeric` : boolean, default False

If True, attempt to coerce to numbers (including strings), with unconvertible values becoming NaN.

`convert_timedeltas` : boolean, default True

If True, convert to timedelta where possible. If ‘coerce’, force conversion, with unconvertible values becoming NaT.

`copy` : boolean, default True

If True, return a copy even if no copy is necessary (e.g. no conversion was done). Note: This is meant for internal use, and should not be confused with inplace.

Returns `converted` : same as input object

See also:

`pandas.to_datetime` Convert argument to datetime.

`pandas.to_timedelta` Convert argument to timedelta.

`pandas.to_numeric` Return a fixed frequency timedelta index, with day as the default.

`copy` (*deep=True*)

Make a copy of this objects data.

Parameters `deep` : boolean or string, default True

Make a deep copy, including a copy of the data and the indices. With `deep=False` neither the indices or the data are copied.

Note that when `deep=True` data is copied, actual python objects will not be copied recursively, only the reference to the object. This is in contrast to `copy.deepcopy` in the Standard Library, which recursively copies object data.

Returns `copy` : type of caller

`corr` (*other, method='pearson', min_periods=None*)

Compute correlation with *other* Series, excluding missing values

Parameters `other` : Series

`method` : {'pearson', 'kendall', 'spearman'}

- pearson : standard correlation coefficient
- kendall : Kendall Tau correlation coefficient
- spearman : Spearman rank correlation

`min_periods` : int, optional

Minimum number of observations needed to have a valid result

Returns `correlation` : float

`count` (*level=None*)

Return number of non-NA/null observations in the Series

Parameters `level` : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a smaller Series

Returns nobs : int or Series (if level specified)

cov (*other, min_periods=None*)

Compute covariance with Series, excluding missing values

Parameters other : Series

min_periods : int, optional

Minimum number of observations needed to have a valid result

Returns covariance : float

Normalized by N-1 (unbiased estimator).

cummax (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative max over requested axis.

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cummax : scalar

cummin (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative minimum over requested axis.

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cummin : scalar

cumprod (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative product over requested axis.

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cumprod : scalar

cumsum (*axis=None, skipna=True, *args, **kwargs*)

Return cumulative sum over requested axis.

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

Returns cumsum : scalar

data

return the data pointer of the underlying data

describe (*percentiles=None, include=None, exclude=None*)

Generate various summary statistics, excluding NaN values.

Parameters percentiles : array-like, optional

The percentiles to include in the output. Should all be in the interval [0, 1]. By default *percentiles* is [.25, .5, .75], returning the 25th, 50th, and 75th percentiles.

include, exclude : list-like, 'all', or None (default)

Specify the form of the returned result. Either:

- None to both (default). The result will include only numeric-typed columns or, if none are, only categorical columns.
- A list of dtypes or strings to be included/excluded. To select all numeric types use `numpy.number`. To select categorical objects use type object. See also the `select_dtypes` documentation. eg. `df.describe(include=['O'])`
- If include is the string 'all', the output column-set will match the input one.

Returns summary: NDFrame of summary statistics

See also:

`DataFrame.select_dtypes`

Notes

The output DataFrame index depends on the requested dtypes:

For numeric dtypes, it will include: count, mean, std, min, max, and lower, 50, and upper percentiles.

For object dtypes (e.g. timestamps or strings), the index will include the count, unique, most common, and frequency of the most common. Timestamps also include the first and last items.

For mixed dtypes, the index will be the union of the corresponding output types. Non-applicable entries will be filled with NaN. Note that mixed-dtype outputs can only be returned from mixed-dtype inputs and appropriate use of the include/exclude arguments.

If multiple values have the highest count, then the *count* and *most common* pair will be arbitrarily chosen from among those with the highest count.

The include, exclude arguments are ignored for Series.

diff (*periods=1*)

1st discrete difference of object

Parameters *periods* : int, default 1

Periods to shift for forming difference

Returns *dified* : Series

div (*other, level=None, fill_value=None, axis=0*)

Floating division of series and other, element-wise (binary operator *truediv*).

Equivalent to `series / other`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters *other*: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.rtruediv`

divide (*other*, *level=None*, *fill_value=None*, *axis=0*)

Floating division of series and other, element-wise (binary operator *truediv*).

Equivalent to `series / other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.rtruediv`

dot (*other*)

Matrix multiplication with DataFrame or inner-product with Series objects

Parameters other : Series or DataFrame

Returns dot_product : scalar or Series

drop (*labels*, *axis=0*, *level=None*, *inplace=False*, *errors='raise'*)

Return new object with labels in requested axis removed.

Parameters labels : single label or list-like

axis : int or axis name

level : int or level name, default None

For MultiIndex

inplace : bool, default False

If True, do operation inplace and return None.

errors : {'ignore', 'raise'}, default 'raise'

If 'ignore', suppress error and existing labels are dropped.

New in version 0.16.1.

Returns dropped : type of caller

drop_duplicates (**args*, ***kwargs*)

Return Series with duplicate values removed

Parameters keep : {'first', 'last', False}, default 'first'

- `first` : Drop duplicates except for the first occurrence.
- `last` : Drop duplicates except for the last occurrence.
- `False` : Drop all duplicates.

take_last : deprecated

inplace : boolean, default False

If True, performs operation inplace and returns None.

Returns deduplicated : Series

dropna (*axis=0, inplace=False, **kwargs*)
Return Series without null values

Returns valid : Series

inplace : boolean, default False

Do operation in place.

dt

alias of CombinedDatetimelikeProperties

dtype

return the dtype object of the underlying data

dtypes

return the dtype object of the underlying data

duplicated (**args, **kwargs*)

Return boolean Series denoting duplicate values

Parameters keep : {'first', 'last', False}, default 'first'

- `first` : Mark duplicates as True except for the first occurrence.
- `last` : Mark duplicates as True except for the last occurrence.
- `False` : Mark all duplicates as True.

take_last : deprecated

Returns duplicated : Series

empty

True if NDFrame is entirely empty [no items], meaning any of the axes are of length 0.

See also:

`pandas.Series.dropna`, `pandas.DataFrame.dropna`

Notes

If NDFrame contains only NaNs, it is still not considered empty. See the example below.

Examples

An example of an actual empty DataFrame. Notice the index is empty:

```
>>> df_empty = pd.DataFrame({'A' : []})
>>> df_empty
Empty DataFrame
Columns: [A]
Index: []
>>> df_empty.empty
True
```

If we only have NaNs in our DataFrame, it is not considered empty! We will need to drop the NaNs to make the DataFrame empty:

```
>>> df = pd.DataFrame({'A' : [np.nan]})
>>> df
   A
0 NaN
>>> df.empty
False
>>> df.dropna().empty
True
```

eq (*other*, *level=None*, *fill_value=None*, *axis=0*)

Equal to of series and other, element-wise (binary operator *eq*).

Equivalent to `series == other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other**: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : Series

See also:

`Series.None`

equals (*other*)

Determines if two NDFrame objects contain the same elements. NaNs in the same location are considered equal.

ewm (*com=None*, *span=None*, *halflife=None*, *alpha=None*, *min_periods=0*, *freq=None*, *adjust=True*, *ignore_na=False*, *axis=0*)

Provides exponential weighted functions

New in version 0.18.0.

Parameters **com** : float, optional

Specify decay in terms of center of mass, $\alpha = 1/(1 + com)$, for $com \geq 0$

span : float, optional

Specify decay in terms of span, $\alpha = 2/(span + 1)$, for $span \geq 1$

halflife : float, optional

Specify decay in terms of half-life, $\alpha = 1 - \exp(\log(0.5)/halflife)$, for $halflife > 0$

alpha : float, optional

Specify smoothing factor α directly, $0 < \alpha \leq 1$

New in version 0.18.0.

min_periods : int, default 0

Minimum number of observations in window required to have a value (otherwise result is NA).

freq : None or string alias / date offset object, default=None (DEPRECATED)

Frequency to conform to before computing statistic

adjust : boolean, default True

Divide by decaying adjustment factor in beginning periods to account for imbalance in relative weightings (viewing EWMA as a moving average)

ignore_na : boolean, default False

Ignore missing values when calculating weights; specify True to reproduce pre-0.15.0 behavior

Returns a Window sub-classed for the particular operation

Notes

Exactly one of center of mass, span, half-life, and alpha must be provided. Allowed values and relationship between the parameters are specified in the parameter descriptions above; see the link at the end of this section for a detailed explanation.

The *freq* keyword is used to conform time series data to a specified frequency by resampling the data. This is done with the default parameters of `resample()` (i.e. using the *mean*).

When *adjust* is True (default), weighted averages are calculated using weights $(1-\alpha)^{(n-1)}$, $(1-\alpha)^{(n-2)}$, ..., $1-\alpha$, 1.

When *adjust* is False, weighted averages are calculated recursively as: $\text{weighted_average}[0] = \text{arg}[0]$; $\text{weighted_average}[i] = (1-\alpha) \cdot \text{weighted_average}[i-1] + \alpha \cdot \text{arg}[i]$.

When *ignore_na* is False (default), weights are based on absolute positions. For example, the weights of *x* and *y* used in calculating the final weighted average of [*x*, None, *y*] are $(1-\alpha)^2$ and 1 (if *adjust* is True), and $(1-\alpha)^2$ and α (if *adjust* is False).

When *ignore_na* is True (reproducing pre-0.15.0 behavior), weights are based on relative positions. For example, the weights of *x* and *y* used in calculating the final weighted average of [*x*, None, *y*] are $1-\alpha$ and 1 (if *adjust* is True), and $1-\alpha$ and α (if *adjust* is False).

More details can be found at <http://pandas.pydata.org/pandas-docs/stable/computation.html#exponentially-weighted-windows>

Examples

```
>>> df = DataFrame({'B': [0, 1, 2, np.nan, 4]})
      B
0  0.0
1  1.0
2  2.0
3  NaN
4  4.0
```

```
>>> df.ewm(com=0.5).mean()
      B
0  0.000000
1  0.750000
```

```

2  1.615385
3  1.615385
4  3.670213

```

expanding (*min_periods=1, freq=None, center=False, axis=0*)

Provides expanding transformations.

New in version 0.18.0.

Parameters `min_periods` : int, default None

Minimum number of observations in window required to have a value (otherwise result is NA).

freq : string or DateOffset object, optional (default None) (DEPRECATED)

Frequency to conform the data to before computing the statistic. Specified as a frequency string or DateOffset object.

center : boolean, default False

Set the labels at the center of the window.

axis : int or string, default 0

Returns a Window sub-classed for the particular operation

Notes

By default, the result is set to the right edge of the window. This can be changed to the center of the window by setting `center=True`.

The *freq* keyword is used to conform time series data to a specified frequency by resampling the data. This is done with the default parameters of `resample()` (i.e. using the *mean*).

Examples

```

>>> df = DataFrame({'B': [0, 1, 2, np.nan, 4]})
      B
0  0.0
1  1.0
2  2.0
3  NaN
4  4.0

```

```

>>> df.expanding(2).sum()
      B
0  NaN
1  1.0
2  3.0
3  3.0
4  7.0

```

factorize (*sort=False, na_sentinel=-1*)

Encode the object as an enumerated type or categorical variable

Parameters `sort` : boolean, default False

Sort by values

na_sentinel: int, default -1

Value to mark “not found”

Returns labels : the indexer to the original array

uniques : the unique Index

ffill (*axis=None, inplace=False, limit=None, downcast=None*)
Synonym for `NDFrame.fillna(method='ffill')`

fillna (*value=None, method=None, axis=None, inplace=False, limit=None, downcast=None, **kwargs*)
Fill NA/NaN values using the specified method

Parameters value : scalar, dict, Series, or DataFrame

Value to use to fill holes (e.g. 0), alternately a dict/Series/DataFrame of values specifying which value to use for each index (for a Series) or column (for a DataFrame). (values not in the dict/Series/DataFrame will not be filled). This value cannot be a list.

method : {'backfill', 'bfill', 'pad', 'ffill', None}, default None

Method to use for filling holes in reindexed Series `pad / ffill`: propagate last valid observation forward to next valid `backfill / bfill`: use NEXT valid observation to fill gap

axis : {0, 'index'}

inplace : boolean, default False

If True, fill in place. Note: this will modify any other views on this object, (e.g. a no-copy slice for a column in a DataFrame).

limit : int, default None

If method is specified, this is the maximum number of consecutive NaN values to forward/backward fill. In other words, if there is a gap with more than this number of consecutive NaNs, it will only be partially filled. If method is not specified, this is the maximum number of entries along the entire axis where NaNs will be filled.

downcast : dict, default is None

a dict of item->dtype of what to downcast if possible, or the string 'infer' which will try to downcast to an appropriate equal type (e.g. float64 to int64 if possible)

Returns filled : Series

See also:

reindex, asfreq

filter (*items=None, like=None, regex=None, axis=None*)

Subset rows or columns of dataframe according to labels in the specified index.

Note that this routine does not filter a dataframe on its contents. The filter is applied to the labels of the index.

Parameters items : list-like

List of info axis to restrict to (must not all be present)

like : string

Keep info axis where “arg in col == True”

regex : string (regular expression)

Keep info axis with `re.search(regex, col) == True`

axis : int or string axis name

The axis to filter on. By default this is the info axis, 'index' for Series, 'columns' for DataFrame

Returns same type as input object

See also:

`pandas.DataFrame.select`

Notes

The `items`, `like`, and `regex` parameters are enforced to be mutually exclusive.

`axis` defaults to the info axis that is used when indexing with `[]`.

Examples

```
>>> df
one two three
mouse 1 2 3
rabbit 4 5 6
```

```
>>> # select columns by name
>>> df.filter(items=['one', 'three'])
one three
mouse 1 3
rabbit 4 6
```

```
>>> # select columns by regular expression
>>> df.filter(regex='e$', axis=1)
one three
mouse 1 3
rabbit 4 6
```

```
>>> # select rows containing 'bbi'
>>> df.filter(like='bbi', axis=0)
one two three
rabbit 4 5 6
```

first (*offset*)

Convenience method for subsetting initial periods of time series data based on a date offset.

Parameters `offset` : string, DateOffset, dateutil.relativedelta

Returns `subset` : type of caller

Examples

`ts.first('10D')` -> First 10 days

first_valid_index ()

Return label for first non-NA/null value

flags

return the `ndarray.flags` for the underlying data

floordiv (*other*, *level=None*, *fill_value=None*, *axis=0*)

Integer division of series and other, element-wise (binary operator *floordiv*).

Equivalent to `series // other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series**See also:**

`Series.rfloordiv`

from_array (*arr*, *index=None*, *name=None*, *dtype=None*, *copy=False*, *fastpath=False*)**from_csv** (*path*, *sep=''*, *'*, *parse_dates=True*, *header=None*, *index_col=0*, *encoding=None*, *infer_datetime_format=False*)

Read CSV file (DISCOURAGED, please use `pandas.read_csv()` instead).

It is preferable to use the more powerful `pandas.read_csv()` for most general purposes, but `from_csv` makes for an easy roundtrip to and from a file (the exact counterpart of `to_csv`), especially with a time Series.

This method only differs from `pandas.read_csv()` in some defaults:

- *index_col* is 0 instead of None (take first column as index by default)
- *header* is None instead of 0 (the first row is not used as the column names)
- *parse_dates* is True instead of False (try parsing the index as datetime by default)

With `pandas.read_csv()`, the option `squeeze=True` can be used to return a Series like `from_csv`.

Parameters path : string file path or file handle / StringIO

sep : string, default `''`

Field delimiter

parse_dates : boolean, default True

Parse dates. Different default from `read_table`

header : int, default None

Row to use as header (skip prior rows)

index_col : int or sequence, default 0

Column to use for index. If a sequence is given, a MultiIndex is used. Different default from `read_table`

encoding : string, optional

a string representing the encoding to use if the contents are non-ascii, for python versions prior to 3

infer_datetime_format: boolean, default False

If True and *parse_dates* is True for a column, try to infer the datetime format based on the first datetime string. If the format can be inferred, there often will be a large parsing speed-up.

Returns *y* : Series

See also:

`pandas.read_csv`

ftype

return if the data is sparseldense

ftypes

return if the data is sparseldense

ge (*other, level=None, fill_value=None, axis=0*)

Greater than or equal to of series and other, element-wise (binary operator *ge*).

Equivalent to `series >= other`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.None`

get (*key, default=None*)

Get item from object for given key (DataFrame column, Panel slice, etc.). Returns default value if not found.

Parameters key : object

Returns value : type of items contained in object

get_dtype_counts ()

Return the counts of dtypes in this object.

get_ftype_counts ()

Return the counts of ftypes in this object.

get_value (*label, takeable=False*)

Quickly retrieve single value at passed index label

Parameters index : label

takeable : interpret the index as indexers, default False

Returns value : scalar value

get_values ()

same as values (but handles sparseness conversions); is a view

groupby (*by=None, axis=0, level=None, as_index=True, sort=True, group_keys=True, squeeze=False, **kwargs*)

Group series using mapper (dict or key function, apply given function to group, return result as series) or by a series of columns.

Parameters by : mapping function / list of functions, dict, Series, or tuple /

list of column names. Called on each element of the object index to determine the groups. If a dict or Series is passed, the Series or dict VALUES will be used to determine the groups

axis : int, default 0

level : int, level name, or sequence of such, default None

If the axis is a MultiIndex (hierarchical), group by a particular level or levels

as_index : boolean, default True

For aggregated output, return object with group labels as the index. Only relevant for DataFrame input. as_index=False is effectively “SQL-style” grouped output

sort : boolean, default True

Sort group keys. Get better performance by turning this off. Note this does not influence the order of observations within each group. groupby preserves the order of rows within each group.

group_keys : boolean, default True

When calling apply, add group keys to index to identify pieces

squeeze : boolean, default False

reduce the dimensionality of the return type if possible, otherwise return a consistent type

Returns GroupBy object

Examples

DataFrame results

```
>>> data.groupby(func, axis=0).mean()
>>> data.groupby(['col1', 'col2'])['col3'].mean()
```

DataFrame with hierarchical index

```
>>> data.groupby(['col1', 'col2']).mean()
```

gt (*other, level=None, fill_value=None, axis=0*)

Greater than of series and other, element-wise (binary operator *gt*).

Equivalent to `series > other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.None`

hasnans = None

head (*n=5*)

Returns first n rows

hist (*by=None, ax=None, grid=True, xlabelsize=None, xrot=None, ylabelsize=None, yrot=None, figsize=None, bins=10, **kws*)

Draw histogram of the input series using matplotlib

Parameters by : object, optional

If passed, then used to form histograms for separate groups

ax : matplotlib axis object

If not passed, uses `gca()`

grid : boolean, default True

Whether to show axis grid lines

xlabelsize : int, default None

If specified changes the x-axis label size

xrot : float, default None

rotation of x axis labels

ylabelsize : int, default None

If specified changes the y-axis label size

yrot : float, default None

rotation of y axis labels

figsize : tuple, default None

figure size in inches by default

bins: integer, default 10

Number of histogram bins to be used

kws : keywords

To be passed to the actual plotting function

Notes

See matplotlib documentation online for more on this

iat

Fast integer location scalar accessor.

Similarly to `iloc`, `iat` provides **integer** based lookups. You can also set using these indexers.

idxmax (*axis=None, skipna=True, *args, **kwargs*)

Index of first occurrence of maximum of values.

Parameters `skipna` : boolean, default True

Exclude NA/null values

Returns `idxmax` : Index of maximum of values

See also:

`DataFrame.idxmax`, `numpy.ndarray.argmax`

Notes

This method is the Series version of `ndarray.argmax`.

idxmin (*axis=None, skipna=True, *args, **kwargs*)

Index of first occurrence of minimum of values.

Parameters `skipna` : boolean, default True

Exclude NA/null values

Returns `idxmin` : Index of minimum of values

See also:

`DataFrame.idxmin`, `numpy.ndarray.argmin`

Notes

This method is the Series version of `ndarray.argmin`.

iget (*i, axis=0*)

DEPRECATED. Use `.iloc[i]` or `.iat[i]` instead

iget_value (*i, axis=0*)

DEPRECATED. Use `.iloc[i]` or `.iat[i]` instead

iloc

Purely integer-location based indexing for selection by position.

`.iloc[]` is primarily integer position based (from 0 to `length-1` of the axis), but may also be used with a boolean array.

Allowed inputs are:

- An integer, e.g. 5.
- A list or array of integers, e.g. `[4, 3, 0]`.
- A slice object with ints, e.g. `1:7`.
- A boolean array.
- A callable function with one argument (the calling Series, DataFrame or Panel) and that returns valid output for indexing (one of the above)

`.iloc` will raise `IndexError` if a requested indexer is out-of-bounds, except `slice` indexers which allow out-of-bounds indexing (this conforms with python/numpy `slice` semantics).

See more at Selection by Position

imag

interpolate (*method='linear', axis=0, limit=None, inplace=False, limit_direction='forward', downcast=None, **kwargs*)

Interpolate values according to different methods.

Please note that only `method='linear'` is supported for DataFrames/Series with a MultiIndex.

Parameters method : { 'linear', 'time', 'index', 'values', 'nearest', 'zero', 'slinear', 'quadratic', 'cubic', 'barycentric', 'krogh', 'polynomial', 'spline', 'piecewise_polynomial', 'from_derivatives', 'pchip', 'akima' }

- 'linear': ignore the index and treat the values as equally spaced. This is the only method supported on MultiIndexes. default
- 'time': interpolation works on daily and higher resolution data to interpolate given length of interval
- 'index', 'values': use the actual numerical values of the index
- 'nearest', 'zero', 'slinear', 'quadratic', 'cubic', 'barycentric', 'polynomial' is passed to `scipy.interpolate.interpld`. Both 'polynomial' and 'spline' require that you also specify an `order` (int), e.g. `df.interpolate(method='polynomial', order=4)`. These use the actual numerical values of the index.
- 'krogh', 'piecewise_polynomial', 'spline', 'pchip' and 'akima' are all wrappers around the scipy interpolation methods of similar names. These use the actual numerical values of the index. See the scipy documentation for more on their behavior [here # noqa](#) and [here # noqa](#)
- 'from_derivatives' refers to `BPoly.from_derivatives` which replaces 'piecewise_polynomial' interpolation method in scipy 0.18

New in version 0.18.1: Added support for the 'akima' method Added interpolate method 'from_derivatives' which replaces 'piecewise_polynomial' in scipy 0.18; backwards-compatible with scipy < 0.18

axis : {0, 1}, default 0

- 0: fill column-by-column
- 1: fill row-by-row

limit : int, default None.

Maximum number of consecutive NaNs to fill.

limit_direction : { 'forward', 'backward', 'both' }, defaults to 'forward'

If limit is specified, consecutive NaNs will be filled in this direction.

New in version 0.17.0.

inplace : bool, default False

Update the NDFrame in place if possible.

downcast : optional, 'infer' or None, defaults to None

Downcast dtypes if possible.

kwargs : keyword arguments to pass on to the interpolating function.

Returns Series or DataFrame of same shape interpolated at the NaNs

See also:

reindex, replace, fillna

Examples

Filling in NaNs

```
>>> s = pd.Series([0, 1, np.nan, 3])
>>> s.interpolate()
0    0
1    1
2    2
3    3
dtype: float64
```

irow (*i*, *axis=0*)

DEPRECATED. Use `.iloc[i]` or `.iat[i]` instead

is_copy = None

is_monotonic

Return boolean if values in the object are monotonic_increasing

New in version 0.19.0.

Returns is_monotonic : boolean

is_monotonic_decreasing

Return boolean if values in the object are monotonic_decreasing

New in version 0.19.0.

Returns is_monotonic_decreasing : boolean

is_monotonic_increasing

Return boolean if values in the object are monotonic_increasing

New in version 0.19.0.

Returns is_monotonic : boolean

is_time_series

is_unique

Return boolean if values in the object are unique

Returns is_unique : boolean

isin (*values*)

Return a boolean *Series* showing whether each element in the *Series* is exactly contained in the passed sequence of *values*.

Parameters values : set or list-like

The sequence of values to test. Passing in a single string will raise a `TypeError`. Instead, turn a single string into a `list` of one element.

New in version 0.18.1.

Support for values as a set

Returns `isin` : Series (bool dtype)

Raises `TypeError`

- If `values` is a string

See also:

`pandas.DataFrame.isin`

Examples

```
>>> s = pd.Series(list('abc'))
>>> s.isin(['a', 'c', 'e'])
0    True
1   False
2    True
dtype: bool
```

Passing a single string as `s.isin('a')` will raise an error. Use a list of one element instead:

```
>>> s.isin(['a'])
0    True
1   False
2   False
dtype: bool
```

isnull()

Return a boolean same-sized object indicating if the values are null.

See also:

`notnull` boolean inverse of `isnull`

item()

return the first element of the underlying data as a python scalar

itemsize

return the size of the dtype of the item of the underlying data

iteritems()

Lazily iterate over (index, value) tuples

iterkv(*args, **kwargs)

iteritems alias used to get around 2to3. Deprecated

ix

A primarily label-location based indexer, with integer position fallback.

`.ix[]` supports mixed integer and label based access. It is primarily label based, but will fall back to integer positional access unless the corresponding axis is of integer type.

`.ix` is the most general indexer and will support any of the inputs in `.loc` and `.iloc`. `.ix` also supports floating point label schemes. `.ix` is exceptionally useful when dealing with mixed positional and label based hierarchical indexes.

However, when an axis is integer based, **ONLY** label based access and not positional access is supported. Thus, in such cases, it's usually better to be explicit and use `.iloc` or `.loc`.

See more at Advanced Indexing.

keys ()

Alias for `index`

kurt (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased kurtosis over requested axis using Fisher's definition of kurtosis (kurtosis of normal == 0.0). Normalized by N-1

Parameters **axis**: {index (0)}

skipna: boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level: int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only: boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **kurt**: scalar or Series (if level specified)

kurtosis (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased kurtosis over requested axis using Fisher's definition of kurtosis (kurtosis of normal == 0.0). Normalized by N-1

Parameters **axis**: {index (0)}

skipna: boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level: int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only: boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **kurt**: scalar or Series (if level specified)

last (*offset*)

Convenience method for subsetting final periods of time series data based on a date offset.

Parameters **offset**: string, DateOffset, dateutil.relativedelta

Returns **subset**: type of caller

Examples

```
ts.last('5M') -> Last 5 months
```

last_valid_index ()

Return label for last non-NA/null value

le (*other, level=None, fill_value=None, axis=0*)

Less than or equal to of series and other, element-wise (binary operator *le*).

Equivalent to `series <= other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters `other`: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.None`

`loc`

Purely label-location based indexer for selection by label.

`.loc[]` is primarily label based, but may also be used with a boolean array.

Allowed inputs are:

- A single label, e.g. `5` or `'a'`, (note that `5` is interpreted as a *label* of the index, and **never** as an integer position along the index).
- A list or array of labels, e.g. `['a', 'b', 'c']`.
- A slice object with labels, e.g. `'a' : 'f'` (note that contrary to usual python slices, **both** the start and the stop are included!).
- A boolean array.
- A callable function with one argument (the calling Series, DataFrame or Panel) and that returns valid output for indexing (one of the above)

`.loc` will raise a `KeyError` when the items are not found.

See more at Selection by Label

`lt` (*other, level=None, fill_value=None, axis=0*)

Less than of series and other, element-wise (binary operator *lt*).

Equivalent to `series < other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters `other`: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.None`

mad (*axis=None, skipna=None, level=None*)

Return the mean absolute deviation of the values for the requested axis

Parameters **axis** : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **mad** : scalar or Series (if level specified)

map (*arg, na_action=None*)

Map values of Series using input correspondence (which can be a dict, Series, or function)

Parameters **arg** : function, dict, or Series

na_action : {None, 'ignore'}

If 'ignore', propagate NA values, without passing them to the mapping function

Returns **y** : Series

same index as caller

Examples

Map inputs to outputs

```
>>> x
one    1
two    2
three  3
```

```
>>> y
1    foo
2    bar
3    baz
```

```
>>> x.map(y)
one    foo
two    bar
three  baz
```

Use `na_action` to control whether NA values are affected by the mapping function.

```
>>> s = pd.Series([1, 2, 3, np.nan])
```

```
>>> s2 = s.map(lambda x: 'this is a string {}'.format(x),
               na_action=None)
0    this is a string 1.0
1    this is a string 2.0
2    this is a string 3.0
```

```
3    this is a string nan
dtype: object
```

```
>>> s3 = s.map(lambda x: 'this is a string {}'.format(x),
               na_action='ignore')
0    this is a string 1.0
1    this is a string 2.0
2    this is a string 3.0
3                                     NaN
dtype: object
```

mask (*cond*, *other=nan*, *inplace=False*, *axis=None*, *level=None*, *try_cast=False*, *raise_on_error=True*)

Return an object of same shape as self and whose corresponding entries are from self where *cond* is False and otherwise are from *other*.

Parameters **cond** : boolean NDFrame, array or callable

If *cond* is callable, it is computed on the NDFrame and should return boolean NDFrame or array. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as *cond*.

other : scalar, NDFrame, or callable

If *other* is callable, it is computed on the NDFrame and should return scalar or NDFrame. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as *other*.

inplace : boolean, default False

Whether to perform the operation in place on the data

axis : alignment axis if needed, default None

level : alignment level if needed, default None

try_cast : boolean, default False

try to cast the result back to the input type (if possible),

raise_on_error : boolean, default True

Whether to raise on invalid data types (e.g. trying to where on strings)

Returns **wh** : same type as caller

See also:

`DataFrame.where()`

Notes

The `mask` method is an application of the if-then idiom. For each element in the calling `DataFrame`, if *cond* is False the element is used; otherwise the corresponding element from the `DataFrame` *other* is used.

The signature for `DataFrame.where()` differs from `numpy.where()`. Roughly `df1.where(m, df2)` is equivalent to `np.where(m, df1, df2)`.

For further details and examples see the [mask documentation in indexing](#).

Examples

```
>>> s = pd.Series(range(5))
>>> s.where(s > 0)
0    NaN
1     1.0
2     2.0
3     3.0
4     4.0
```

```
>>> df = pd.DataFrame(np.arange(10).reshape(-1, 2), columns=['A', 'B'])
>>> m = df % 3 == 0
>>> df.where(m, -df)
   A  B
0  0 -1
1 -2  3
2 -4 -5
3  6 -7
4 -8  9
>>> df.where(m, -df) == np.where(m, df, -df)
   A  B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
>>> df.where(m, -df) == df.mask(~m, -df)
   A  B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
```

max (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

This method returns the maximum of the values in the object. If you want the *index* of the maximum, use `idxmax`. This is the equivalent of the `numpy.ndarray` method `argmax`.

Parameters `axis` : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns max : scalar or Series (if level specified)

mean (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the mean of the values for the requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns mean : scalar or Series (if level specified)

median (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the median of the values for the requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns median : scalar or Series (if level specified)

memory_usage (*index=True, deep=False*)

Memory usage of the Series

Parameters index : bool

Specifies whether to include memory usage of Series index

deep : bool

Introspect the data deeply, interrogate *object* dtypes for system-level memory consumption

Returns scalar bytes of memory consumed

See also:

`numpy.ndarray.nbytes`

Notes

Memory usage does not include memory consumed by elements that are not components of the array if `deep=False`

min (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

This method returns the minimum of the values in the object. If you want the *index* of the minimum, use `idxmin`. This is the equivalent of the `numpy.ndarray` method `argmin`.

Parameters `axis` : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns `min` : scalar or Series (if level specified)

mod (*other, level=None, fill_value=None, axis=0*)

Modulo of series and other, element-wise (binary operator *mod*).

Equivalent to `series % other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters `other`: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns `result` : Series

See also:

`Series.rmod`

mode ()

Returns the mode(s) of the dataset.

Empty if nothing occurs at least 2 times. Always returns Series even if only one value.

Parameters `sort` : bool, default True

If True, will lexicographically sort values, if False skips sorting. Result ordering when `sort=False` is not defined.

Returns `modes` : Series (sorted)

mul (*other*, *level=None*, *fill_value=None*, *axis=0*)

Multiplication of series and other, element-wise (binary operator *mul*).

Equivalent to `series * other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.rmul`

multiply (*other*, *level=None*, *fill_value=None*, *axis=0*)

Multiplication of series and other, element-wise (binary operator *mul*).

Equivalent to `series * other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.rmul`

name

nbytes

return the number of bytes in the underlying data

ndim

return the number of dimensions of the underlying data, by definition 1

ne (*other*, *level=None*, *fill_value=None*, *axis=0*)

Not equal to of series and other, element-wise (binary operator *ne*).

Equivalent to `series != other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.None`

nlargest (*args, **kwargs)

Return the largest *n* elements.

Parameters n : int

Return this many descending sorted values

keep : {'first', 'last', False}, default 'first'

Where there are duplicate values: - *first* : take the first occurrence. - *last* : take the last occurrence.

take_last : deprecated

Returns top_n : Series

The *n* largest values in the Series, in sorted order

See also:

`Series.nsmallest`

Notes

Faster than `.sort_values(ascending=False).head(n)` for small *n* relative to the size of the Series object.

Examples

```
>>> import pandas as pd
>>> import numpy as np
>>> s = pd.Series(np.random.randn(1e6))
>>> s.nlargest(10) # only sorts up to the N requested
```

nonzero ()

Return the indices of the elements that are non-zero

This method is equivalent to calling `numpy.nonzero` on the series data. For compatibility with NumPy, the return value is the same (a tuple with an array of indices for each dimension), but it will always be a one-item tuple because series only have one dimension.

See also:

`numpy.nonzero`

Examples

```
>>> s = pd.Series([0, 3, 0, 4])
>>> s.nonzero()
(array([1, 3]),)
>>> s.iloc[s.nonzero()[0]]
1    3
```

```
3     4
dtype: int64
```

notnull()

Return a boolean same-sized object indicating if the values are not null.

See also:

isnull boolean inverse of notnull

nsmallest(*args, **kwargs)

Return the smallest *n* elements.

Parameters n : int

Return this many ascending sorted values

keep : {'first', 'last', False}, default 'first'

Where there are duplicate values: - *first* : take the first occurrence. - *last* : take the last occurrence.

take_last : deprecated

Returns bottom_n : Series

The *n* smallest values in the Series, in sorted order

See also:

`Series.nlargest`

Notes

Faster than `.sort_values().head(n)` for small *n* relative to the size of the Series object.

Examples

```
>>> import pandas as pd
>>> import numpy as np
>>> s = pd.Series(np.random.randn(1e6))
>>> s.nsmallest(10) # only sorts up to the N requested
```

nunique(dropna=True)

Return number of unique elements in the object.

Excludes NA values by default.

Parameters dropna : boolean, default True

Don't include NaN in the count.

Returns nunique : int**order** (*na_last=None, ascending=True, kind='quicksort', na_position='last', inplace=False*)

DEPRECATED: use `Series.sort_values()`

Sorts Series object, by value, maintaining index-value link. This will return a new Series by default. `Series.sort` is the equivalent but as an inplace method.

Parameters na_last : boolean (optional, default=True)—DEPRECATED; use `na_position`

Put NaN's at beginning or end

ascending : boolean, default True

Sort ascending. Passing False sorts descending

kind : { 'mergesort', 'quicksort', 'heapsort' }, default 'quicksort'

Choice of sorting algorithm. See `np.sort` for more information. 'mergesort' is the only stable algorithm

na_position : { 'first', 'last' } (optional, default='last')

'first' puts NaNs at the beginning 'last' puts NaNs at the end

inplace : boolean, default False

Do operation in place.

Returns `y` : Series

See also:

`Series.sort_values`

pct_change (*periods=1, fill_method='pad', limit=None, freq=None, **kwargs*)
Percent change over given number of periods.

Parameters `periods` : int, default 1

Periods to shift for forming percent change

fill_method : str, default 'pad'

How to handle NAs before computing percent changes

limit : int, default None

The number of consecutive NAs to fill before stopping

freq : DateOffset, timedelta, or offset alias string, optional

Increment to use from time series API (e.g. 'M' or `BDay()`)

Returns `chg` : NDFrame

Notes

By default, the percentage change is calculated along the stat axis: 0, or `Index`, for `DataFrame` and 1, or `minor` for `Panel`. You can change this with the `axis` keyword argument.

pipe (*func, *args, **kwargs*)
Apply `func(self, *args, **kwargs)`

New in version 0.16.2.

Parameters `func` : function

function to apply to the NDFrame. `args`, and `kwargs` are passed into `func`. Alternatively a (`callable, data_keyword`) tuple where `data_keyword` is a string indicating the keyword of `callable` that expects the NDFrame.

args : positional arguments passed into `func`.

kwargs : a dictionary of keyword arguments passed into `func`.

Returns object : the return type of func.

See also:

`pandas.DataFrame.apply`, `pandas.DataFrame.applymap`, `pandas.Series.map`

Notes

Use `.pipe` when chaining together functions that expect on Series or DataFrames. Instead of writing

```
>>> f(g(h(df), arg1=a), arg2=b, arg3=c)
```

You can write

```
>>> (df.pipe(h)
...   .pipe(g, arg1=a)
...   .pipe(f, arg2=b, arg3=c)
... )
```

If you have a function that takes the data as (say) the second argument, pass a tuple indicating which keyword expects the data. For example, suppose `f` takes its data as `arg2`:

```
>>> (df.pipe(h)
...   .pipe(g, arg1=a)
...   .pipe((f, 'arg2'), arg1=a, arg3=c)
... )
```

plot

alias of `SeriesPlotMethods`

pop (*item*)

Return item and drop from frame. Raise `KeyError` if not found.

pow (*other*, *level=None*, *fill_value=None*, *axis=0*)

Exponential power of series and other, element-wise (binary operator *pow*).

Equivalent to `series ** other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.rpow`

prod (*axis=None*, *skipna=None*, *level=None*, *numeric_only=None*, ***kwargs*)

Return the product of the values for the requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns prod : scalar or Series (if level specified)

product (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the product of the values for the requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns prod : scalar or Series (if level specified)

ptp (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Returns the difference between the maximum value and the minimum value in the object. This is the equivalent of the `numpy.ndarray` method `ptp`.

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns ptp : scalar or Series (if level specified)

put (**args, **kwargs*)

Applies the `put` method to its `values` attribute if it has one.

See also:

`numpy.ndarray.put`

quantile (*q=0.5, interpolation='linear'*)

Return value at the given quantile, a la `numpy.percentile`.

Parameters q : float or array-like, default 0.5 (50% quantile)

$0 \leq q \leq 1$, the quantile(s) to compute

interpolation : { 'linear', 'lower', 'higher', 'midpoint', 'nearest' }

New in version 0.18.0.

This optional parameter specifies the interpolation method to use, when the desired quantile lies between two data points i and j :

- linear: $i + (j - i) * fraction$, where *fraction* is the fractional part of the index surrounded by i and j .
- lower: i .
- higher: j .
- nearest: i or j whichever is nearest.
- midpoint: $(i + j) / 2$.

Returns **quantile** : float or Series

if q is an array, a Series will be returned where the index is q and the values are the quantiles.

Examples

```
>>> s = Series([1, 2, 3, 4])
>>> s.quantile(.5)
2.5
>>> s.quantile([.25, .5, .75])
0.25    1.75
0.50    2.50
0.75    3.25
dtype: float64
```

radd (*other*, *level=None*, *fill_value=None*, *axis=0*)

Addition of series and other, element-wise (binary operator *radd*).

Equivalent to `other + series`, but with support to substitute a *fill_value* for missing data in one of the inputs.

Parameters **other**: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : Series

See also:

`Series.add`

rank (*axis=0*, *method='average'*, *numeric_only=None*, *na_option='keep'*, *ascending=True*, *pct=False*)

Compute numerical data ranks (1 through n) along axis. Equal values are assigned a rank that is the average of the ranks of those values

Parameters axis: {0 or 'index', 1 or 'columns'}, default 0

index to direct ranking

method : {'average', 'min', 'max', 'first', 'dense'}

- average: average rank of group
- min: lowest rank in group
- max: highest rank in group
- first: ranks assigned in order they appear in the array
- dense: like 'min', but rank always increases by 1 between groups

numeric_only : boolean, default None

Include only float, int, boolean data. Valid only for DataFrame or Panel objects

na_option : {'keep', 'top', 'bottom'}

- keep: leave NA values where they are
- top: smallest rank if ascending
- bottom: smallest rank if descending

ascending : boolean, default True

False for ranks by high (1) to low (N)

pct : boolean, default False

Computes percentage rank of data

Returns ranks : same type as caller

ravel (*order='C'*)

Return the flattened underlying data as an ndarray

See also:

`numpy.ndarray.ravel`

rdiv (*other, level=None, fill_value=None, axis=0*)

Floating division of series and other, element-wise (binary operator *rtruediv*).

Equivalent to `other / series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.truediv`

real

reindex (*index=None, **kwargs*)

Conform Series to new index with optional filling logic, placing NA/NaN in locations having no value in the previous index. A new object is produced unless the new index is equivalent to the current one and `copy=False`

Parameters **index** : array-like, optional (can be specified in order, or as

keywords) New labels / index to conform to. Preferably an Index object to avoid duplicating data

method : {None, 'backfill'/'bfill', 'pad'/'ffill', 'nearest'}, optional

method to use for filling holes in reindexed DataFrame. Please note: this is only applicable to DataFrames/Series with a monotonically increasing/decreasing index.

- default: don't fill gaps
- pad / ffill: propagate last valid observation forward to next valid
- backfill / bfill: use next valid observation to fill gap
- nearest: use nearest valid observations to fill gap

copy : boolean, default True

Return a new object, even if the passed indexes are the same

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

fill_value : scalar, default np.NaN

Value to use for missing values. Defaults to NaN, but can be any "compatible" value

limit : int, default None

Maximum number of consecutive elements to forward or backward fill

tolerance : optional

Maximum distance between original and new labels for inexact matches. The values of the index at the matching locations must satisfy the equation $\text{abs}(\text{index}[\text{indexer}] - \text{target}) \leq \text{tolerance}$.

New in version 0.17.0.

Returns **reindexed** : Series

Examples

Create a dataframe with some fictional data.

```
>>> index = ['Firefox', 'Chrome', 'Safari', 'IE10', 'Konqueror']
>>> df = pd.DataFrame({
...     'http_status': [200, 200, 404, 404, 301],
...     'response_time': [0.04, 0.02, 0.07, 0.08, 1.0]},
...     index=index)
>>> df
```

	http_status	response_time
Firefox	200	0.04
Chrome	200	0.02

Safari	404	0.07
IE10	404	0.08
Konqueror	301	1.00

Create a new index and reindex the dataframe. By default values in the new index that do not have corresponding records in the dataframe are assigned NaN.

```
>>> new_index= ['Safari', 'Iceweasel', 'Comodo Dragon', 'IE10',
...             'Chrome']
>>> df.reindex(new_index)
           http_status  response_time
Safari                404            0.07
Iceweasel              NaN            NaN
Comodo Dragon          NaN            NaN
IE10                   404            0.08
Chrome                 200            0.02
```

We can fill in the missing values by passing a value to the keyword `fill_value`. Because the index is not monotonically increasing or decreasing, we cannot use arguments to the keyword method to fill the NaN values.

```
>>> df.reindex(new_index, fill_value=0)
           http_status  response_time
Safari                404            0.07
Iceweasel              0            0.00
Comodo Dragon          0            0.00
IE10                   404            0.08
Chrome                 200            0.02
```

```
>>> df.reindex(new_index, fill_value='missing')
           http_status  response_time
Safari                404            0.07
Iceweasel             missing         missing
Comodo Dragon         missing         missing
IE10                   404            0.08
Chrome                 200            0.02
```

To further illustrate the filling functionality in `reindex`, we will create a dataframe with a monotonically increasing index (for example, a sequence of dates).

```
>>> date_index = pd.date_range('1/1/2010', periods=6, freq='D')
>>> df2 = pd.DataFrame({"prices": [100, 101, np.nan, 100, 89, 88]},
...                    index=date_index)
>>> df2
           prices
2010-01-01    100
2010-01-02    101
2010-01-03     NaN
2010-01-04    100
2010-01-05     89
2010-01-06     88
```

Suppose we decide to expand the dataframe to cover a wider date range.

```
>>> date_index2 = pd.date_range('12/29/2009', periods=10, freq='D')
>>> df2.reindex(date_index2)
           prices
2009-12-29     NaN
2009-12-30     NaN
```

2009-12-31	NaN
2010-01-01	100
2010-01-02	101
2010-01-03	NaN
2010-01-04	100
2010-01-05	89
2010-01-06	88
2010-01-07	NaN

The index entries that did not have a value in the original data frame (for example, '2009-12-29') are by default filled with NaN. If desired, we can fill in the missing values using one of several options.

For example, to backpropagate the last valid value to fill the NaN values, pass `bfill` as an argument to the `method` keyword.

```
>>> df2.reindex(date_index2, method='bfill')
           prices
2009-12-29    100
2009-12-30    100
2009-12-31    100
2010-01-01    100
2010-01-02    101
2010-01-03    NaN
2010-01-04    100
2010-01-05     89
2010-01-06     88
2010-01-07    NaN
```

Please note that the NaN value present in the original dataframe (at index value 2010-01-03) will not be filled by any of the value propagation schemes. This is because filling while reindexing does not look at dataframe values, but only compares the original and desired indexes. If you do want to fill in the NaN values present in the original dataframe, use the `fillna()` method.

reindex_axis (*labels, axis=0, **kwargs*)
for compatibility with higher dims

reindex_like (*other, method=None, copy=True, limit=None, tolerance=None*)
Return an object with matching indices to myself.

Parameters other : Object

method : string or None

copy : boolean, default True

limit : int, default None

Maximum number of consecutive labels to fill for inexact matches.

tolerance : optional

Maximum distance between labels of the other object and this object for inexact matches.

New in version 0.17.0.

Returns reindexed : same as input

Notes

Like calling `s.reindex(index=other.index, columns=other.columns, method=...)`

rename (*index=None, **kwargs*)

Alter axes input function or functions. Function / dict values must be unique (1-to-1). Labels not contained in a dict / Series will be left as-is. Extra labels listed don't throw an error. Alternatively, change `Series.name` with a scalar value (Series only).

Parameters **index** : scalar, list-like, dict-like or function, optional

Scalar or list-like will alter the `Series.name` attribute, and raise on `DataFrame` or `Panel`. dict-like or functions are transformations to apply to that axis' values

copy : boolean, default True

Also copy underlying data

inplace : boolean, default False

Whether to return a new Series. If True then value of copy is ignored.

Returns **renamed** : Series (new object)

See also:

`pandas.NDFrame.rename_axis`

Examples

```
>>> s = pd.Series([1, 2, 3])
>>> s
0    1
1    2
2    3
dtype: int64
>>> s.rename("my_name") # scalar, changes Series.name
0    1
1    2
2    3
Name: my_name, dtype: int64
>>> s.rename(lambda x: x ** 2) # function, changes labels
0    1
1    2
4    3
dtype: int64
>>> s.rename({1: 3, 2: 5}) # mapping, changes labels
0    1
3    2
5    3
dtype: int64
>>> df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
>>> df.rename(2)
...
TypeError: 'int' object is not callable
>>> df.rename(index=str, columns={"A": "a", "B": "c"})
   a  c
0  1  4
1  2  5
2  3  6
>>> df.rename(index=str, columns={"A": "a", "C": "c"})
   a  B
0  1  4
```

1	2	5
2	3	6

rename_axis (*mapper*, *axis=0*, *copy=True*, *inplace=False*)

Alter index and / or columns using input function or functions. A scalar or list-like for *mapper* will alter the `Index.name` or `MultiIndex.names` attribute. A function or dict for *mapper* will alter the labels. Function / dict values must be unique (1-to-1). Labels not contained in a dict / Series will be left as-is.

Parameters *mapper* : scalar, list-like, dict-like or function, optional

axis : int or string, default 0

copy : boolean, default True

Also copy underlying data

inplace : boolean, default False

Returns *renamed* : type of caller

See also:

`pandas.NDFrame.rename`, `pandas.Index.rename`

Examples

```
>>> df = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
>>> df.rename_axis("foo") # scalar, alters df.index.name
   A  B
foo
0  1  4
1  2  5
2  3  6
>>> df.rename_axis(lambda x: 2 * x) # function: alters labels
   A  B
0  1  4
2  2  5
4  3  6
>>> df.rename_axis({"A": "ehh", "C": "see"}, axis="columns") # mapping
   ehh  B
0    1  4
1    2  5
2    3  6
```

reorder_levels (*order*)

Rearrange index levels using input order. May not drop or duplicate levels

Parameters *order*: list of int representing new level order.

(reference level by number or key)

axis: where to reorder levels

Returns type of caller (new object)

repeat (*reps*, **args*, ***kwargs*)

Repeat elements of an Series. Refer to `numpy.ndarray.repeat` for more information about the *reps* argument.

See also:

`numpy.ndarray.repeat`

replace (*to_replace=None*, *value=None*, *inplace=False*, *limit=None*, *regex=False*, *method='pad'*, *axis=None*)

Replace values given in 'to_replace' with 'value'.

Parameters to_replace : str, regex, list, dict, Series, numeric, or None

- str or regex:
 - str: string exactly matching *to_replace* will be replaced with *value*
 - regex: regexs matching *to_replace* will be replaced with *value*
- list of str, regex, or numeric:
 - First, if *to_replace* and *value* are both lists, they **must** be the same length.
 - Second, if *regex=True* then all of the strings in **both** lists will be interpreted as regexs otherwise they will match directly. This doesn't matter much for *value* since there are only a few possible substitution regexes you can use.
 - str and regex rules apply as above.
- dict:
 - Nested dictionaries, e.g., {'a': {'b': nan}}, are read as follows: look in column 'a' for the value 'b' and replace it with nan. You can nest regular expressions as well. Note that column names (the top-level dictionary keys in a nested dictionary) **cannot** be regular expressions.
 - Keys map to column names and values map to substitution values. You can treat this as a special case of passing two lists except that you are specifying the column to search in.
- None:
 - This means that the *regex* argument must be a string, compiled regular expression, or list, dict, ndarray or Series of such elements. If *value* is also None then this **must** be a nested dictionary or Series.

See the examples section for examples of each of these.

value : scalar, dict, list, str, regex, default None

Value to use to fill holes (e.g. 0), alternately a dict of values specifying which value to use for each column (columns not in the dict will not be filled). Regular expressions, strings and lists or dicts of such objects are also allowed.

inplace : boolean, default False

If True, in place. Note: this will modify any other views on this object (e.g. a column from a DataFrame). Returns the caller if this is True.

limit : int, default None

Maximum size gap to forward or backward fill

regex : bool or same types as *to_replace*, default False

Whether to interpret *to_replace* and/or *value* as regular expressions. If this is True then *to_replace* must be a string. Otherwise, *to_replace* must be None because this parameter will be interpreted as a regular expression or a list, dict, or array of regular expressions.

method : string, optional, {'pad', 'ffill', 'bfill'}

The method to use when for replacement, when `to_replace` is a list.

Returns filled : NDFrame

Raises AssertionError

- If `regex` is not a bool and `to_replace` is not None.

TypeError

- If `to_replace` is a dict and `value` is not a list, dict, ndarray, or Series
- If `to_replace` is None and `regex` is not compilable into a regular expression or is a list, dict, ndarray, or Series.

ValueError

- If `to_replace` and `value` are lists or ndarrays, but they are not the same length.

See also:

`NDFrame.reindex`, `NDFrame.asfreq`, `NDFrame.fillna`

Notes

- Regex substitution is performed under the hood with `re.sub`. The rules for substitution for `re.sub` are the same.
- Regular expressions will only substitute on strings, meaning you cannot provide, for example, a regular expression matching floating point numbers and expect the columns in your frame that have a numeric dtype to be matched. However, if those floating point numbers *are* strings, then you can do this.
- This method has *a lot* of options. You are encouraged to experiment and play with this method to gain intuition about how it works.

resample (*rule*, *how=None*, *axis=0*, *fill_method=None*, *closed=None*, *label=None*, *convention='start'*, *kind=None*, *loffset=None*, *limit=None*, *base=0*, *on=None*, *level=None*)

Convenience method for frequency conversion and resampling of time series. Object must have a datetime-like index (DatetimeIndex, PeriodIndex, or TimedeltaIndex), or pass datetime-like values to the `on` or `level` keyword.

Parameters rule : string

the offset string or object representing target conversion

axis : int, optional, default 0

closed : {'right', 'left'}

Which side of bin interval is closed

label : {'right', 'left'}

Which bin edge label to label bucket with

convention : {'start', 'end', 's', 'e'}

loffset : timedelta

Adjust the resampled time labels

base : int, default 0

For frequencies that evenly subdivide 1 day, the “origin” of the aggregated intervals. For example, for ‘5min’ frequency, base could range from 0 through 4. Defaults to 0

on : string, optional

For a DataFrame, column to use instead of index for resampling. Column must be datetime-like.

New in version 0.19.0.

level : string or int, optional

For a MultiIndex, level (name or number) to use for resampling. Level must be datetime-like.

New in version 0.19.0.

To learn more about the offset strings, please see ‘[this link](#)

<<http://pandas.pydata.org/pandas-docs/stable/timeseries.html#offset-aliases>>‘_.

Examples

Start by creating a series with 9 one minute timestamps.

```
>>> index = pd.date_range('1/1/2000', periods=9, freq='T')
>>> series = pd.Series(range(9), index=index)
>>> series
2000-01-01 00:00:00    0
2000-01-01 00:01:00    1
2000-01-01 00:02:00    2
2000-01-01 00:03:00    3
2000-01-01 00:04:00    4
2000-01-01 00:05:00    5
2000-01-01 00:06:00    6
2000-01-01 00:07:00    7
2000-01-01 00:08:00    8
Freq: T, dtype: int64
```

Downsample the series into 3 minute bins and sum the values of the timestamps falling into a bin.

```
>>> series.resample('3T').sum()
2000-01-01 00:00:00    3
2000-01-01 00:03:00   12
2000-01-01 00:06:00   21
Freq: 3T, dtype: int64
```

Downsample the series into 3 minute bins as above, but label each bin using the right edge instead of the left. Please note that the value in the bucket used as the label is not included in the bucket, which it labels. For example, in the original series the bucket 2000-01-01 00:03:00 contains the value 3, but the summed value in the resampled bucket with the label “2000-01-01 00:03:00” does not include 3 (if it did, the summed value would be 6, not 3). To include this value close the right side of the bin interval as illustrated in the example below this one.

```
>>> series.resample('3T', label='right').sum()
2000-01-01 00:03:00    3
2000-01-01 00:06:00   12
2000-01-01 00:09:00   21
Freq: 3T, dtype: int64
```

Downsample the series into 3 minute bins as above, but close the right side of the bin interval.

```
>>> series.resample('3T', label='right', closed='right').sum()
2000-01-01 00:00:00    0
2000-01-01 00:03:00    6
2000-01-01 00:06:00   15
2000-01-01 00:09:00   15
Freq: 3T, dtype: int64
```

Upsample the series into 30 second bins.

```
>>> series.resample('30S').asfreq()[0:5] #select first 5 rows
2000-01-01 00:00:00    0
2000-01-01 00:00:30   NaN
2000-01-01 00:01:00    1
2000-01-01 00:01:30   NaN
2000-01-01 00:02:00    2
Freq: 30S, dtype: float64
```

Upsample the series into 30 second bins and fill the NaN values using the pad method.

```
>>> series.resample('30S').pad()[0:5]
2000-01-01 00:00:00    0
2000-01-01 00:00:30    0
2000-01-01 00:01:00    1
2000-01-01 00:01:30    1
2000-01-01 00:02:00    2
Freq: 30S, dtype: int64
```

Upsample the series into 30 second bins and fill the NaN values using the bfill method.

```
>>> series.resample('30S').bfill()[0:5]
2000-01-01 00:00:00    0
2000-01-01 00:00:30    1
2000-01-01 00:01:00    1
2000-01-01 00:01:30    2
2000-01-01 00:02:00    2
Freq: 30S, dtype: int64
```

Pass a custom function via apply

```
>>> def custom_resampler(array_like):
...     return np.sum(array_like)+5
```

```
>>> series.resample('3T').apply(custom_resampler)
2000-01-01 00:00:00    8
2000-01-01 00:03:00   17
2000-01-01 00:06:00   26
Freq: 3T, dtype: int64
```

reset_index (*level=None, drop=False, name=None, inplace=False*)

Analogous to the `pandas.DataFrame.reset_index()` function, see docstring there.

Parameters **level** : int, str, tuple, or list, default None

Only remove the given levels from the index. Removes all levels by default

drop : boolean, default False

Do not try to insert index into dataframe columns

name : object, default None

The name of the column corresponding to the Series values

inplace : boolean, default False

Modify the Series in place (do not create a new object)

Returns resetted : DataFrame, or Series if drop == True

reshape (*args, **kwargs)

DEPRECATED: calling this method will raise an error in a future release. Please call `.values.reshape(...)` instead.

return an ndarray with the values shape if the specified shape matches exactly the current shape, then return self (for compat)

See also:

`numpy.ndarray.reshape`

rfloordiv (other, level=None, fill_value=None, axis=0)

Integer division of series and other, element-wise (binary operator *rfloordiv*).

Equivalent to `other // series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.floordiv`

rmod (other, level=None, fill_value=None, axis=0)

Modulo of series and other, element-wise (binary operator *rmod*).

Equivalent to `other % series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.mod`

rmul (other, level=None, fill_value=None, axis=0)

Multiplication of series and other, element-wise (binary operator *rmul*).

Equivalent to `other * series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.mul`

rolling (*window, min_periods=None, freq=None, center=False, win_type=None, on=None, axis=0*)
Provides rolling window calculations.

New in version 0.18.0.

Parameters window : int, or offset

Size of the moving window. This is the number of observations used for calculating the statistic. Each window will be a fixed size.

If its an offset then this will be the time period of each window. Each window will be a variable sized based on the observations included in the time-period. This is only valid for datetimelike indexes. This is new in 0.19.0

min_periods : int, default None

Minimum number of observations in window required to have a value (otherwise result is NA). For a window that is specified by an offset, this will default to 1.

freq : string or DateOffset object, optional (default None) (DEPRECATED)

Frequency to conform the data to before computing the statistic. Specified as a frequency string or DateOffset object.

center : boolean, default False

Set the labels at the center of the window.

win_type : string, default None

Provide a window type. See the notes below.

on : string, optional

For a DataFrame, column on which to calculate the rolling window, rather than the index

New in version 0.19.0.

axis : int or string, default 0

Returns a Window or Rolling sub-classed for the particular operation

Notes

By default, the result is set to the right edge of the window. This can be changed to the center of the window by setting `center=True`.

The `freq` keyword is used to conform time series data to a specified frequency by resampling the data. This is done with the default parameters of `resample()` (i.e. using the *mean*).

To learn more about the offsets & frequency strings, please see [this link](#).

The recognized `win_types` are:

- `boxcar`
- `triang`
- `blackman`
- `hamming`
- `bartlett`
- `parzen`
- `bohman`
- `blackmanharris`
- `nuttall`
- `barthann`
- `kaiser` (needs `beta`)
- `gaussian` (needs `std`)
- `general_gaussian` (needs `power`, `width`)
- `slepian` (needs `width`).

Examples

```
>>> df = pd.DataFrame({'B': [0, 1, 2, np.nan, 4]})
>>> df
   B
0  0.0
1  1.0
2  2.0
3  NaN
4  4.0
```

Rolling sum with a window length of 2, using the 'triang' window type.

```
>>> df.rolling(2, win_type='triang').sum()
   B
0  NaN
1  1.0
2  2.5
3  NaN
4  NaN
```

Rolling sum with a window length of 2, `min_periods` defaults to the window length.

```
>>> df.rolling(2).sum()
      B
0  NaN
1  1.0
2  3.0
3  NaN
4  NaN
```

Same as above, but explicitly set the `min_periods`

```
>>> df.rolling(2, min_periods=1).sum()
      B
0  0.0
1  1.0
2  3.0
3  2.0
4  4.0
```

A ragged (meaning not-a-regular frequency), time-indexed DataFrame

```
>>> df = pd.DataFrame({'B': [0, 1, 2, np.nan, 4]},
.....:                  index = [pd.Timestamp('20130101 09:00:00'),
.....:                          pd.Timestamp('20130101 09:00:02'),
.....:                          pd.Timestamp('20130101 09:00:03'),
.....:                          pd.Timestamp('20130101 09:00:05'),
.....:                          pd.Timestamp('20130101 09:00:06')])
```

```
>>> df
                B
2013-01-01 09:00:00  0.0
2013-01-01 09:00:02  1.0
2013-01-01 09:00:03  2.0
2013-01-01 09:00:05  NaN
2013-01-01 09:00:06  4.0
```

Contrasting to an integer rolling window, this will roll a variable length window corresponding to the time period. The default for `min_periods` is 1.

```
>>> df.rolling('2s').sum()
                B
2013-01-01 09:00:00  0.0
2013-01-01 09:00:02  1.0
2013-01-01 09:00:03  3.0
2013-01-01 09:00:05  NaN
2013-01-01 09:00:06  4.0
```

round (*decimals=0, *args, **kwargs*)

Round each value in a Series to the given number of decimals.

Parameters `decimals`: int

Number of decimal places to round to (default: 0). If `decimals` is negative, it specifies the number of positions to the left of the decimal point.

Returns Series object

See also:

`numpy.around`, `DataFrame.round`

rpow (*other, level=None, fill_value=None, axis=0*)

Exponential power of series and other, element-wise (binary operator `rpow`).

Equivalent to `other ** series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.pow`

rsub (*other, level=None, fill_value=None, axis=0*)

Subtraction of series and other, element-wise (binary operator *rsub*).

Equivalent to `other - series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.sub`

rtruediv (*other, level=None, fill_value=None, axis=0*)

Floating division of series and other, element-wise (binary operator *rtruediv*).

Equivalent to `other / series`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.truediv`

sample (*n=None, frac=None, replace=False, weights=None, random_state=None, axis=None*)
Returns a random sample of items from an axis of object.

New in version 0.16.1.

Parameters **n** : int, optional

Number of items from axis to return. Cannot be used with *frac*. Default = 1 if *frac* = None.

frac : float, optional

Fraction of axis items to return. Cannot be used with *n*.

replace : boolean, optional

Sample with or without replacement. Default = False.

weights : str or ndarray-like, optional

Default 'None' results in equal probability weighting. If passed a Series, will align with target object on index. Index values in weights not found in sampled object will be ignored and index values in sampled object not in weights will be assigned weights of zero. If called on a DataFrame, will accept the name of a column when axis = 0. Unless weights are a Series, weights must be same length as axis being sampled. If weights do not sum to 1, they will be normalized to sum to 1. Missing values in the weights column will be treated as zero. inf and -inf values not allowed.

random_state : int or numpy.random.RandomState, optional

Seed for the random number generator (if int), or numpy RandomState object.

axis : int or string, optional

Axis to sample. Accepts axis number or name. Default is stat axis for given data type (0 for Series and DataFrames, 1 for Panels).

Returns A new object of same type as caller.

Examples

Generate an example Series and DataFrame:

```
>>> s = pd.Series(np.random.randn(50))
>>> s.head()
0    -0.038497
1     1.820773
2    -0.972766
3    -1.598270
4    -1.095526
dtype: float64
>>> df = pd.DataFrame(np.random.randn(50, 4), columns=list('ABCD'))
>>> df.head()
   A         B         C         D
0  0.016443 -2.318952 -0.566372 -1.028078
1 -1.051921  0.438836  0.658280 -0.175797
2 -1.243569 -0.364626 -0.215065  0.057736
3  1.768216  0.404512 -0.385604 -1.457834
4  1.072446 -1.137172  0.314194 -0.046661
```

Next extract a random sample from both of these objects...

3 random elements from the `Series`:

```
>>> s.sample(n=3)
27   -0.994689
55   -1.049016
67   -0.224565
dtype: float64
```

And a random 10% of the `DataFrame` with replacement:

```
>>> df.sample(frac=0.1, replace=True)
      A         B         C         D
35  1.981780  0.142106  1.817165 -0.290805
49 -1.336199 -0.448634 -0.789640  0.217116
40  0.823173 -0.078816  1.009536  1.015108
15  1.421154 -0.055301 -1.922594 -0.019696
6   -0.148339  0.832938  1.787600 -1.383767
```

searchsorted (*v*, *side*='left', *sorter*=None)

Find indices where elements should be inserted to maintain order.

Find the indices into a sorted `Series self` such that, if the corresponding elements in *v* were inserted before the indices, the order of *self* would be preserved.

Parameters *v* : array_like

Values to insert into *self*.

side : {'left', 'right'}, optional

If 'left', the index of the first suitable location found is given. If 'right', return the last such index. If there is no suitable index, return either 0 or N (where N is the length of *self*).

sorter : 1-D array_like, optional

Optional array of integer indices that sort *self* into ascending order. They are typically the result of `np.argsort`.

Returns **indices** : array of ints

Array of insertion points with the same shape as *v*.

See also:

`numpy.searchsorted`

Notes

Binary search is used to find the required insertion points.

Examples

```
>>> x = pd.Series([1, 2, 3])
>>> x
0    1
1    2
2    3
```

```

dtype: int64
>>> x.searchsorted(4)
array([3])
>>> x.searchsorted([0, 4])
array([0, 3])
>>> x.searchsorted([1, 3], side='left')
array([0, 2])
>>> x.searchsorted([1, 3], side='right')
array([1, 3])
>>>
>>> x = pd.Categorical(['apple', 'bread', 'bread', 'cheese', 'milk' ])
[apple, bread, bread, cheese, milk]
Categories (4, object): [apple < bread < cheese < milk]
>>> x.searchsorted('bread')
array([1])      # Note: an array, not a scalar
>>> x.searchsorted(['bread'])
array([1])
>>> x.searchsorted(['bread', 'eggs'])
array([1, 4])
>>> x.searchsorted(['bread', 'eggs'], side='right')
array([3, 4])   # eggs before milk

```

select (*crit*, *axis=0*)

Return data corresponding to axis labels matching criteria

Parameters *crit* : function

To be called on each index (label). Should return True or False

axis : int

Returns *selection* : type of caller

sem (*axis=None*, *skipna=None*, *level=None*, *ddof=1*, *numeric_only=None*, ***kwargs*)

Return unbiased standard error of the mean over requested axis.

Normalized by N-1 by default. This can be changed using the *ddof* argument

Parameters *axis* : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns *sem* : scalar or Series (if level specified)

set_axis (*axis*, *labels*)

public version of axis assignment

set_value (*label, value, takeable=False*)

Quickly set single value at passed label. If label is not contained, a new object is created with the label placed at the end of the result index

Parameters label : object

Partial indexing with MultiIndex not allowed

value : object

Scalar value

takeable : interpret the index as indexers, default False

Returns series : Series

If label is contained, will be reference to calling Series, otherwise a new object

shape

return a tuple of the shape of the underlying data

shift (*periods=1, freq=None, axis=0*)

Shift index by desired number of periods with an optional time freq

Parameters periods : int

Number of periods to move, can be positive or negative

freq : DateOffset, timedelta, or time rule string, optional

Increment to use from the tseries module or time rule (e.g. 'EOM'). See Notes.

axis : {0, 'index' }

Returns shifted : Series

Notes

If freq is specified then the index values are shifted but the data is not realigned. That is, use freq if you would like to extend the index when shifting and preserve the original data.

size

return the number of elements in the underlying data

skew (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return unbiased skew over requested axis Normalized by N-1

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns skew : scalar or Series (if level specified)

slice_shift (*periods=1, axis=0*)

Equivalent to *shift* without copying data. The shifted data will not include the dropped periods and the shifted axis will be smaller than the original.

Parameters *periods* : int

Number of periods to move, can be positive or negative

Returns *shifted* : same type as caller

Notes

While the *slice_shift* is faster than *shift*, you may pay for it later during alignment.

sort (*axis=0, ascending=True, kind='quicksort', na_position='last', inplace=True*)

DEPRECATED: use `Series.sort_values(inplace=True)()` for INPLACE sorting

Sort values and index labels by value. This is an inplace sort by default. `Series.order` is the equivalent but returns a new Series.

Parameters *axis* : int (can only be zero)

ascending : boolean, default True

Sort ascending. Passing False sorts descending

kind : { 'mergesort', 'quicksort', 'heapsort' }, default 'quicksort'

Choice of sorting algorithm. See `np.sort` for more information. 'mergesort' is the only stable algorithm

na_position : { 'first', 'last' } (optional, default='last')

'first' puts NaNs at the beginning 'last' puts NaNs at the end

inplace : boolean, default True

Do operation in place.

See also:

`Series.sort_values`

sort_index (*axis=0, level=None, ascending=True, inplace=False, sort_remaining=True*)

Sort object by labels (along an axis)

Parameters *axis* : index to direct sorting

level : int or level name or list of ints or list of level names

if not None, sort on values in specified index level(s)

ascending : boolean, default True

Sort ascending vs. descending

inplace : bool, default False

if True, perform operation in-place

kind : { 'quicksort', 'mergesort', 'heapsort' }, default 'quicksort'

Choice of sorting algorithm. See also `ndarray.sort` for more information. *mergesort* is the only stable algorithm. For DataFrames, this option is only applied when sorting on a single column or label.

na_position : { 'first', 'last' }, default 'last'

first puts NaNs at the beginning, *last* puts NaNs at the end

sort_remaining : bool, default True

if true and sorting by level and index is multilevel, sort by other levels too (in order) after sorting by specified level

Returns sorted_obj : Series

sort_values (*axis=0, ascending=True, inplace=False, kind='quicksort', na_position='last'*)

Sort by the values along either axis

New in version 0.17.0.

Parameters axis : {0, 'index'}, default 0

Axis to direct sorting

ascending : bool or list of bool, default True

Sort ascending vs. descending. Specify list for multiple sort orders. If this is a list of bools, must match the length of the by.

inplace : bool, default False

if True, perform operation in-place

kind : { 'quicksort', 'mergesort', 'heapsort' }, default 'quicksort'

Choice of sorting algorithm. See also `ndarray.sort` for more information. *mergesort* is the only stable algorithm. For DataFrames, this option is only applied when sorting on a single column or label.

na_position : { 'first', 'last' }, default 'last'

first puts NaNs at the beginning, *last* puts NaNs at the end

Returns sorted_obj : Series

sortlevel (*level=0, ascending=True, sort_remaining=True*)

Sort Series with MultiIndex by chosen level. Data will be lexicographically sorted by the chosen level followed by the other levels (in order)

Parameters level : int or level name, default None

ascending : bool, default True

Returns sorted : Series

See also:

`Series.sort_index`

squeeze (***kwargs*)

Squeeze length 1 dimensions.

std (*axis=None, skipna=None, level=None, ddof=1, numeric_only=None, **kwargs*)

Return sample standard deviation over requested axis.

Normalized by N-1 by default. This can be changed using the `ddof` argument

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns **std** : scalar or Series (if level specified)

str

alias of `StringMethods`

strides

return the strides of the underlying data

sub (*other, level=None, fill_value=None, axis=0*)

Subtraction of series and other, element-wise (binary operator *sub*).

Equivalent to `series - other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other**: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : Series

See also:

`Series.rsub`

subtract (*other, level=None, fill_value=None, axis=0*)

Subtraction of series and other, element-wise (binary operator *sub*).

Equivalent to `series - other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters **other**: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns **result** : Series

See also:

`Series.rsub`

sum (*axis=None, skipna=None, level=None, numeric_only=None, **kwargs*)

Return the sum of the values for the requested axis

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns sum : scalar or Series (if level specified)

swapaxes (*axis1, axis2, copy=True*)

Interchange axes and swap values axes appropriately

Returns y : same as input

swaplevel (*i=-2, j=-1, copy=True*)

Swap levels i and j in a MultiIndex

Parameters i, j : int, string (can be mixed)

Level of index to be swapped. Can pass level name as string.

Returns swapped : Series

Changed in version 0.18.1: The indexes i and j are now optional, and default to the two innermost levels of the index.

tail (*n=5*)

Returns last n rows

take (*indices, axis=0, convert=True, is_copy=False, **kwargs*)

return Series corresponding to requested indices

Parameters indices : list / array of ints

convert : translate negative to positive indices (default)

Returns taken : Series

See also:

`numpy.ndarray.take`

to_clipboard (*excel=None, sep=None, **kwargs*)

Attempt to write text representation of object to the system clipboard This can be pasted into Excel, for example.

Parameters excel : boolean, defaults to True

if True, use the provided separator, writing in a csv format for allowing easy pasting into excel. if False, write a string representation of the object to the clipboard

sep : optional, defaults to tab

other keywords are passed to to_csv

Notes

Requirements for your platform

- Linux: xclip, or xsel (with gtk or PyQt4 modules)
- Windows: none
- OS X: none

to_csv (*path=None, index=True, sep=',', na_rep='', float_format=None, header=False, index_label=None, mode='w', encoding=None, date_format=None, decimal='.'*)
Write Series to a comma-separated values (csv) file

Parameters **path** : string or file handle, default None

File path or object, if None is provided the result is returned as a string.

na_rep : string, default ''

Missing data representation

float_format : string, default None

Format string for floating point numbers

header : boolean, default False

Write out series name

index : boolean, default True

Write row names (index)

index_label : string or sequence, default None

Column label for index column(s) if desired. If None is given, and *header* and *index* are True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex.

mode : Python write mode, default 'w'

sep : character, default ','

Field delimiter for the output file.

encoding : string, optional

a string representing the encoding to use if the contents are non-ascii, for python versions prior to 3

date_format: string, default None

Format string for datetime objects.

decimal: string, default '.'

Character recognized as decimal separator. E.g. use ',' for European data

to_dense ()

Return dense representation of NDFrame (as opposed to sparse)

to_dict ()

Convert Series to {label -> value} dict

Returns **value_dict** : dict

to_frame (*name=None*)

Convert Series to DataFrame

Parameters name : object, default None

The passed name should substitute for the series name (if it has one).

Returns data_frame : DataFrame

to_hdf (*path_or_buf, key, **kwargs*)

Write the contained data to an HDF5 file using HDFStore.

Parameters path_or_buf : the path (string) or HDFStore object

key : string

identifier for the group in the store

mode : optional, {'a', 'w', 'r+'}, default 'a'

'w' Write; a new file is created (an existing file with the same name would be deleted).

'a' Append; an existing file is opened for reading and writing, and if the file does not exist it is created.

'r+' It is similar to 'a', but the file must already exist.

format : 'fixed(f)|table(t)', default is 'fixed'

fixed(f) [Fixed format] Fast writing/reading. Not-appendable, nor searchable

table(t) [Table format] Write as a PyTables Table structure which may perform worse but allow more flexible operations like searching / selecting subsets of the data

append : boolean, default False

For Table formats, append the input data to the existing

data_columns : list of columns, or True, default None

List of columns to create as indexed data columns for on-disk queries, or True to use all columns. By default only the axes of the object are indexed. See [here](#).

Applicable only to format='table'.

complevel : int, 1-9, default 0

If a complib is specified compression will be applied where possible

complib : {'zlib', 'bzip2', 'lzo', 'blosc', None}, default None

If complevel is > 0 apply compression to objects written in the store wherever possible

fletcher32 : bool, default False

If applying compression use the fletcher32 checksum

dropna : boolean, default False.

If true, ALL nan rows will not be written to store.

to_json (*path_or_buf=None, orient=None, date_format='epoch', double_precision=10, force_ascii=True, date_unit='ms', default_handler=None, lines=False*)

Convert the object to a JSON string.

Note NaN's and None will be converted to null and datetime objects will be converted to UNIX timestamps.

Parameters `path_or_buf` : the path or buffer to write the result string

if this is None, return a StringIO of the converted string

orient : string

- Series
 - default is 'index'
 - allowed values are: {'split','records','index'}
- DataFrame
 - default is 'columns'
 - allowed values are: {'split','records','index','columns','values'}
- The format of the JSON string
 - split : dict like {index -> [index], columns -> [columns], data -> [values]}
 - records : list like [{column -> value}, ... , {column -> value}]
 - index : dict like {index -> {column -> value}}
 - columns : dict like {column -> {index -> value}}
 - values : just the values array

date_format : {'epoch', 'iso'}

Type of date conversion. *epoch* = epoch milliseconds, *iso* = ISO8601, default is epoch.

double_precision : The number of decimal places to use when encoding floating point values, default 10.

force_ascii : force encoded string to be ASCII, default True.

date_unit : string, default 'ms' (milliseconds)

The time unit to encode to, governs timestamp and ISO8601 precision. One of 's', 'ms', 'us', 'ns' for second, millisecond, microsecond, and nanosecond respectively.

default_handler : callable, default None

Handler to call if object cannot otherwise be converted to a suitable format for JSON. Should receive a single argument which is the object to convert and return a serialisable object.

lines : boolean, default False

If 'orient' is 'records' write out line delimited json format. Will throw ValueError if incorrect 'orient' since others are not list like.

New in version 0.19.0.

Returns same type as input object with filtered info axis

`to_mol2` (*filepath_or_buffer=None*)

to_msgpack (*path_or_buf=None, encoding='utf-8', **kwargs*)
 msgpack (serialize) object to input file path

THIS IS AN EXPERIMENTAL LIBRARY and the storage format may not be stable until a future release.

Parameters path : string File path, buffer-like, or None

if None, return generated string

append : boolean whether to append to an existing msgpack

(default is False)

compress : type of compressor (zlib or blosc), default to None (no

compression)

to_period (*freq=None, copy=True*)

Convert Series from DatetimeIndex to PeriodIndex with desired frequency (inferred from index if not passed)

Parameters freq : string, default

Returns ts : Series with PeriodIndex

to_pickle (*path*)

Pickle (serialize) object to input file path.

Parameters path : string

File path

to_sdf (*filepath_or_buffer=None*)

to_smiles (*filepath_or_buffer=None*)

to_sparse (*kind='block', fill_value=None*)

Convert Series to SparseSeries

Parameters kind : { 'block', 'integer' }

fill_value : float, defaults to NaN (missing)

Returns sp : SparseSeries

to_sql (*name, con, flavor=None, schema=None, if_exists='fail', index=True, index_label=None, chunksize=None, dtype=None*)

Write records stored in a DataFrame to a SQL database.

Parameters name : string

Name of SQL table

con : SQLAlchemy engine or DBAPI2 connection (legacy mode)

Using SQLAlchemy makes it possible to use any DB supported by that library. If a DBAPI2 object, only sqlite3 is supported.

flavor : 'sqlite', default None

DEPRECATED: this parameter will be removed in a future version, as 'sqlite' is the only supported option if SQLAlchemy is not installed.

schema : string, default None

Specify the schema (if database flavor supports this). If None, use default schema.

if_exists : { 'fail', 'replace', 'append' }, default 'fail'

- fail: If table exists, do nothing.
- replace: If table exists, drop it, recreate it, and insert data.
- append: If table exists, insert data. Create if does not exist.

index : boolean, default True

Write DataFrame index as a column.

index_label : string or sequence, default None

Column label for index column(s). If None is given (default) and *index* is True, then the index names are used. A sequence should be given if the DataFrame uses MultiIndex.

chunksize : int, default None

If not None, then rows will be written in batches of this size at a time. If None, all rows will be written at once.

dtype : dict of column name to SQL type, default None

Optional specifying the datatype for columns. The SQL type should be a SQLAlchemy type, or a string for sqlite3 fallback connection.

to_string (*buf=None, na_rep='NaN', float_format=None, header=True, index=True, length=False, dtype=False, name=False, max_rows=None*)

Render a string representation of the Series

Parameters **buf** : StringIO-like, optional

buffer to write to

na_rep : string, optional

string representation of NAN to use, default 'NaN'

float_format : one-parameter function, optional

formatter function to apply to columns' elements if they are floats default None

header: boolean, default True

Add the Series header (index name)

index : bool, optional

Add index (row) labels, default True

length : boolean, default False

Add the Series length

dtype : boolean, default False

Add the Series dtype

name : boolean, default False

Add the Series name if not None

max_rows : int, optional

Maximum number of rows to show before truncating. If None, show all.

Returns **formatted** : string (if not buffer passed)

to_timestamp (*freq=None, how='start', copy=True*)

Cast to DatetimeIndex of timestamps, at *beginning* of period

Parameters `freq` : string, default frequency of PeriodIndex

Desired frequency

how : {'s', 'e', 'start', 'end'}

Convention for converting period to timestamp; start of period vs. end

Returns `ts` : Series with DatetimeIndex

to_xarray()

Return an xarray object from the pandas object.

Returns a DataArray for a Series

a Dataset for a DataFrame

a DataArray for higher dims

Notes

See the [xarray docs](#)

Examples

```
>>> df = pd.DataFrame({'A' : [1, 1, 2],
                       'B' : ['foo', 'bar', 'foo'],
                       'C' : np.arange(4.,7)})

>>> df
   A  B  C
0  1  foo  4.0
1  1  bar  5.0
2  2  foo  6.0
```

```
>>> df.to_xarray()
<xarray.Dataset>
Dimensions:  (index: 3)
Coordinates:
  * index    (index) int64 0 1 2
Data variables:
  A          (index) int64 1 1 2
  B          (index) object 'foo' 'bar' 'foo'
  C          (index) float64 4.0 5.0 6.0
```

```
>>> df = pd.DataFrame({'A' : [1, 1, 2],
                       'B' : ['foo', 'bar', 'foo'],
                       'C' : np.arange(4.,7)})
>>> df.set_index(['B', 'A'])

>>> df
      B  A  C
foo  1  4.0
bar  1  5.0
foo  2  6.0
```

```
>>> df.to_xarray()
<xarray.Dataset>
Dimensions:  (A: 2, B: 2)
Coordinates:
```

```
* B      (B) object 'bar' 'foo'
* A      (A) int64 1 2
Data variables:
  C      (B, A) float64 5.0 nan 4.0 6.0
```

```
>>> p = pd.Panel(np.arange(24).reshape(4,3,2),
                 items=list('ABCD'),
                 major_axis=pd.date_range('20130101', periods=3),
                 minor_axis=['first', 'second'])

>>> p
<class 'pandas.core.panel.Panel'>
Dimensions: 4 (items) x 3 (major_axis) x 2 (minor_axis)
Items axis: A to D
Major_axis axis: 2013-01-01 00:00:00 to 2013-01-03 00:00:00
Minor_axis axis: first to second
```

```
>>> p.to_xarray()
<xarray.DataArray (items: 4, major_axis: 3, minor_axis: 2)>
array([[[ 0,  1],
         [ 2,  3],
         [ 4,  5]],
       [[ 6,  7],
         [ 8,  9],
         [10, 11]],
       [[12, 13],
         [14, 15],
         [16, 17]],
       [[18, 19],
         [20, 21],
         [22, 23]]])
Coordinates:
  * items      (items) object 'A' 'B' 'C' 'D'
  * major_axis (major_axis) datetime64[ns] 2013-01-01 2013-01-02 2013-01-03 # noqa
  * minor_axis (minor_axis) object 'first' 'second'
```

tolist()

Convert Series to a nested list

transpose(*args, **kwargs)

return the transpose, which is by definition self

truediv(other, level=None, fill_value=None, axis=0)

Floating division of series and other, element-wise (binary operator *truediv*).

Equivalent to `series / other`, but with support to substitute a `fill_value` for missing data in one of the inputs.

Parameters other: Series or scalar value

fill_value : None or float value, default None (NaN)

Fill missing (NaN) values with this value. If both Series are missing, the result will be missing

level : int or name

Broadcast across a level, matching Index values on the passed MultiIndex level

Returns result : Series

See also:

`Series.rtruediv`

truncate (*before=None, after=None, axis=None, copy=True*)

Truncates a sorted NDFrame before and/or after some particular index value. If the axis contains only datetime values, before/after parameters are converted to datetime values.

Parameters before : date

Truncate before index value

after : date

Truncate after index value

axis : the truncation axis, defaults to the stat axis

copy : boolean, default is True,

return a copy of the truncated section

Returns truncated : type of caller

tshift (*periods=1, freq=None, axis=0*)

Shift the time index, using the index's frequency if available.

Parameters periods : int

Number of periods to move, can be positive or negative

freq : DateOffset, timedelta, or time rule string, default None

Increment to use from the tseries module or time rule (e.g. 'EOM')

axis : int or basestring

Corresponds to the axis that contains the Index

Returns shifted : NDFrame

Notes

If freq is not specified then tries to use the freq or inferred_freq attributes of the index. If neither of those attributes exist, a ValueError is thrown

tz_convert (*tz, axis=0, level=None, copy=True*)

Convert tz-aware axis to target time zone.

Parameters tz : string or pytz.timezone object

axis : the axis to convert

level : int, str, default None

If axis is a MultiIndex, convert a specific level. Otherwise must be None

copy : boolean, default True

Also make a copy of the underlying data

Raises TypeError

If the axis is tz-naive.

tz_localize (**args, **kwargs*)

Localize tz-naive TimeSeries to target time zone.

Parameters `tz` : string or `pytz.timezone` object

axis : the axis to localize

level : int, str, default None

If axis is a `MultiIndex`, localize a specific level. Otherwise must be None

copy : boolean, default True

Also make a copy of the underlying data

ambiguous : 'infer', bool-ndarray, 'NaT', default 'raise'

- 'infer' will attempt to infer fall dst-transition hours based on order
- bool-ndarray where True signifies a DST time, False designates a non-DST time (note that this flag is only applicable for ambiguous times)
- 'NaT' will return NaT where there are ambiguous times
- 'raise' will raise an `AmbiguousTimeError` if there are ambiguous times

infer_dst : boolean, default False (DEPRECATED)

Attempt to infer fall dst-transition hours based on order

Raises `TypeError`

If the `TimeSeries` is tz-aware and `tz` is not None.

unique ()

Return `np.ndarray` of unique values in the object. Significantly faster than `numpy.unique`. Includes NA values. The order of the original is preserved.

Returns `uniques` : `np.ndarray`

unstack (*level=-1, fill_value=None*)

Unstack, a.k.a. pivot, Series with `MultiIndex` to produce `DataFrame`. The level involved will automatically get sorted.

Parameters **level** : int, string, or list of these, default last level

Level(s) to unstack, can pass level name

fill_value : replace NaN with this value if the unstack produces missing values

Returns `unstacked` : `DataFrame`

Examples

```
>>> s
one  a    1.
one  b    2.
two  a    3.
two  b    4.
```

```
>>> s.unstack(level=-1)
      a    b
one  1.  2.
two  3.  4.
```

```
>>> s.unstack(level=0)
      one two
a  1.  2.
b  3.  4.
```

update (*other*)

Modify Series in place using non-NA values from passed Series. Aligns on index

Parameters *other* : Series

valid (*inplace=False, **kwargs*)**value_counts** (*normalize=False, sort=True, ascending=False, bins=None, dropna=True*)

Returns object containing counts of unique values.

The resulting object will be in descending order so that the first element is the most frequently-occurring element. Excludes NA values by default.

Parameters *normalize* : boolean, default False

If True then the object returned will contain the relative frequencies of the unique values.

sort : boolean, default True

Sort by values

ascending : boolean, default False

Sort in ascending order

bins : integer, optional

Rather than count values, group them into half-open bins, a convenience for `pd.cut`, only works with numeric data

dropna : boolean, default True

Don't include counts of NaN.

Returns *counts* : Series

values

Return Series as ndarray or ndarray-like depending on the dtype

Returns *arr* : numpy.ndarray or ndarray-like

Examples

```
>>> pd.Series([1, 2, 3]).values
array([1, 2, 3])
```

```
>>> pd.Series(list('aabc')).values
array(['a', 'a', 'b', 'c'], dtype=object)
```

```
>>> pd.Series(list('aabc')).astype('category').values
[a, a, b, c]
Categories (3, object): [a, b, c]
```

Timezone aware datetime data is converted to UTC:

```
>>> pd.Series(pd.date_range('20130101', periods=3,
                             tz='US/Eastern')).values
array(['2013-01-01T00:00:00.000000000-0500',
       '2013-01-02T00:00:00.000000000-0500',
       '2013-01-03T00:00:00.000000000-0500'], dtype='datetime64[ns]')
```

var (*axis=None, skipna=None, level=None, ddof=1, numeric_only=None, **kwargs*)

Return unbiased variance over requested axis.

Normalized by N-1 by default. This can be changed using the *ddof* argument

Parameters axis : {index (0)}

skipna : boolean, default True

Exclude NA/null values. If an entire row/column is NA, the result will be NA

level : int or level name, default None

If the axis is a MultiIndex (hierarchical), count along a particular level, collapsing into a scalar

ddof : int, default 1

degrees of freedom

numeric_only : boolean, default None

Include only float, int, boolean columns. If None, will attempt to use everything, then use only numeric data. Not implemented for Series.

Returns var : scalar or Series (if level specified)

view (*dtype=None*)

where (*cond, other=nan, inplace=False, axis=None, level=None, try_cast=False, raise_on_error=True*)

Return an object of same shape as self and whose corresponding entries are from self where *cond* is True and otherwise are from *other*.

Parameters cond : boolean NDFrame, array or callable

If *cond* is callable, it is computed on the NDFrame and should return boolean NDFrame or array. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as *cond*.

other : scalar, NDFrame, or callable

If *other* is callable, it is computed on the NDFrame and should return scalar or NDFrame. The callable must not change input NDFrame (though pandas doesn't check it).

New in version 0.18.1.

A callable can be used as *other*.

inplace : boolean, default False

Whether to perform the operation in place on the data

axis : alignment axis if needed, default None

level : alignment level if needed, default None

try_cast : boolean, default False

try to cast the result back to the input type (if possible),

raise_on_error : boolean, default True

Whether to raise on invalid data types (e.g. trying to where on strings)

Returns **wh** : same type as caller

See also:

`DataFrame.mask()`

Notes

The `where` method is an application of the if-then idiom. For each element in the calling `DataFrame`, if `cond` is `True` the element is used; otherwise the corresponding element from the `DataFrame` `other` is used.

The signature for `DataFrame.where()` differs from `numpy.where()`. Roughly `df1.where(m, df2)` is equivalent to `np.where(m, df1, df2)`.

For further details and examples see the `where` documentation in indexing.

Examples

```
>>> s = pd.Series(range(5))
>>> s.where(s > 0)
0    NaN
1     1.0
2     2.0
3     3.0
4     4.0
```

```
>>> df = pd.DataFrame(np.arange(10).reshape(-1, 2), columns=['A', 'B'])
>>> m = df % 3 == 0
>>> df.where(m, -df)
   A  B
0  0 -1
1 -2  3
2 -4 -5
3  6 -7
4 -8  9
>>> df.where(m, -df) == np.where(m, df, -df)
   A    B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
>>> df.where(m, -df) == df.mask(~m, -df)
   A    B
0  True  True
1  True  True
2  True  True
3  True  True
4  True  True
```

xs (*key*, *axis=0*, *level=None*, *drop_level=True*)

Returns a cross-section (row(s) or column(s)) from the Series/DataFrame. Defaults to cross-section on the rows (*axis=0*).

Parameters *key* : object

Some label contained in the index, or partially in a MultiIndex

axis : int, default 0

Axis to retrieve cross-section on

level : object, defaults to first n levels (n=1 or len(key))

In case of a key partially contained in a MultiIndex, indicate which levels are used. Levels can be referred by label or position.

drop_level : boolean, default True

If False, returns object with same levels as self.

Returns *xs* : Series or DataFrame

Notes

xs is only for getting, not setting values.

MultiIndex Slicers is a generic way to get/set values on any level or levels. It is a superset of *xs* functionality, see MultiIndex Slicers

Examples

```
>>> df
   A  B  C
a  4  5  2
b  4  0  9
c  9  7  3
>>> df.xs('a')
A    4
B    5
C    2
Name: a
>>> df.xs('C', axis=1)
a    2
b    9
c    3
Name: C
```

```
>>> df
      first second third   A  B  C  D
bar  one     1     4  1  8  9
     two     1     7  5  5  0
baz  one     1     6  6  8  0
     three  2     5  3  5  3
>>> df.xs(('baz', 'three'))
      A  B  C  D
third
2     5  3  5  3
```

```

>>> df.xs('one', level=1)
      A  B  C  D
first third
bar   1   4  1  8  9
baz   1   6  6  8  0
>>> df.xs(('baz', 2), level=[0, 'third'])
      A  B  C  D
second
three  5  3  5  3

```

`oddt.pandas.read_csv(*args, **kwargs)`

TODO: Support Chunks

`oddt.pandas.read_mol2(filepath_or_buffer=None, usecols=None, molecule_column='mol', molecule_name_column='mol_name', smiles_column=None, skip_bad_mols=False, chunksize=None, **kwargs)`

Read Mol2 multi molecular file to ChemDataFrame. UCSF Dock 6 comments style is supported, i.e. `###` `var_name: value` before molecular block.

New in version 0.3.

Parameters `filepath_or_buffer` : string or None

File path

usecols [list or None, optional (default=None)] A list of columns to read from file. If None then all available fields are read.

molecule_column [string or None, optional (default='mol')] Name of molecule column. If None the molecules will be skipped and the reading will be speed up significantly.

molecule_name_column [string or None, optional (default='mol_name')] Column name which will contain molecules' title/name. Column is skipped when set to None.

smiles_column [string or None, optional (default=None)] Column name containing molecules' SMILES, by default it is disabled.

skip_bad_mols [bool, optional (default=False)] Switch to skip empty (bad) molecules. Useful for RDKit, which Returns None if molecule can not sanitize.

chunksize [int or None, optional (default=None)] Size of chunk to return. If set to None whole set is returned.

Returns result :

A *ChemDataFrame* containing all molecules if `chunksize` is None or generator of *ChemDataFrame* with `chunksize` molecules.

`oddt.pandas.read_sdf(filepath_or_buffer=None, usecols=None, molecule_column='mol', molecule_name_column='mol_name', smiles_column=None, skip_bad_mols=False, chunksize=None, **kwargs)`

Read SDF/MDL multi molecular file to ChemDataFrame

New in version 0.3.

Parameters `filepath_or_buffer` : string or None

File path

usecols [list or None, optional (default=None)] A list of columns to read from file. If None then all available fields are read.

molecule_column [string or None, optional (default='mol')] Name of molecule column. If None the molecules will be skipped and the reading will be speed up significantly.

molecule_name_column [string or None, optional (default='mol_name')] Column name which will contain molecules' title/name. Column is skipped when set to None.

smiles_column [string or None, optional (default=None)] Column name containing molecules' SMILES, by default it is disabled.

skip_bad_mols [bool, optional (default=False)] Switch to skip empty (bad) molecules. Useful for RDKit, which Returns None if molecule can not sanitize.

chunksize [int or None, optional (default=None)] Size of chunk to return. If set to None whole set is returned.

Returns result :

A *ChemDataFrame* containing all molecules if *chunksize* is None or generator of *ChemDataFrame* with *chunksize* molecules.

oddt.spatial module

Spatial functions included in ODDT Mainly used by other modules, but can be accessed directly.

`oddt.spatial.angle` (*p1*, *p2*, *p3*)

Returns an angle from a series of 3 points (point #2 is centroid). Angle is returned in degrees.

Parameters **p1,p2,p3** : numpy arrays, shape = [n_points, n_dimensions]

Triplets of points in n-dimensional space, aligned in rows.

Returns **angles** : numpy array, shape = [n_points]

Series of angles in degrees

`oddt.spatial.angle_2v` (*v1*, *v2*)

Returns an angle between two vectors. Angle is returned in degrees.

Parameters **v1,v2** : numpy arrays, shape = [n_vectors, n_dimensions]

Pairs of vectors in n-dimensional space, aligned in rows.

Returns **angles** : numpy array, shape = [n_vectors]

Series of angles in degrees

`oddt.spatial.dihedral` (*p1*, *p2*, *p3*, *p4*)

Returns a dihedral angle from a series of 4 points. Dihedral is returned in degrees. Function distinguishes clockwise and anticlockwise dihedrals.

Parameters **p1, p2, p3, p4** : numpy arrays, shape = [n_points, n_dimensions]

Quadruplets of points in n-dimensional space, aligned in rows.

Returns **angles** : numpy array, shape = [n_points]

Series of angles in degrees

`oddt.spatial.distance` (*XA*, *XB*, *metric*='euclidean', *p*=None, *V*=None, *VI*=None, *w*=None)

Computes distance between each pair of the two collections of inputs.

See Notes for common calling conventions.

Parameters **XA** : ndarray

An m_A by n array of m_A original observations in an n -dimensional space. Inputs are converted to float type.

XB : ndarray

An m_B by n array of m_B original observations in an n -dimensional space. Inputs are converted to float type.

metric : str or callable, optional

The distance metric to use. If a string, the distance function can be 'braycurtis', 'canberra', 'chebyshev', 'cityblock', 'correlation', 'cosine', 'dice', 'euclidean', 'hamming', 'jaccard', 'kulsinski', 'mahalanobis', 'matching', 'minkowski', 'rogerstanimoto', 'russellrao', 'seuclidean', 'sokalmichener', 'sokalsneath', 'sqeuclidean', 'wminkowski', 'yule'.

p : double, optional

The p-norm to apply Only for Minkowski, weighted and unweighted. Default: 2.

w : ndarray, optional

The weight vector. Only for weighted Minkowski. Mandatory

V : ndarray, optional

The variance vector Only for standardized Euclidean. Default: `var(vstack([XA, XB]), axis=0, ddof=1)`

VI : ndarray, optional

The inverse of the covariance matrix Only for Mahalanobis. Default: `inv(cov(vstack([XA, XB]).T)).T`

Returns **Y** : ndarray

A m_A by m_B distance matrix is returned. For each i and j , the metric `dist(u=XA[i], v=XB[j])` is computed and stored in the ij th entry.

Raises **ValueError**

An exception is thrown if *XA* and *XB* do not have the same number of columns.

Notes

The following are common calling conventions:

1.`Y = cdist(XA, XB, 'euclidean')`

Computes the distance between m points using Euclidean distance (2-norm) as the distance metric between the points. The points are arranged as m n -dimensional row vectors in the matrix *X*.

2.`Y = cdist(XA, XB, 'minkowski', p)`

Computes the distances using the Minkowski distance $\|u - v\|_p$ (p -norm) where $p \geq 1$.

3.`Y = cdist(XA, XB, 'cityblock')`

Computes the city block or Manhattan distance between the points.

4.Y = cdist(XA, XB, 'seuclidean', V=None)

Computes the standardized Euclidean distance. The standardized Euclidean distance between two n-vectors u and v is

$$\sqrt{\sum (u_i - v_i)^2 / V[x_i]}.$$

V is the variance vector; $V[i]$ is the variance computed over all the i 'th components of the points. If not passed, it is automatically computed.

5.Y = cdist(XA, XB, 'sqeuclidean')

Computes the squared Euclidean distance $\|u - v\|_2^2$ between the vectors.

6.Y = cdist(XA, XB, 'cosine')

Computes the cosine distance between vectors u and v ,

$$1 - \frac{u \cdot v}{\|u\|_2 \|v\|_2}$$

where $\|*\|_2$ is the 2-norm of its argument $*$, and $u \cdot v$ is the dot product of u and v .

7.Y = cdist(XA, XB, 'correlation')

Computes the correlation distance between vectors u and v . This is

$$1 - \frac{(u - \bar{u}) \cdot (v - \bar{v})}{\|(u - \bar{u})\|_2 \|(v - \bar{v})\|_2}$$

where \bar{v} is the mean of the elements of vector v , and $x \cdot y$ is the dot product of x and y .

8.Y = cdist(XA, XB, 'hamming')

Computes the normalized Hamming distance, or the proportion of those vector elements between two n-vectors u and v which disagree. To save memory, the matrix X can be of type boolean.

9.Y = cdist(XA, XB, 'jaccard')

Computes the Jaccard distance between the points. Given two vectors, u and v , the Jaccard distance is the proportion of those elements $u[i]$ and $v[i]$ that disagree where at least one of them is non-zero.

10.Y = cdist(XA, XB, 'chebyshev')

Computes the Chebyshev distance between the points. The Chebyshev distance between two n-vectors u and v is the maximum norm-1 distance between their respective elements. More precisely, the distance is given by

$$d(u, v) = \max_i |u_i - v_i|.$$

11.Y = cdist(XA, XB, 'canberra')

Computes the Canberra distance between the points. The Canberra distance between two points u and v is

$$d(u, v) = \sum_i \frac{|u_i - v_i|}{|u_i| + |v_i|}.$$

12.Y = cdist(XA, XB, 'braycurtis')

Computes the Bray-Curtis distance between the points. The Bray-Curtis distance between two points u and v is

$$d(u, v) = \frac{\sum_i (|u_i - v_i|)}{\sum_i (|u_i + v_i|)}$$

13.Y = `cdist(XA, XB, 'mahalanobis', VI=None)`

Computes the Mahalanobis distance between the points. The Mahalanobis distance between two points u and v is $\sqrt{(u - v)(1/V)(u - v)^T}$ where $(1/V)$ (the `VI` variable) is the inverse covariance. If `VI` is not `None`, `VI` will be used as the inverse covariance matrix.

14.Y = `cdist(XA, XB, 'yule')`

Computes the Yule distance between the boolean vectors. (see *yule* function documentation)

15.Y = `cdist(XA, XB, 'matching')`

Synonym for 'hamming'.

16.Y = `cdist(XA, XB, 'dice')`

Computes the Dice distance between the boolean vectors. (see *dice* function documentation)

17.Y = `cdist(XA, XB, 'kulsinski')`

Computes the Kulsinski distance between the boolean vectors. (see *kulsinski* function documentation)

18.Y = `cdist(XA, XB, 'rogerstanimoto')`

Computes the Rogers-Tanimoto distance between the boolean vectors. (see *rogerstanimoto* function documentation)

19.Y = `cdist(XA, XB, 'russellrao')`

Computes the Russell-Rao distance between the boolean vectors. (see *russellrao* function documentation)

20.Y = `cdist(XA, XB, 'sokalmichener')`

Computes the Sokal-Michener distance between the boolean vectors. (see *sokalmichener* function documentation)

21.Y = `cdist(XA, XB, 'sokalsneath')`

Computes the Sokal-Sneath distance between the vectors. (see *sokalsneath* function documentation)

22.Y = `cdist(XA, XB, 'wminkowski')`

Computes the weighted Minkowski distance between the vectors. (see *wminkowski* function documentation)

```
23.Y = cdist(XA, XB, f)
```

Computes the distance between all pairs of vectors in *X* using the user supplied 2-arity function *f*. For example, Euclidean distance between the vectors could be computed as follows:

```
dm = cdist(XA, XB, lambda u, v: np.sqrt(((u-v)**2).sum()))
```

Note that you should avoid passing a reference to one of the distance functions defined in this library. For example,:

```
dm = cdist(XA, XB, sokalsneath)
```

would calculate the pair-wise distances between the vectors in *X* using the Python function *sokalsneath*. This would result in *sokalsneath* being called $\binom{n}{2}$ times, which is inefficient. Instead, the optimized C version is more efficient, and we call it using the following syntax:

```
dm = cdist(XA, XB, 'sokalsneath')
```

Examples

Find the Euclidean distances between four 2-D coordinates:

```
>>> from scipy.spatial import distance
>>> coords = [(35.0456, -85.2672),
...           (35.1174, -89.9711),
...           (35.9728, -83.9422),
...           (36.1667, -86.7833)]
>>> distance.cdist(coords, coords, 'euclidean')
array([[ 0.         ,  4.7044,  1.6172,  1.8856],
       [ 4.7044,  0.         ,  6.0893,  3.3561],
       [ 1.6172,  6.0893,  0.         ,  2.8477],
       [ 1.8856,  3.3561,  2.8477,  0.         ]])
```

Find the Manhattan distance from a 3-D point to the corners of the unit cube:

```
>>> a = np.array([[0, 0, 0],
...               [0, 0, 1],
...               [0, 1, 0],
...               [0, 1, 1],
...               [1, 0, 0],
...               [1, 0, 1],
...               [1, 1, 0],
...               [1, 1, 1]])
>>> b = np.array([0.1, 0.2, 0.4])
>>> distance.cdist(a, b, 'cityblock')
array([[ 0.7],
       [ 0.9],
       [ 1.3],
       [ 1.5],
       [ 1.5],
       [ 1.7],
       [ 2.1],
       [ 2.3]])
```

```
oddt.spatial.rmsd(ref, mol, ignore_h=True, method=None, normalize=False)
```

Computes root mean square deviation (RMSD) between two molecules (including or excluding Hydrogens). No symmetry checks are performed.

Parameters **ref** : oddt.toolkit.Molecule object

Reference molecule for the RMSD calculation

mol : oddt.toolkit.Molecule object

Query molecule for RMSD calculation

ignore_h : bool (default=False)

Flag indicating to ignore Hydrogen atoms while performing RMSD calculation

method : str (default=None)

The method to be used for atom assignment between ref and mol. None means that direct matching is applied, which is the default behavior. Available methods:

- canonize - match heavy atoms using OB canonical ordering (it forces ignoring H's)
- hungarian - minimize RMSD using Hungarian algorithm

normalize : bool (default=False)

Normalize RMSD by square root of rot. bonds

Returns **rmsd** : float

RMSD between two molecules

`oddt.spatial.rotate` (*coords, alpha, beta, gamma*)

Rotate coords by cerain angle in X, Y, Z. Angles are specified in radians.

Parameters **coords** : numpy arrays, shape = [n_points, 3]

Coordinates in 3-dimensional space.

alpha, beta, gamma: float

Angles to rotate the coordinates along X, Y and Z axis. Angles are specified in radians.

Returns **new_coords** : numpy arrays, shape = [n_points, 3]

Rorated coordinates in 3-dimensional space.

oddt.virtualscreening module

ODDT pipeline framework for virtual screening

class `oddt.virtualscreening.virtualscreening` (*n_cpu=-1, verbose=False*)

Virtual Screening pipeline stack

Parameters **n_cpu:** int (default=-1)

The number of parallel procesors to use

verbose: bool (default=False) Verbosity flag for some methods

Methods

`apply_filter`(expression[, soft_fail])

Filtering method, can use raw expressions (strings to be evaled in if statement)

Table 4.48 – continued from previous page

<code>dock(engine, protein, *args, **kwargs)</code>	Docking procedure.
<code>fetch()</code>	
<code>load_ligands(fmt, ligands_file, *args, **kwargs)</code>	Loads file with ligands.
<code>score(function[, protein])</code>	Scoring procedure.
<code>write(fmt, filename[, csv_filename])</code>	Outputs molecules to a file
<code>write_csv(csv_filename[, fields, keep_pipe])</code>	Outputs molecules to a csv file

apply_filter (*expression, soft_fail=0*)

Filtering method, can use raw expressions (strings to be eval'd in if statement, can use `oddt.toolkit.Molecule` methods, eg. 'mol.molwt < 500') Currently supported presets:

- Lipinski Rule of 5 ('ro5' or 'l5')
- Fragment Rule of 3 ('ro3')
- PAINS filter ('pains')

Parameters expression: string or list of strings

Expresion(s) to be used while filtering.

soft_fail: int (default=0) The number of faulures molecule can have to pass filter, aka. soft-fails.

dock (*engine, protein, *args, **kwargs*)

Docking procedure.

Parameters engine: string

Which docking engine to use.

fetch ()**load_ligands** (*fmt, ligands_file, *args, **kwargs*)

Loads file with ligands.

Parameters file_type: string

Type of molecular file

ligands_file: string Path to a file, which is loaded to pipeline

score (*function, protein=None, *args, **kwargs*)

Scoring procedure.

Parameters function: string

Which scoring function to use.

protein: oddt.toolkit.Molecule Default protein to use as reference

write (*fmt, filename, csv_filename=None, **kwargs*)

Outputs molecules to a file

Parameters file_type: string

Type of molecular file

ligands_file: string Path to a output file

csv_filename: string Optional path to a CSV file

write_csv (*csv_filename*, *fields=None*, *keep_pipe=False*, ***kwargs*)

Outputs molecules to a csv file

Parameters **csv_filename: string**

Optional path to a CSV file

fields: list (default None) List of fields to save in CSV file

keep_pipe: bool (default=False) If set to True, the ligand pipe is sustained.

Module contents

Open Drug Discovery Toolkit

Universal and easy to use resource for various drug discovery tasks, ie docking, virtual screening, rescoring.

toolkit [module,] Toolkits backend module, currently OpenBabel [ob] and RDKit [rdk]. This setting is toolkit-wide, and sets given toolkit as default

References

To be announced.

Documentation Indices and tables

- `genindex`
- `modindex`
- `search`

[R1] [Wikipedia entry for the Receiver operating characteristic](#)

O

- oddt, 302
- oddt.datasets, 44
- oddt.docking, 15
- oddt.docking.AutodockVina, 11
- oddt.docking.internal, 13
- oddt.interactions, 45
- oddt.metrics, 49
- oddt.pandas, 52
- oddt.scoring, 28
- oddt.scoring.descriptors, 17
- oddt.scoring.descriptors.binana, 17
- oddt.scoring.functions, 22
- oddt.scoring.functions.NNScore, 19
- oddt.scoring.functions.RFScore, 21
- oddt.scoring.models, 28
- oddt.scoring.models.classifiers, 26
- oddt.scoring.models.regressors, 27
- oddt.spatial, 295
- oddt.toolkits, 44
- oddt.toolkits.common, 31
- oddt.toolkits.extras, 31
- oddt.toolkits.extras.rdkit, 31
- oddt.toolkits.ob, 31
- oddt.toolkits.rdk, 37
- oddt.virtualscreening, 300

A

- abs() (oddt.pandas.ChemDataFrame method), 57
abs() (oddt.pandas.ChemPanel method), 159
abs() (oddt.pandas.ChemSeries method), 215
acceptor_metal() (in module oddt.interactions), 48
activities (oddt.datasets.pdbbind attribute), 44
add() (oddt.pandas.ChemDataFrame method), 57
add() (oddt.pandas.ChemPanel method), 159
add() (oddt.pandas.ChemSeries method), 215
add_prefix() (oddt.pandas.ChemDataFrame method), 58
add_prefix() (oddt.pandas.ChemPanel method), 159
add_prefix() (oddt.pandas.ChemSeries method), 216
add_suffix() (oddt.pandas.ChemDataFrame method), 58
add_suffix() (oddt.pandas.ChemPanel method), 160
add_suffix() (oddt.pandas.ChemSeries method), 216
addh() (oddt.toolkits.ob.Molecule method), 34
addh() (oddt.toolkits.rdk.Molecule method), 40
align() (oddt.pandas.ChemDataFrame method), 58
align() (oddt.pandas.ChemPanel method), 160
align() (oddt.pandas.ChemSeries method), 216
all() (oddt.pandas.ChemDataFrame method), 59
all() (oddt.pandas.ChemPanel method), 160
all() (oddt.pandas.ChemSeries method), 217
angle() (in module oddt.spatial), 295
angle_2v() (in module oddt.spatial), 295
any() (oddt.pandas.ChemDataFrame method), 59
any() (oddt.pandas.ChemPanel method), 160
any() (oddt.pandas.ChemSeries method), 217
append() (oddt.pandas.ChemDataFrame method), 59
append() (oddt.pandas.ChemSeries method), 217
apply() (oddt.pandas.ChemDataFrame method), 60
apply() (oddt.pandas.ChemPanel method), 160
apply() (oddt.pandas.ChemSeries method), 218
apply_filter() (oddt.virtualscreening.virtualscreening method), 301
applymap() (oddt.pandas.ChemDataFrame method), 61
argmax() (oddt.pandas.ChemSeries method), 220
argmin() (oddt.pandas.ChemSeries method), 220
argsort() (oddt.pandas.ChemSeries method), 220
as_blocks() (oddt.pandas.ChemDataFrame method), 62
as_blocks() (oddt.pandas.ChemPanel method), 161
as_blocks() (oddt.pandas.ChemSeries method), 220
as_matrix() (oddt.pandas.ChemDataFrame method), 62
as_matrix() (oddt.pandas.ChemPanel method), 161
as_matrix() (oddt.pandas.ChemSeries method), 221
asfreq() (oddt.pandas.ChemDataFrame method), 62
asfreq() (oddt.pandas.ChemPanel method), 161
asfreq() (oddt.pandas.ChemSeries method), 221
asobject (oddt.pandas.ChemSeries attribute), 222
asof() (oddt.pandas.ChemDataFrame method), 63
asof() (oddt.pandas.ChemPanel method), 162
asof() (oddt.pandas.ChemSeries method), 222
assign() (oddt.pandas.ChemDataFrame method), 63
astype() (oddt.pandas.ChemDataFrame method), 64
astype() (oddt.pandas.ChemPanel method), 162
astype() (oddt.pandas.ChemSeries method), 222
at (oddt.pandas.ChemDataFrame attribute), 64
at (oddt.pandas.ChemPanel attribute), 162
at (oddt.pandas.ChemSeries attribute), 222
at_time() (oddt.pandas.ChemDataFrame method), 65
at_time() (oddt.pandas.ChemPanel method), 162
at_time() (oddt.pandas.ChemSeries method), 222
Atom (class in oddt.toolkits.ob), 31
Atom (class in oddt.toolkits.rdk), 37
atom_dict (oddt.toolkits.ob.Molecule attribute), 34
atom_dict (oddt.toolkits.rdk.Molecule attribute), 40
atomicmass (oddt.toolkits.ob.Atom attribute), 32
atomicnum (oddt.toolkits.ob.Atom attribute), 32
atomicnum (oddt.toolkits.rdk.Atom attribute), 38
atoms (oddt.toolkits.ob.Bond attribute), 32
atoms (oddt.toolkits.ob.Molecule attribute), 34
atoms (oddt.toolkits.ob.Residue attribute), 37
atoms (oddt.toolkits.rdk.Bond attribute), 38
atoms (oddt.toolkits.rdk.Molecule attribute), 40
atoms (oddt.toolkits.rdk.Residue attribute), 43
AtomStack (class in oddt.toolkits.ob), 32
AtomStack (class in oddt.toolkits.rdk), 38
auc() (in module oddt.metrics), 50
autocorr() (oddt.pandas.ChemSeries method), 223
autodock_vina (class in oddt.docking), 15
autodock_vina (class in oddt.docking.AutodockVina), 11

autodock_vina_descriptor (class
 oddt.scoring.descriptors), 18
 axes (oddt.pandas.ChemDataFrame attribute), 65
 axes (oddt.pandas.ChemPanel attribute), 162
 axes (oddt.pandas.ChemSeries attribute), 223

B

base (oddt.pandas.ChemSeries attribute), 223
 base_feature_factory (in module oddt.toolkits.rdk), 43
 between() (oddt.pandas.ChemSeries method), 223
 between_time() (oddt.pandas.ChemDataFrame method),
 65
 between_time() (oddt.pandas.ChemPanel method), 162
 between_time() (oddt.pandas.ChemSeries method), 223
 bfill() (oddt.pandas.ChemDataFrame method), 65
 bfill() (oddt.pandas.ChemPanel method), 163
 bfill() (oddt.pandas.ChemSeries method), 223
 binana_descriptor (class
 oddt.scoring.descriptors.binana), 17
 bits (oddt.toolkits.ob.Fingerprint attribute), 33
 blocks (oddt.pandas.ChemDataFrame attribute), 65
 blocks (oddt.pandas.ChemPanel attribute), 163
 blocks (oddt.pandas.ChemSeries attribute), 223
 Bond (class in oddt.toolkits.ob), 32
 Bond (class in oddt.toolkits.rdk), 38
 bonds (oddt.toolkits.ob.Atom attribute), 32
 bonds (oddt.toolkits.ob.Molecule attribute), 34
 bonds (oddt.toolkits.rdk.Atom attribute), 38
 bonds (oddt.toolkits.rdk.Molecule attribute), 40
 BondStack (class in oddt.toolkits.ob), 33
 BondStack (class in oddt.toolkits.rdk), 38
 bool() (oddt.pandas.ChemDataFrame method), 65
 bool() (oddt.pandas.ChemPanel method), 163
 bool() (oddt.pandas.ChemSeries method), 223
 boxplot() (oddt.pandas.ChemDataFrame method), 65
 build() (oddt.scoring.descriptors.autodock_vina_descriptor
 method), 19
 build() (oddt.scoring.descriptors.binana.binana_descriptor
 method), 17
 build() (oddt.scoring.descriptors.close_contacts method),
 18
 build() (oddt.scoring.descriptors.fingerprints method), 18
 build() (oddt.scoring.descriptors.oddt_vina_descriptor
 method), 19
 build() (oddt.scoring.ensemble_descriptor method), 28

C

calccharges() (oddt.toolkits.ob.Molecule method), 34
 calcdesc() (oddt.toolkits.ob.Molecule method), 34
 calcdesc() (oddt.toolkits.rdk.Molecule method), 40
 calcfp() (oddt.pandas.ChemSeries method), 223
 calcfp() (oddt.toolkits.ob.Molecule method), 34
 calcfp() (oddt.toolkits.rdk.Molecule method), 40
 canonic_order (oddt.toolkits.ob.Molecule attribute), 34

in canonic_order (oddt.toolkits.rdk.Molecule attribute), 40
 cat (oddt.pandas.ChemSeries attribute), 223
 change_dihedral() (in module oddt.docking.internal), 13
 charge (oddt.toolkits.ob.Molecule attribute), 34
 charges (oddt.toolkits.ob.Molecule attribute), 34
 charges (oddt.toolkits.rdk.Molecule attribute), 40
 ChemDataFrame (class in oddt.pandas), 52
 ChemPanel (class in oddt.pandas), 156
 ChemSeries (class in oddt.pandas), 210
 cidx (oddt.toolkits.ob.Atom attribute), 32
 clean() (oddt.docking.autodock_vina method), 16
 clean() (oddt.docking.AutodockVina.autodock_vina
 method), 12
 clear() (oddt.toolkits.ob.MoleculeData method), 36
 clear() (oddt.toolkits.rdk.MoleculeData method), 42
 clip() (oddt.pandas.ChemDataFrame method), 66
 clip() (oddt.pandas.ChemPanel method), 163
 clip() (oddt.pandas.ChemSeries method), 223
 in clip() (oddt.pandas.ChemDataFrame method), 67
 clip_lower() (oddt.pandas.ChemPanel method), 164
 clip_lower() (oddt.pandas.ChemSeries method), 224
 clip_upper() (oddt.pandas.ChemDataFrame method), 67
 clip_upper() (oddt.pandas.ChemPanel method), 164
 clip_upper() (oddt.pandas.ChemSeries method), 224
 clone (oddt.toolkits.ob.Molecule attribute), 34
 clone (oddt.toolkits.rdk.Molecule attribute), 40
 clone_coords() (oddt.toolkits.ob.Molecule method), 34
 clone_coords() (oddt.toolkits.rdk.Molecule method), 40
 close() (oddt.toolkits.ob.Outputfile method), 36
 close() (oddt.toolkits.rdk.Outputfile method), 42
 close_contacts (class in oddt.scoring.descriptors), 17
 close_contacts() (in module oddt.interactions), 45
 combine() (oddt.pandas.ChemDataFrame method), 67
 combine() (oddt.pandas.ChemSeries method), 225
 combine_first() (oddt.pandas.ChemDataFrame method),
 68
 combine_first() (oddt.pandas.ChemSeries method), 225
 combineAdd() (oddt.pandas.ChemDataFrame method),
 67
 combineMult() (oddt.pandas.ChemDataFrame method),
 67
 compound() (oddt.pandas.ChemDataFrame method), 68
 compound() (oddt.pandas.ChemPanel method), 164
 compound() (oddt.pandas.ChemSeries method), 225
 compress() (oddt.pandas.ChemSeries method), 225
 conform() (oddt.pandas.ChemPanel method), 164
 conformers (oddt.toolkits.ob.Molecule attribute), 34
 consolidate() (oddt.pandas.ChemDataFrame method), 68
 consolidate() (oddt.pandas.ChemPanel method), 165
 consolidate() (oddt.pandas.ChemSeries method), 225
 convert_objects() (oddt.pandas.ChemDataFrame
 method), 68
 convert_objects() (oddt.pandas.ChemPanel method), 165
 convert_objects() (oddt.pandas.ChemSeries method), 225

- convertdbonds() (oddt.toolkits.ob.Molecule method), 34
 coordidx (oddt.toolkits.ob.Atom attribute), 32
 coords (oddt.toolkits.ob.Atom attribute), 32
 coords (oddt.toolkits.ob.Molecule attribute), 35
 coords (oddt.toolkits.rdk.Atom attribute), 38
 coords (oddt.toolkits.rdk.Molecule attribute), 40
 copy() (oddt.pandas.ChemDataFrame method), 69
 copy() (oddt.pandas.ChemPanel method), 165
 copy() (oddt.pandas.ChemSeries method), 226
 corr() (oddt.pandas.ChemDataFrame method), 69
 corr() (oddt.pandas.ChemSeries method), 226
 correct_radius() (oddt.docking.internal.vina_docking method), 14
 corrwith() (oddt.pandas.ChemDataFrame method), 69
 count() (oddt.pandas.ChemDataFrame method), 70
 count() (oddt.pandas.ChemPanel method), 165
 count() (oddt.pandas.ChemSeries method), 226
 cov() (oddt.pandas.ChemDataFrame method), 70
 cov() (oddt.pandas.ChemSeries method), 227
 cross_validate() (in module oddt.scoring), 28
 cummax() (oddt.pandas.ChemDataFrame method), 70
 cummax() (oddt.pandas.ChemPanel method), 166
 cummax() (oddt.pandas.ChemSeries method), 227
 cummin() (oddt.pandas.ChemDataFrame method), 70
 cummin() (oddt.pandas.ChemPanel method), 166
 cummin() (oddt.pandas.ChemSeries method), 227
 cumprod() (oddt.pandas.ChemDataFrame method), 70
 cumprod() (oddt.pandas.ChemPanel method), 166
 cumprod() (oddt.pandas.ChemSeries method), 227
 cumsum() (oddt.pandas.ChemDataFrame method), 71
 cumsum() (oddt.pandas.ChemPanel method), 166
 cumsum() (oddt.pandas.ChemSeries method), 227
- ## D
- data (oddt.pandas.ChemSeries attribute), 227
 data (oddt.toolkits.ob.Molecule attribute), 35
 data (oddt.toolkits.rdk.Molecule attribute), 40
 describe() (oddt.pandas.ChemDataFrame method), 71
 describe() (oddt.pandas.ChemPanel method), 166
 describe() (oddt.pandas.ChemSeries method), 227
 descs (in module oddt.toolkits.rdk), 43
 detect_secondary_structure() (in module oddt.toolkits.common), 31
 diff() (oddt.pandas.ChemDataFrame method), 72
 diff() (oddt.pandas.ChemSeries method), 228
 dihedral() (in module oddt.spatial), 295
 dim (oddt.toolkits.ob.Molecule attribute), 35
 distance() (in module oddt.spatial), 295
 div() (oddt.pandas.ChemDataFrame method), 72
 div() (oddt.pandas.ChemPanel method), 167
 div() (oddt.pandas.ChemSeries method), 228
 divide() (oddt.pandas.ChemDataFrame method), 72
 divide() (oddt.pandas.ChemPanel method), 167
 divide() (oddt.pandas.ChemSeries method), 229
- dock() (oddt.docking.autodock_vina method), 16
 dock() (oddt.docking.AutodockVina.autodock_vina method), 12
 dock() (oddt.virtualscreening.virtualscreening method), 301
 dot() (oddt.pandas.ChemDataFrame method), 73
 dot() (oddt.pandas.ChemSeries method), 229
 draw() (oddt.toolkits.ob.Molecule method), 35
 drop() (oddt.pandas.ChemDataFrame method), 73
 drop() (oddt.pandas.ChemPanel method), 167
 drop() (oddt.pandas.ChemSeries method), 229
 drop_duplicates() (oddt.pandas.ChemDataFrame method), 73
 drop_duplicates() (oddt.pandas.ChemSeries method), 229
 dropna() (oddt.pandas.ChemDataFrame method), 73
 dropna() (oddt.pandas.ChemPanel method), 168
 dropna() (oddt.pandas.ChemSeries method), 230
 dt (oddt.pandas.ChemSeries attribute), 230
 dtype (oddt.pandas.ChemSeries attribute), 230
 dtypes (oddt.pandas.ChemDataFrame attribute), 74
 dtypes (oddt.pandas.ChemPanel attribute), 168
 dtypes (oddt.pandas.ChemSeries attribute), 230
 duplicated() (oddt.pandas.ChemDataFrame method), 74
 duplicated() (oddt.pandas.ChemSeries method), 230
- ## E
- empty (oddt.pandas.ChemDataFrame attribute), 74
 empty (oddt.pandas.ChemPanel attribute), 168
 empty (oddt.pandas.ChemSeries attribute), 230
 energy (oddt.toolkits.ob.Molecule attribute), 35
 enrichment_factor() (in module oddt.metrics), 52
 ensemble_descriptor (class in oddt.scoring), 28
 ensemble_model (class in oddt.scoring), 28
 eq() (oddt.pandas.ChemDataFrame method), 75
 eq() (oddt.pandas.ChemPanel method), 169
 eq() (oddt.pandas.ChemSeries method), 231
 equals() (oddt.pandas.ChemDataFrame method), 75
 equals() (oddt.pandas.ChemPanel method), 169
 equals() (oddt.pandas.ChemSeries method), 231
 eval() (oddt.pandas.ChemDataFrame method), 75
 ewm() (oddt.pandas.ChemDataFrame method), 76
 ewm() (oddt.pandas.ChemSeries method), 231
 exactmass (oddt.toolkits.ob.Atom attribute), 32
 exactmass (oddt.toolkits.ob.Molecule attribute), 35
 expanding() (oddt.pandas.ChemDataFrame method), 77
 expanding() (oddt.pandas.ChemSeries method), 233
- ## F
- factorize() (oddt.pandas.ChemSeries method), 233
 fetch() (oddt.virtualscreening.virtualscreening method), 301
 ffill() (oddt.pandas.ChemDataFrame method), 78
 ffill() (oddt.pandas.ChemPanel method), 169
 ffill() (oddt.pandas.ChemSeries method), 234

fillna() (oddt.pandas.ChemDataFrame method), 78
 fillna() (oddt.pandas.ChemPanel method), 169
 fillna() (oddt.pandas.ChemSeries method), 234
 filter() (oddt.pandas.ChemDataFrame method), 79
 filter() (oddt.pandas.ChemPanel method), 169
 filter() (oddt.pandas.ChemSeries method), 234
 findall() (oddt.toolkits.ob.Smarts method), 37
 findall() (oddt.toolkits.rdk.Smarts method), 43
 Fingerprint (class in oddt.toolkits.ob), 33
 Fingerprint (class in oddt.toolkits.rdk), 38
 fingerprints (class in oddt.scoring.descriptors), 18
 first() (oddt.pandas.ChemDataFrame method), 79
 first() (oddt.pandas.ChemPanel method), 170
 first() (oddt.pandas.ChemSeries method), 235
 first_valid_index() (oddt.pandas.ChemDataFrame method), 80
 first_valid_index() (oddt.pandas.ChemSeries method), 235
 fit() (oddt.scoring.ensemble_model method), 29
 fit() (oddt.scoring.functions.nnscore method), 24
 fit() (oddt.scoring.functions.NNScore.nnscore method), 19
 fit() (oddt.scoring.functions.rfscore method), 23
 fit() (oddt.scoring.functions.RFScore.rfscore method), 21
 fit() (oddt.scoring.models.classifiers.neuralnetwork method), 26
 fit() (oddt.scoring.models.classifiers.svm method), 26
 fit() (oddt.scoring.models.regressors.neuralnetwork method), 27
 fit() (oddt.scoring.models.regressors.svm method), 27
 fit() (oddt.scoring.scorer method), 29
 flags (oddt.pandas.ChemSeries attribute), 235
 floordiv() (oddt.pandas.ChemDataFrame method), 80
 floordiv() (oddt.pandas.ChemPanel method), 171
 floordiv() (oddt.pandas.ChemSeries method), 236
 forcefields (in module oddt.toolkits.rdk), 43
 formalcharge (oddt.toolkits.ob.Atom attribute), 32
 formalcharge (oddt.toolkits.rdk.Atom attribute), 38
 formula (oddt.toolkits.ob.Molecule attribute), 35
 formula (oddt.toolkits.rdk.Molecule attribute), 40
 fps (in module oddt.toolkits.rdk), 43
 from_array() (oddt.pandas.ChemSeries method), 236
 from_csv() (oddt.pandas.ChemDataFrame method), 80
 from_csv() (oddt.pandas.ChemSeries method), 236
 from_dict() (oddt.pandas.ChemDataFrame method), 81
 from_dict() (oddt.pandas.ChemPanel method), 171
 from_items() (oddt.pandas.ChemDataFrame method), 81
 from_records() (oddt.pandas.ChemDataFrame method), 82
 fromDict() (oddt.pandas.ChemPanel method), 171
 ftype (oddt.pandas.ChemSeries attribute), 237
 ftypes (oddt.pandas.ChemDataFrame attribute), 82
 ftypes (oddt.pandas.ChemPanel attribute), 171
 ftypes (oddt.pandas.ChemSeries attribute), 237

G

ge() (oddt.pandas.ChemDataFrame method), 82
 ge() (oddt.pandas.ChemPanel method), 172
 ge() (oddt.pandas.ChemSeries method), 237
 gen_training_data() (oddt.scoring.functions.nnscore method), 24
 gen_training_data() (oddt.scoring.functions.NNScore.nnscore method), 19
 gen_training_data() (oddt.scoring.functions.rfscore method), 23
 gen_training_data() (oddt.scoring.functions.RFScore.rfscore method), 21
 get() (oddt.pandas.ChemDataFrame method), 82
 get() (oddt.pandas.ChemPanel method), 172
 get() (oddt.pandas.ChemSeries method), 237
 get_children() (in module oddt.docking.internal), 13
 get_close_neighbors() (in module oddt.docking.internal), 13
 get_dtype_counts() (oddt.pandas.ChemDataFrame method), 82
 get_dtype_counts() (oddt.pandas.ChemPanel method), 172
 get_dtype_counts() (oddt.pandas.ChemSeries method), 237
 get_ftype_counts() (oddt.pandas.ChemDataFrame method), 82
 get_ftype_counts() (oddt.pandas.ChemPanel method), 172
 get_ftype_counts() (oddt.pandas.ChemSeries method), 237
 get_params() (oddt.scoring.models.classifiers.neuralnetwork method), 26
 get_params() (oddt.scoring.models.classifiers.svm method), 26
 get_params() (oddt.scoring.models.regressors.neuralnetwork method), 27
 get_params() (oddt.scoring.models.regressors.svm method), 27
 get_value() (oddt.pandas.ChemDataFrame method), 82
 get_value() (oddt.pandas.ChemPanel method), 172
 get_value() (oddt.pandas.ChemSeries method), 237
 get_values() (oddt.pandas.ChemDataFrame method), 82
 get_values() (oddt.pandas.ChemPanel method), 172
 get_values() (oddt.pandas.ChemSeries method), 237
 groupby() (oddt.pandas.ChemDataFrame method), 82
 groupby() (oddt.pandas.ChemPanel method), 172
 groupby() (oddt.pandas.ChemSeries method), 238
 gt() (oddt.pandas.ChemDataFrame method), 83
 gt() (oddt.pandas.ChemPanel method), 172
 gt() (oddt.pandas.ChemSeries method), 238

H

halogenbond_acceptor_halogen() (in module oddt.interactions), 46

- halogenbonds() (in module oddt.interactions), 46
- has_key() (oddt.toolkits.ob.MoleculeData method), 36
- has_key() (oddt.toolkits.rdk.MoleculeData method), 42
- hasnans (oddt.pandas.ChemSeries attribute), 239
- hbond_acceptor_donor() (in module oddt.interactions), 45
- hbonds() (in module oddt.interactions), 45
- head() (oddt.pandas.ChemDataFrame method), 83
- head() (oddt.pandas.ChemPanel method), 172
- head() (oddt.pandas.ChemSeries method), 239
- heavyvalence (oddt.toolkits.ob.Atom attribute), 32
- heterovalence (oddt.toolkits.ob.Atom attribute), 32
- hist() (oddt.pandas.ChemDataFrame method), 83
- hist() (oddt.pandas.ChemSeries method), 239
- hyb (oddt.toolkits.ob.Atom attribute), 32
- hydrophobic_contacts() (in module oddt.interactions), 48
- I**
- iat (oddt.pandas.ChemDataFrame attribute), 84
- iat (oddt.pandas.ChemPanel attribute), 172
- iat (oddt.pandas.ChemSeries attribute), 239
- icol() (oddt.pandas.ChemDataFrame method), 84
- ids (oddt.datasets.pdbbind attribute), 44
- idx (oddt.toolkits.ob.Atom attribute), 32
- idx (oddt.toolkits.ob.Residue attribute), 37
- idx (oddt.toolkits.rdk.Atom attribute), 38
- idx (oddt.toolkits.rdk.Residue attribute), 43
- idxmax() (oddt.pandas.ChemDataFrame method), 84
- idxmax() (oddt.pandas.ChemSeries method), 240
- idxmin() (oddt.pandas.ChemDataFrame method), 85
- idxmin() (oddt.pandas.ChemSeries method), 240
- iget() (oddt.pandas.ChemSeries method), 240
- iget_value() (oddt.pandas.ChemDataFrame method), 85
- iget_value() (oddt.pandas.ChemSeries method), 240
- iloc (oddt.pandas.ChemDataFrame attribute), 85
- iloc (oddt.pandas.ChemPanel attribute), 172
- iloc (oddt.pandas.ChemSeries attribute), 240
- imag (oddt.pandas.ChemSeries attribute), 241
- implicitvalence (oddt.toolkits.ob.Atom attribute), 32
- info() (oddt.pandas.ChemDataFrame method), 85
- informats (in module oddt.toolkits.rdk), 43
- insert() (oddt.pandas.ChemDataFrame method), 86
- interpolate() (oddt.pandas.ChemDataFrame method), 86
- interpolate() (oddt.pandas.ChemPanel method), 173
- interpolate() (oddt.pandas.ChemSeries method), 241
- irow() (oddt.pandas.ChemDataFrame method), 87
- irow() (oddt.pandas.ChemSeries method), 242
- is_copy (oddt.pandas.ChemDataFrame attribute), 87
- is_copy (oddt.pandas.ChemPanel attribute), 174
- is_copy (oddt.pandas.ChemSeries attribute), 242
- is_monotonic (oddt.pandas.ChemSeries attribute), 242
- is_monotonic_decreasing (oddt.pandas.ChemSeries attribute), 242
- is_monotonic_increasing (oddt.pandas.ChemSeries attribute), 242
- is_time_series (oddt.pandas.ChemSeries attribute), 242
- is_unique (oddt.pandas.ChemSeries attribute), 242
- isin() (oddt.pandas.ChemDataFrame method), 87
- isin() (oddt.pandas.ChemSeries method), 242
- isnull() (oddt.pandas.ChemDataFrame method), 88
- isnull() (oddt.pandas.ChemPanel method), 174
- isnull() (oddt.pandas.ChemSeries method), 243
- isotope (oddt.toolkits.ob.Atom attribute), 32
- isrotor (oddt.toolkits.ob.Bond attribute), 32
- isrotor (oddt.toolkits.rdk.Bond attribute), 38
- item() (oddt.pandas.ChemSeries method), 243
- items() (oddt.toolkits.ob.MoleculeData method), 36
- items() (oddt.toolkits.rdk.MoleculeData method), 42
- itemsizes (oddt.pandas.ChemSeries attribute), 243
- iteritems() (oddt.pandas.ChemDataFrame method), 88
- iteritems() (oddt.pandas.ChemPanel method), 174
- iteritems() (oddt.pandas.ChemSeries method), 243
- iteritems() (oddt.toolkits.ob.MoleculeData method), 36
- iteritems() (oddt.toolkits.rdk.MoleculeData method), 42
- iterkv() (oddt.pandas.ChemDataFrame method), 88
- iterkv() (oddt.pandas.ChemPanel method), 174
- iterkv() (oddt.pandas.ChemSeries method), 243
- iterrows() (oddt.pandas.ChemDataFrame method), 88
- itertuples() (oddt.pandas.ChemDataFrame method), 89
- ix (oddt.pandas.ChemDataFrame attribute), 90
- ix (oddt.pandas.ChemPanel attribute), 174
- ix (oddt.pandas.ChemSeries attribute), 243
- J**
- join() (oddt.pandas.ChemDataFrame method), 90
- join() (oddt.pandas.ChemPanel method), 174
- K**
- keys() (oddt.pandas.ChemDataFrame method), 92
- keys() (oddt.pandas.ChemPanel method), 175
- keys() (oddt.pandas.ChemSeries method), 244
- keys() (oddt.toolkits.ob.MoleculeData method), 36
- keys() (oddt.toolkits.rdk.MoleculeData method), 42
- kurt() (oddt.pandas.ChemDataFrame method), 92
- kurt() (oddt.pandas.ChemPanel method), 175
- kurt() (oddt.pandas.ChemSeries method), 244
- kurtosis() (oddt.pandas.ChemDataFrame method), 92
- kurtosis() (oddt.pandas.ChemPanel method), 175
- kurtosis() (oddt.pandas.ChemSeries method), 244
- L**
- last() (oddt.pandas.ChemDataFrame method), 93
- last() (oddt.pandas.ChemPanel method), 176
- last() (oddt.pandas.ChemSeries method), 244
- last_valid_index() (oddt.pandas.ChemDataFrame method), 93

- last_valid_index() (oddt.pandas.ChemSeries method), 244
- le() (oddt.pandas.ChemDataFrame method), 93
- le() (oddt.pandas.ChemPanel method), 176
- le() (oddt.pandas.ChemSeries method), 244
- load() (oddt.scoring.functions.nnscore class method), 24
- load() (oddt.scoring.functions.NNScore.nnscore class method), 19
- load() (oddt.scoring.functions.rfscore class method), 23
- load() (oddt.scoring.functions.RFScore.rfscore class method), 21
- load() (oddt.scoring.scorer class method), 29
- load_ligands() (oddt.virtualscreening.virtualscreening method), 301
- loc (oddt.pandas.ChemDataFrame attribute), 93
- loc (oddt.pandas.ChemPanel attribute), 176
- loc (oddt.pandas.ChemSeries attribute), 245
- localopt() (oddt.toolkits.ob.Molecule method), 35
- localopt() (oddt.toolkits.rdk.Molecule method), 40
- lookup() (oddt.pandas.ChemDataFrame method), 93
- lt() (oddt.pandas.ChemDataFrame method), 94
- lt() (oddt.pandas.ChemPanel method), 176
- lt() (oddt.pandas.ChemSeries method), 245
- ## M
- mad() (oddt.pandas.ChemDataFrame method), 94
- mad() (oddt.pandas.ChemPanel method), 176
- mad() (oddt.pandas.ChemSeries method), 245
- major_xs() (oddt.pandas.ChemPanel method), 177
- make2D() (oddt.toolkits.ob.Molecule method), 35
- make2D() (oddt.toolkits.rdk.Molecule method), 40
- make3D() (oddt.toolkits.ob.Molecule method), 35
- make3D() (oddt.toolkits.rdk.Molecule method), 41
- map() (oddt.pandas.ChemSeries method), 246
- mask() (oddt.pandas.ChemDataFrame method), 94
- mask() (oddt.pandas.ChemPanel method), 177
- mask() (oddt.pandas.ChemSeries method), 247
- match() (oddt.toolkits.ob.Smarts method), 37
- match() (oddt.toolkits.rdk.Smarts method), 43
- max() (oddt.pandas.ChemDataFrame method), 96
- max() (oddt.pandas.ChemPanel method), 178
- max() (oddt.pandas.ChemSeries method), 248
- mean() (oddt.pandas.ChemDataFrame method), 96
- mean() (oddt.pandas.ChemPanel method), 179
- mean() (oddt.pandas.ChemSeries method), 249
- median() (oddt.pandas.ChemDataFrame method), 96
- median() (oddt.pandas.ChemPanel method), 179
- median() (oddt.pandas.ChemSeries method), 249
- memory_usage() (oddt.pandas.ChemDataFrame method), 97
- memory_usage() (oddt.pandas.ChemSeries method), 249
- merge() (oddt.pandas.ChemDataFrame method), 97
- min() (oddt.pandas.ChemDataFrame method), 98
- min() (oddt.pandas.ChemPanel method), 179
- min() (oddt.pandas.ChemSeries method), 250
- minor_xs() (oddt.pandas.ChemPanel method), 180
- mlr (in module oddt.scoring.models.regressors), 28
- mod() (oddt.pandas.ChemDataFrame method), 99
- mod() (oddt.pandas.ChemPanel method), 180
- mod() (oddt.pandas.ChemSeries method), 250
- mode() (oddt.pandas.ChemDataFrame method), 99
- mode() (oddt.pandas.ChemSeries method), 250
- Mol (oddt.toolkits.rdk.Molecule attribute), 40
- Molecule (class in oddt.toolkits.ob), 33
- Molecule (class in oddt.toolkits.rdk), 39
- MoleculeData (class in oddt.toolkits.ob), 36
- MoleculeData (class in oddt.toolkits.rdk), 41
- MolFromPDBBlock() (in module oddt.toolkits.extras.rdkit), 31
- molwt (oddt.toolkits.ob.Molecule attribute), 35
- molwt (oddt.toolkits.rdk.Molecule attribute), 41
- mul() (oddt.pandas.ChemDataFrame method), 100
- mul() (oddt.pandas.ChemPanel method), 180
- mul() (oddt.pandas.ChemSeries method), 250
- multiply() (oddt.pandas.ChemDataFrame method), 100
- multiply() (oddt.pandas.ChemPanel method), 180
- multiply() (oddt.pandas.ChemSeries method), 251
- mutate() (oddt.docking.internal.vina_ligand method), 14
- ## N
- name (oddt.pandas.ChemSeries attribute), 251
- name (oddt.toolkits.ob.Residue attribute), 37
- name (oddt.toolkits.rdk.Residue attribute), 43
- nbytes (oddt.pandas.ChemSeries attribute), 251
- ndim (oddt.pandas.ChemDataFrame attribute), 101
- ndim (oddt.pandas.ChemPanel attribute), 181
- ndim (oddt.pandas.ChemSeries attribute), 251
- ne() (oddt.pandas.ChemDataFrame method), 101
- ne() (oddt.pandas.ChemPanel method), 181
- ne() (oddt.pandas.ChemSeries method), 251
- neighbors (oddt.toolkits.ob.Atom attribute), 32
- neighbors (oddt.toolkits.rdk.Atom attribute), 38
- neuralnetwork (class in oddt.scoring.models.classifiers), 26
- neuralnetwork (class in oddt.scoring.models.regressors), 27
- nlargest() (oddt.pandas.ChemDataFrame method), 101
- nlargest() (oddt.pandas.ChemSeries method), 252
- nnscore (class in oddt.scoring.functions), 24
- nnscore (class in oddt.scoring.functions.NNScore), 19
- nonzero() (oddt.pandas.ChemSeries method), 252
- notnull() (oddt.pandas.ChemDataFrame method), 101
- notnull() (oddt.pandas.ChemPanel method), 181
- notnull() (oddt.pandas.ChemSeries method), 253
- nsmallest() (oddt.pandas.ChemDataFrame method), 101
- nsmallest() (oddt.pandas.ChemSeries method), 253
- num_rotors (oddt.toolkits.ob.Molecule attribute), 35
- num_rotors (oddt.toolkits.rdk.Molecule attribute), 41

- num_rotors_pdbqt() (in module oddt.docking.internal), 13
- nunique() (oddt.pandas.ChemSeries method), 253
- ## O
- OBMol (oddt.toolkits.ob.Molecule attribute), 34
- oddt (module), 302
- oddt.datasets (module), 44
- oddt.docking (module), 15
- oddt.docking.AutodockVina (module), 11
- oddt.docking.internal (module), 13
- oddt.interactions (module), 45
- oddt.metrics (module), 49
- oddt.pandas (module), 52
- oddt.scoring (module), 28
- oddt.scoring.descriptors (module), 17
- oddt.scoring.descriptors.binana (module), 17
- oddt.scoring.functions (module), 22
- oddt.scoring.functions.NNScore (module), 19
- oddt.scoring.functions.RFScore (module), 21
- oddt.scoring.models (module), 28
- oddt.scoring.models.classifiers (module), 26
- oddt.scoring.models.regressors (module), 27
- oddt.spatial (module), 295
- oddt.toolkits (module), 44
- oddt.toolkits.common (module), 31
- oddt.toolkits.extras (module), 31
- oddt.toolkits.extras.rdkit (module), 31
- oddt.toolkits.ob (module), 31
- oddt.toolkits.rdk (module), 37
- oddt.virtualscreening (module), 300
- oddt_vina_descriptor (class in oddt.scoring.descriptors), 19
- order (oddt.toolkits.ob.Bond attribute), 32
- order (oddt.toolkits.rdk.Bond attribute), 38
- order() (oddt.pandas.ChemSeries method), 253
- outformats (in module oddt.toolkits.rdk), 44
- Outputfile (class in oddt.toolkits.ob), 36
- Outputfile (class in oddt.toolkits.rdk), 42
- ## P
- parse_vina_docking_output() (in module oddt.docking.AutodockVina), 13
- parse_vina_scoring_output() (in module oddt.docking.AutodockVina), 13
- partialcharge (oddt.toolkits.ob.Atom attribute), 32
- partialcharge (oddt.toolkits.rdk.Atom attribute), 38
- pct_change() (oddt.pandas.ChemDataFrame method), 102
- pct_change() (oddt.pandas.ChemPanel method), 181
- pct_change() (oddt.pandas.ChemSeries method), 254
- pdbbind (class in oddt.datasets), 44
- pi_cation() (in module oddt.interactions), 48
- pi_metal() (in module oddt.interactions), 49
- pi_stacking() (in module oddt.interactions), 47
- pipe() (oddt.pandas.ChemDataFrame method), 102
- pipe() (oddt.pandas.ChemPanel method), 181
- pipe() (oddt.pandas.ChemSeries method), 254
- pivot() (oddt.pandas.ChemDataFrame method), 103
- pivot_table() (oddt.pandas.ChemDataFrame method), 104
- plot (oddt.pandas.ChemDataFrame attribute), 105
- plot (oddt.pandas.ChemSeries attribute), 255
- pls (in module oddt.scoring.models.regressors), 27
- pop() (oddt.pandas.ChemDataFrame method), 105
- pop() (oddt.pandas.ChemPanel method), 182
- pop() (oddt.pandas.ChemSeries method), 255
- pow() (oddt.pandas.ChemDataFrame method), 105
- pow() (oddt.pandas.ChemPanel method), 182
- pow() (oddt.pandas.ChemSeries method), 255
- predict() (oddt.scoring.ensemble_model method), 29
- predict() (oddt.scoring.functions.nnscore method), 24
- predict() (oddt.scoring.functions.NNScore.nnscore method), 20
- predict() (oddt.scoring.functions.rfscore method), 23
- predict() (oddt.scoring.functions.RFScore.rfscore method), 21
- predict() (oddt.scoring.models.classifiers.neuralnetwork method), 26
- predict() (oddt.scoring.models.classifiers.svm method), 26
- predict() (oddt.scoring.models.regressors.neuralnetwork method), 27
- predict() (oddt.scoring.models.regressors.svm method), 27
- predict() (oddt.scoring.scorer method), 29
- predict_ligand() (oddt.docking.autodock_vina method), 16
- predict_ligand() (oddt.docking.AutodockVina.autodock_vina method), 12
- predict_ligand() (oddt.scoring.functions.nnscore method), 25
- predict_ligand() (oddt.scoring.functions.NNScore.nnscore method), 20
- predict_ligand() (oddt.scoring.functions.rfscore method), 23
- predict_ligand() (oddt.scoring.functions.RFScore.rfscore method), 21
- predict_ligand() (oddt.scoring.scorer method), 30
- predict_ligands() (oddt.docking.autodock_vina method), 16
- predict_ligands() (oddt.docking.AutodockVina.autodock_vina method), 12
- predict_ligands() (oddt.scoring.functions.nnscore method), 25
- predict_ligands() (oddt.scoring.functions.NNScore.nnscore method), 20
- predict_ligands() (oddt.scoring.functions.rfscore method), 25

- method), 23
 - predict_ligands() (oddt.scoring.functions.RFScore.rfscore method), 22
 - predict_ligands() (oddt.scoring.scorer method), 30
 - predict_log_proba() (oddt.scoring.models.classifiers.neuralnetwork method), 26
 - predict_log_proba() (oddt.scoring.models.classifiers.svm method), 26
 - predict_proba() (oddt.scoring.models.classifiers.neuralnetwork method), 26
 - predict_proba() (oddt.scoring.models.classifiers.svm method), 26
 - prod() (oddt.pandas.ChemDataFrame method), 106
 - prod() (oddt.pandas.ChemPanel method), 182
 - prod() (oddt.pandas.ChemSeries method), 255
 - product() (oddt.pandas.ChemDataFrame method), 106
 - product() (oddt.pandas.ChemPanel method), 182
 - product() (oddt.pandas.ChemSeries method), 256
 - ptp() (oddt.pandas.ChemSeries method), 256
 - put() (oddt.pandas.ChemSeries method), 256
- Q**
- quantile() (oddt.pandas.ChemDataFrame method), 106
 - quantile() (oddt.pandas.ChemSeries method), 256
 - query() (oddt.pandas.ChemDataFrame method), 107
- R**
- radd() (oddt.pandas.ChemDataFrame method), 108
 - radd() (oddt.pandas.ChemPanel method), 183
 - radd() (oddt.pandas.ChemSeries method), 257
 - random_roc_log_auc() (in module oddt.metrics), 52
 - randomforest (in module oddt.scoring.models.classifiers), 26
 - randomforest (in module oddt.scoring.models.regressors), 27
 - rank() (oddt.pandas.ChemDataFrame method), 109
 - rank() (oddt.pandas.ChemPanel method), 183
 - rank() (oddt.pandas.ChemSeries method), 257
 - ravel() (oddt.pandas.ChemSeries method), 258
 - raw (oddt.toolkits.ob.Fingerprint attribute), 33
 - raw (oddt.toolkits.rdk.Fingerprint attribute), 39
 - rdiv() (oddt.pandas.ChemDataFrame method), 109
 - rdiv() (oddt.pandas.ChemPanel method), 184
 - rdiv() (oddt.pandas.ChemSeries method), 258
 - read_csv() (in module oddt.pandas), 294
 - read_mol2() (in module oddt.pandas), 294
 - read_sdf() (in module oddt.pandas), 294
 - readfile() (in module oddt.toolkits.ob), 37
 - readfile() (in module oddt.toolkits.rdk), 44
 - readstring() (in module oddt.toolkits.rdk), 44
 - real (oddt.pandas.ChemSeries attribute), 258
 - reindex() (oddt.pandas.ChemDataFrame method), 110
 - reindex() (oddt.pandas.ChemPanel method), 184
 - reindex() (oddt.pandas.ChemSeries method), 258
 - reindex_axis() (oddt.pandas.ChemDataFrame method), 112
 - reindex_axis() (oddt.pandas.ChemPanel method), 186
 - reindex_axis() (oddt.pandas.ChemSeries method), 261
 - reindex_like() (oddt.pandas.ChemDataFrame method), 113
 - reindex_like() (oddt.pandas.ChemPanel method), 187
 - reindex_like() (oddt.pandas.ChemSeries method), 261
 - removeh() (oddt.toolkits.ob.Molecule method), 35
 - removeh() (oddt.toolkits.rdk.Molecule method), 41
 - rename() (oddt.pandas.ChemDataFrame method), 113
 - rename() (oddt.pandas.ChemPanel method), 188
 - rename() (oddt.pandas.ChemSeries method), 262
 - rename_axis() (oddt.pandas.ChemDataFrame method), 115
 - rename_axis() (oddt.pandas.ChemPanel method), 189
 - rename_axis() (oddt.pandas.ChemSeries method), 263
 - reorder_levels() (oddt.pandas.ChemDataFrame method), 115
 - reorder_levels() (oddt.pandas.ChemSeries method), 263
 - repeat() (oddt.pandas.ChemSeries method), 263
 - replace() (oddt.pandas.ChemDataFrame method), 115
 - replace() (oddt.pandas.ChemPanel method), 189
 - replace() (oddt.pandas.ChemSeries method), 264
 - res_dict (oddt.toolkits.ob.Molecule attribute), 35
 - res_dict (oddt.toolkits.rdk.Molecule attribute), 41
 - resample() (oddt.pandas.ChemDataFrame method), 117
 - resample() (oddt.pandas.ChemPanel method), 191
 - resample() (oddt.pandas.ChemSeries method), 265
 - reset_index() (oddt.pandas.ChemDataFrame method), 119
 - reset_index() (oddt.pandas.ChemSeries method), 267
 - reshape() (oddt.pandas.ChemSeries method), 268
 - Residue (class in oddt.toolkits.ob), 36
 - Residue (class in oddt.toolkits.rdk), 42
 - residue (oddt.toolkits.ob.Atom attribute), 32
 - residues (oddt.toolkits.ob.Molecule attribute), 35
 - residues (oddt.toolkits.rdk.Molecule attribute), 41
 - ResidueStack (class in oddt.toolkits.ob), 37
 - ResidueStack (class in oddt.toolkits.rdk), 43
 - rfloordiv() (oddt.pandas.ChemDataFrame method), 120
 - rfloordiv() (oddt.pandas.ChemPanel method), 193
 - rfloordiv() (oddt.pandas.ChemSeries method), 268
 - rfscore (class in oddt.scoring.functions), 22
 - rfscore (class in oddt.scoring.functions.RFScore), 21
 - ring_dict (oddt.toolkits.ob.Molecule attribute), 35
 - ring_dict (oddt.toolkits.rdk.Molecule attribute), 41
 - rmod() (oddt.pandas.ChemDataFrame method), 120
 - rmod() (oddt.pandas.ChemPanel method), 193
 - rmod() (oddt.pandas.ChemSeries method), 268
 - rmsd() (in module oddt.spatial), 299
 - rmse() (in module oddt.metrics), 52
 - rmul() (oddt.pandas.ChemDataFrame method), 121
 - rmul() (oddt.pandas.ChemPanel method), 194

- rmul() (oddt.pandas.ChemSeries method), 268
 roc() (in module oddt.metrics), 49
 roc_auc() (in module oddt.metrics), 51
 roc_log_auc() (in module oddt.metrics), 51
 rolling() (oddt.pandas.ChemDataFrame method), 121
 rolling() (oddt.pandas.ChemSeries method), 269
 rotate() (in module oddt.spatial), 300
 round() (oddt.pandas.ChemDataFrame method), 124
 round() (oddt.pandas.ChemPanel method), 194
 round() (oddt.pandas.ChemSeries method), 271
 rpow() (oddt.pandas.ChemDataFrame method), 124
 rpow() (oddt.pandas.ChemPanel method), 194
 rpow() (oddt.pandas.ChemSeries method), 271
 rsub() (oddt.pandas.ChemDataFrame method), 125
 rsub() (oddt.pandas.ChemPanel method), 194
 rsub() (oddt.pandas.ChemSeries method), 272
 rtruediv() (oddt.pandas.ChemDataFrame method), 125
 rtruediv() (oddt.pandas.ChemPanel method), 195
 rtruediv() (oddt.pandas.ChemSeries method), 272
- ## S
- salt_bridge_plus_minus() (in module oddt.interactions), 47
 salt_bridges() (in module oddt.interactions), 47
 sample() (oddt.pandas.ChemDataFrame method), 126
 sample() (oddt.pandas.ChemPanel method), 195
 sample() (oddt.pandas.ChemSeries method), 272
 save() (oddt.scoring.functions.nnscore method), 25
 save() (oddt.scoring.functions.NNScore.nnscore method), 20
 save() (oddt.scoring.functions.rfscore method), 23
 save() (oddt.scoring.functions.RFScore.rfscore method), 22
 save() (oddt.scoring.scorer method), 30
 score() (oddt.docking.autodock_vina method), 16
 score() (oddt.docking.AutodockVina.autodock_vina method), 13
 score() (oddt.docking.internal.vina_docking method), 14
 score() (oddt.scoring.ensemble_model method), 29
 score() (oddt.scoring.functions.nnscore method), 25
 score() (oddt.scoring.functions.NNScore.nnscore method), 20
 score() (oddt.scoring.functions.rfscore method), 23
 score() (oddt.scoring.functions.RFScore.rfscore method), 22
 score() (oddt.scoring.models.classifiers.neuralnetwork method), 26
 score() (oddt.scoring.models.classifiers.svm method), 26
 score() (oddt.scoring.models.regressors.neuralnetwork method), 27
 score() (oddt.scoring.models.regressors.svm method), 27
 score() (oddt.scoring.scorer method), 30
 score() (oddt.virtualscreening.virtualscreening method), 301
 score_inter() (oddt.docking.internal.vina_docking method), 14
 score_intra() (oddt.docking.internal.vina_docking method), 14
 score_total() (oddt.docking.internal.vina_docking method), 14
 scorer (class in oddt.scoring), 29
 searchsorted() (oddt.pandas.ChemSeries method), 274
 select() (oddt.pandas.ChemDataFrame method), 127
 select() (oddt.pandas.ChemPanel method), 196
 select() (oddt.pandas.ChemSeries method), 275
 select_dtypes() (oddt.pandas.ChemDataFrame method), 127
 sem() (oddt.pandas.ChemDataFrame method), 128
 sem() (oddt.pandas.ChemPanel method), 196
 sem() (oddt.pandas.ChemSeries method), 275
 set_axis() (oddt.pandas.ChemDataFrame method), 129
 set_axis() (oddt.pandas.ChemPanel method), 197
 set_axis() (oddt.pandas.ChemSeries method), 275
 set_box() (oddt.docking.internal.vina_docking method), 14
 set_coords() (oddt.docking.internal.vina_docking method), 14
 set_index() (oddt.pandas.ChemDataFrame method), 129
 set_ligand() (oddt.docking.internal.vina_docking method), 14
 set_params() (oddt.scoring.models.classifiers.neuralnetwork method), 27
 set_params() (oddt.scoring.models.classifiers.svm method), 26
 set_params() (oddt.scoring.models.regressors.neuralnetwork method), 27
 set_params() (oddt.scoring.models.regressors.svm method), 27
 set_protein() (oddt.docking.autodock_vina method), 16
 set_protein() (oddt.docking.AutodockVina.autodock_vina method), 13
 set_protein() (oddt.docking.internal.vina_docking method), 14
 set_protein() (oddt.scoring.descriptors.autodock_vina_descriptor method), 19
 set_protein() (oddt.scoring.descriptors.binana.binana_descriptor method), 17
 set_protein() (oddt.scoring.descriptors.oddt_vina_descriptor method), 19
 set_protein() (oddt.scoring.ensemble_descriptor method), 28
 set_protein() (oddt.scoring.functions.nnscore method), 25
 set_protein() (oddt.scoring.functions.NNScore.nnscore method), 20
 set_protein() (oddt.scoring.functions.rfscore method), 24
 set_protein() (oddt.scoring.functions.RFScore.rfscore method), 22
 set_protein() (oddt.scoring.scorer method), 30

- set_value() (oddt.pandas.ChemDataFrame method), 129
set_value() (oddt.pandas.ChemPanel method), 197
set_value() (oddt.pandas.ChemSeries method), 275
shape (oddt.pandas.ChemDataFrame attribute), 130
shape (oddt.pandas.ChemPanel attribute), 197
shape (oddt.pandas.ChemSeries attribute), 276
shift() (oddt.pandas.ChemDataFrame method), 130
shift() (oddt.pandas.ChemPanel method), 197
shift() (oddt.pandas.ChemSeries method), 276
size (oddt.pandas.ChemDataFrame attribute), 130
size (oddt.pandas.ChemPanel attribute), 197
size (oddt.pandas.ChemSeries attribute), 276
skew() (oddt.pandas.ChemDataFrame method), 130
skew() (oddt.pandas.ChemPanel method), 197
skew() (oddt.pandas.ChemSeries method), 276
slice_shift() (oddt.pandas.ChemDataFrame method), 130
slice_shift() (oddt.pandas.ChemPanel method), 198
slice_shift() (oddt.pandas.ChemSeries method), 276
Smarts (class in oddt.toolkits.ob), 37
Smarts (class in oddt.toolkits.rdk), 43
smiles (oddt.toolkits.ob.Molecule attribute), 35
smiles (oddt.toolkits.rdk.Molecule attribute), 41
sort() (oddt.pandas.ChemDataFrame method), 131
sort() (oddt.pandas.ChemSeries method), 277
sort_index() (oddt.pandas.ChemDataFrame method), 131
sort_index() (oddt.pandas.ChemPanel method), 198
sort_index() (oddt.pandas.ChemSeries method), 277
sort_values() (oddt.pandas.ChemDataFrame method), 132
sort_values() (oddt.pandas.ChemPanel method), 198
sort_values() (oddt.pandas.ChemSeries method), 278
sortlevel() (oddt.pandas.ChemDataFrame method), 132
sortlevel() (oddt.pandas.ChemSeries method), 278
spin (oddt.toolkits.ob.Atom attribute), 32
spin (oddt.toolkits.ob.Molecule attribute), 35
squeeze() (oddt.pandas.ChemDataFrame method), 132
squeeze() (oddt.pandas.ChemPanel method), 198
squeeze() (oddt.pandas.ChemSeries method), 278
sssr (oddt.toolkits.ob.Molecule attribute), 35
sssr (oddt.toolkits.rdk.Molecule attribute), 41
stack() (oddt.pandas.ChemDataFrame method), 132
std() (oddt.pandas.ChemDataFrame method), 133
std() (oddt.pandas.ChemPanel method), 198
std() (oddt.pandas.ChemSeries method), 278
str (oddt.pandas.ChemSeries attribute), 279
strides (oddt.pandas.ChemSeries attribute), 279
style (oddt.pandas.ChemDataFrame attribute), 133
sub() (oddt.pandas.ChemDataFrame method), 133
sub() (oddt.pandas.ChemPanel method), 199
sub() (oddt.pandas.ChemSeries method), 279
subtract() (oddt.pandas.ChemDataFrame method), 134
subtract() (oddt.pandas.ChemPanel method), 199
subtract() (oddt.pandas.ChemSeries method), 279
sum() (oddt.pandas.ChemDataFrame method), 134
sum() (oddt.pandas.ChemPanel method), 199
sum() (oddt.pandas.ChemSeries method), 279
svm (class in oddt.scoring.models.classifiers), 26
svm (class in oddt.scoring.models.regressors), 27
swapaxes() (oddt.pandas.ChemDataFrame method), 135
swapaxes() (oddt.pandas.ChemPanel method), 200
swapaxes() (oddt.pandas.ChemSeries method), 280
swaplevel() (oddt.pandas.ChemDataFrame method), 135
swaplevel() (oddt.pandas.ChemPanel method), 200
swaplevel() (oddt.pandas.ChemSeries method), 280
- ## T
- T (oddt.pandas.ChemDataFrame attribute), 57
T (oddt.pandas.ChemSeries attribute), 215
tail() (oddt.pandas.ChemDataFrame method), 135
tail() (oddt.pandas.ChemPanel method), 200
tail() (oddt.pandas.ChemSeries method), 280
take() (oddt.pandas.ChemDataFrame method), 135
take() (oddt.pandas.ChemPanel method), 200
take() (oddt.pandas.ChemSeries method), 280
title (oddt.toolkits.ob.Molecule attribute), 35
title (oddt.toolkits.rdk.Molecule attribute), 41
tmp_dir (oddt.docking.autodock_vina attribute), 16
tmp_dir (oddt.docking.AutodockVina.autodock_vina attribute), 13
to_clipboard() (oddt.pandas.ChemDataFrame method), 135
to_clipboard() (oddt.pandas.ChemPanel method), 200
to_clipboard() (oddt.pandas.ChemSeries method), 280
to_csv() (oddt.pandas.ChemDataFrame method), 136
to_csv() (oddt.pandas.ChemSeries method), 281
to_dense() (oddt.pandas.ChemDataFrame method), 137
to_dense() (oddt.pandas.ChemPanel method), 201
to_dense() (oddt.pandas.ChemSeries method), 281
to_dict() (oddt.pandas.ChemDataFrame method), 137
to_dict() (oddt.pandas.ChemSeries method), 281
to_dict() (oddt.toolkits.ob.MoleculeData method), 36
to_dict() (oddt.toolkits.rdk.MoleculeData method), 42
to_excel() (oddt.pandas.ChemDataFrame method), 137
to_excel() (oddt.pandas.ChemPanel method), 201
to_frame() (oddt.pandas.ChemPanel method), 201
to_frame() (oddt.pandas.ChemSeries method), 281
to_gbq() (oddt.pandas.ChemDataFrame method), 139
to_hdf() (oddt.pandas.ChemDataFrame method), 139
to_hdf() (oddt.pandas.ChemPanel method), 201
to_hdf() (oddt.pandas.ChemSeries method), 282
to_html() (oddt.pandas.ChemDataFrame method), 140
to_json() (oddt.pandas.ChemDataFrame method), 141
to_json() (oddt.pandas.ChemPanel method), 202
to_json() (oddt.pandas.ChemSeries method), 282
to_latex() (oddt.pandas.ChemDataFrame method), 142
to_long() (oddt.pandas.ChemPanel method), 203
to_mol2() (oddt.pandas.ChemDataFrame method), 143
to_mol2() (oddt.pandas.ChemSeries method), 283

- to_msgpack() (oddt.pandas.ChemDataFrame method), 144
- to_msgpack() (oddt.pandas.ChemPanel method), 203
- to_msgpack() (oddt.pandas.ChemSeries method), 283
- to_panel() (oddt.pandas.ChemDataFrame method), 144
- to_period() (oddt.pandas.ChemDataFrame method), 144
- to_period() (oddt.pandas.ChemSeries method), 284
- to_pickle() (oddt.pandas.ChemDataFrame method), 144
- to_pickle() (oddt.pandas.ChemPanel method), 204
- to_pickle() (oddt.pandas.ChemSeries method), 284
- to_records() (oddt.pandas.ChemDataFrame method), 144
- to_sdf() (oddt.pandas.ChemDataFrame method), 144
- to_sdf() (oddt.pandas.ChemSeries method), 284
- to_smiles() (oddt.pandas.ChemSeries method), 284
- to_sparse() (oddt.pandas.ChemDataFrame method), 145
- to_sparse() (oddt.pandas.ChemPanel method), 204
- to_sparse() (oddt.pandas.ChemSeries method), 284
- to_sql() (oddt.pandas.ChemDataFrame method), 145
- to_sql() (oddt.pandas.ChemPanel method), 204
- to_sql() (oddt.pandas.ChemSeries method), 284
- to_stata() (oddt.pandas.ChemDataFrame method), 146
- to_string() (oddt.pandas.ChemDataFrame method), 147
- to_string() (oddt.pandas.ChemSeries method), 285
- to_timestamp() (oddt.pandas.ChemDataFrame method), 148
- to_timestamp() (oddt.pandas.ChemSeries method), 285
- to_xarray() (oddt.pandas.ChemDataFrame method), 148
- to_xarray() (oddt.pandas.ChemPanel method), 204
- to_xarray() (oddt.pandas.ChemSeries method), 286
- tolist() (oddt.pandas.ChemSeries method), 287
- toLong() (oddt.pandas.ChemPanel method), 200
- train() (oddt.scoring.functions.nnscore method), 25
- train() (oddt.scoring.functions.NNScore.nnscore method), 20
- train() (oddt.scoring.functions.rfscore method), 24
- train() (oddt.scoring.functions.RFScore.rfscore method), 22
- transpose() (oddt.pandas.ChemDataFrame method), 149
- transpose() (oddt.pandas.ChemPanel method), 206
- transpose() (oddt.pandas.ChemSeries method), 287
- truediv() (oddt.pandas.ChemDataFrame method), 149
- truediv() (oddt.pandas.ChemPanel method), 206
- truediv() (oddt.pandas.ChemSeries method), 287
- truncate() (oddt.pandas.ChemDataFrame method), 150
- truncate() (oddt.pandas.ChemPanel method), 206
- truncate() (oddt.pandas.ChemSeries method), 288
- tshift() (oddt.pandas.ChemDataFrame method), 150
- tshift() (oddt.pandas.ChemPanel method), 207
- tshift() (oddt.pandas.ChemSeries method), 288
- type (oddt.toolkits.ob.Atom attribute), 32
- tz_convert() (oddt.pandas.ChemDataFrame method), 150
- tz_convert() (oddt.pandas.ChemPanel method), 207
- tz_convert() (oddt.pandas.ChemSeries method), 288
- tz_localize() (oddt.pandas.ChemDataFrame method), 151
- tz_localize() (oddt.pandas.ChemPanel method), 207
- tz_localize() (oddt.pandas.ChemSeries method), 288
- ## U
- unique() (oddt.pandas.ChemSeries method), 289
- unitcell (oddt.toolkits.ob.Molecule attribute), 35
- unstack() (oddt.pandas.ChemDataFrame method), 151
- unstack() (oddt.pandas.ChemSeries method), 289
- update() (oddt.pandas.ChemDataFrame method), 152
- update() (oddt.pandas.ChemPanel method), 208
- update() (oddt.pandas.ChemSeries method), 290
- update() (oddt.toolkits.ob.MoleculeData method), 36
- update() (oddt.toolkits.rdk.MoleculeData method), 42
- ## V
- valence (oddt.toolkits.ob.Atom attribute), 32
- valid() (oddt.pandas.ChemSeries method), 290
- value_counts() (oddt.pandas.ChemSeries method), 290
- values (oddt.pandas.ChemDataFrame attribute), 152
- values (oddt.pandas.ChemPanel attribute), 152
- values (oddt.pandas.ChemSeries attribute), 290
- values() (oddt.toolkits.ob.MoleculeData method), 36
- values() (oddt.toolkits.rdk.MoleculeData method), 42
- var() (oddt.pandas.ChemDataFrame method), 153
- var() (oddt.pandas.ChemPanel method), 208
- var() (oddt.pandas.ChemSeries method), 291
- vector (oddt.toolkits.ob.Atom attribute), 32
- view() (oddt.pandas.ChemSeries method), 291
- vina_docking (class in oddt.docking.internal), 14
- vina_ligand (class in oddt.docking.internal), 14
- virtualsecreening (class in oddt.virtualsecreening), 300
- ## W
- weighted_inter() (oddt.docking.internal.vina_docking method), 14
- weighted_intra() (oddt.docking.internal.vina_docking method), 14
- weighted_total() (oddt.docking.internal.vina_docking method), 14
- where() (oddt.pandas.ChemDataFrame method), 153
- where() (oddt.pandas.ChemPanel method), 209
- where() (oddt.pandas.ChemSeries method), 291
- write() (oddt.toolkits.ob.Molecule method), 36
- write() (oddt.toolkits.ob.Outputfile method), 36
- write() (oddt.toolkits.rdk.Molecule method), 41
- write() (oddt.toolkits.rdk.Outputfile method), 42
- write() (oddt.virtualsecreening.virtualsecreening method), 301
- write_csv() (oddt.virtualsecreening.virtualsecreening method), 302
- ## X
- xs() (oddt.pandas.ChemDataFrame method), 155

`xs()` (`oddt.pandas.ChemPanel` method), [210](#)
`xs()` (`oddt.pandas.ChemSeries` method), [292](#)